



INTERNETBANKINGMWSERVICE SPECIFICATION

Release: 1.0
Date: 15 May, 2015

Author: Sumeet Madan

Table of Contents	Page
Objective.....	3
Fetch Axis Beneficiaries.....	3
Fetch Other Bank/ Non-Axis Beneficiaries.....	6

Objective

The objective of this document is to list the specifications for InternetBankingMWService which fetches following list of registered beneficiaries from Internet Banking for the provided customer id:

1. Axis Beneficiaries
2. Other Bank/ Non Axis Beneficiaries

Fetch Axis Beneficiaries

This service fetches the list of Registered Axis Beneficiaries from Internet Banking for the registered Customer Id:

Operation Name : getSearchAxisToAxisBeneficiaryDetails

REQUEST

HEADER

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
CustomerIdentifier	9	M	Customer Id for which list of Registered Axis Beneficiaries are required to be fetched.

Sample

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org">
  <soapenv:Header>
    <tem:subHeader>
      <tem:UniqueId>A2AB00001</tem:UniqueId>
      <tem:ServiceRequestId>MW.HKN</tem:ServiceRequestId>
```

Specification for InternetBankingMWService

```
<tem:ServiceRequestVersion>1.0</tem:ServiceRequestVersion>
<tem:ChannelId>HKN</tem:ChannelId>
</tem:subHeader>
</soapenv:Header>
<soapenv:Body>
  <tem:getSearchAxisToAxisBeneficiaryDtlRequest>
    <tem:CustomerIdentifier>CUST00053</tem:CustomerIdentifier>
  </tem:getSearchAxisToAxisBeneficiaryDtlRequest>
</soapenv:Body>
</soapenv:Envelope>
```

RESPONSE

HEADER

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
NumberOfRecords	5	M	No of Registered Axis Beneficiaries found for the provided customer id
FoundFlag	5	M	"true" if records are found. "false" if no records found.
<i>Beneficiary Details</i>			
RegistrationIdentifier	10	M	Registration Identifier for the Beneficiary
BeneficiaryNickName	99	M	Beneficiary Nick Name
BeneficiaryAccName	99	M	Beneficiary Account Name
BeneficiaryAcctCatagory	10	M	Beneficiary Account Catagory
BeneficiaryAcctCurrency	3	M	Beneficiary Account Currency
BeneficiaryAcctType	5	M	Beneficiary Account Type
BeneficiaryAcctNumber	15	M	Beneficiary Account Number
BeneficiaryBranchIdentifier	5	M	Beneficiary Branch Identifier
Status	1	M	Account Registration Status
DeleteFlag	1	M	Delete Flag

Sample

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
  <NS1:Header>
    <NS2:subHeader xmlns:NS2="http://tempuri.org">
      <NS2:UniqueId>A2AB00001</NS2:UniqueId>
      <NS2:ServiceRequestId>MW.HKN</NS2:ServiceRequestId>
      <NS2:ServiceRequestVersion>1.0</NS2:ServiceRequestVersion>
      <NS2:ChannelId>HKN</NS2:ChannelId>
    </NS2:subHeader>
  </NS1:Header>
  <NS1:Body>
    <NS3:getSearchAxisToAxisBeneficiaryDtlResponse xmlns:NS3="http://tempuri.org">
      <NS3:NumberOfRecords>3</NS3:NumberOfRecords>
      <NS3:FoundFlag>true</NS3:FoundFlag>
      <NS3:getAxisToAxisBeneficiaryDetails>
        <NS3:RegistrationIdentifier>400001</NS3:RegistrationIdentifier>
        <NS3:BeneficiaryNickName>XXXXXXXXXXXX</NS3:BeneficiaryNickName>
        <NS3:BeneficiaryAccName>XXXXXXXXXXXX</NS3:BeneficiaryAccName>
        <NS3:BeneficiaryAcctCategory>SBEZY</NS3:BeneficiaryAcctCategory>
        <NS3:BeneficiaryAcctCurrency>INR</NS3:BeneficiaryAcctCurrency>
        <NS3:BeneficiaryAcctType>SBA</NS3:BeneficiaryAcctType>
        <NS3:BeneficiaryAcctNumber>ACCTNO0000000004</NS3:BeneficiaryAcctNumber>
        <NS3:BeneficiaryBranchIdentifier>333</NS3:BeneficiaryBranchIdentifier>
        <NS3>Status>A</NS3>Status>
        <NS3>DeleteFlag>N</NS3>DeleteFlag>
      </NS3:getAxisToAxisBeneficiaryDetails>
      <NS3:getAxisToAxisBeneficiaryDetails>
        <NS3:RegistrationIdentifier>400001</NS3:RegistrationIdentifier>
        <NS3:BeneficiaryNickName>XXXXXXXXXXXX</NS3:BeneficiaryNickName>
        <NS3:BeneficiaryAccName>XXXXXXXXXXXX</NS3:BeneficiaryAccName>
        <NS3:BeneficiaryAcctCategory>SBEZY</NS3:BeneficiaryAcctCategory>
        <NS3:BeneficiaryAcctCurrency>INR</NS3:BeneficiaryAcctCurrency>
        <NS3:BeneficiaryAcctType>SBA</NS3:BeneficiaryAcctType>
        <NS3:BeneficiaryAcctNumber>ACT000000000015</NS3:BeneficiaryAcctNumber>
        <NS3:BeneficiaryBranchIdentifier>333</NS3:BeneficiaryBranchIdentifier>
        <NS3>Status>A</NS3>Status>
        <NS3>DeleteFlag>N</NS3>DeleteFlag>
      </NS3:getAxisToAxisBeneficiaryDetails>
      <NS3:getAxisToAxisBeneficiaryDetails>
        <NS3:RegistrationIdentifier>400001</NS3:RegistrationIdentifier>
        <NS3:BeneficiaryNickName>XXXXXXXXXXXX</NS3:BeneficiaryNickName>
        <NS3:BeneficiaryAccName>XXXXXXXXXXXX</NS3:BeneficiaryAccName>
        <NS3:BeneficiaryAcctCategory>SBEZY</NS3:BeneficiaryAcctCategory>
        <NS3:BeneficiaryAcctCurrency>INR</NS3:BeneficiaryAcctCurrency>
        <NS3:BeneficiaryAcctType>SBA</NS3:BeneficiaryAcctType>
        <NS3:BeneficiaryAcctNumber>ACT000000000016</NS3:BeneficiaryAcctNumber>
        <NS3:BeneficiaryBranchIdentifier>333</NS3:BeneficiaryBranchIdentifier>
      </NS3:getAxisToAxisBeneficiaryDetails>
    </NS3:getSearchAxisToAxisBeneficiaryDtlResponse>
  </NS1:Body>
</NS1:Envelope>
```

```
<NS3:Status>A</NS3:Status>
<NS3>DeleteFlag>N</NS3>DeleteFlag>
</NS3:getAxisToAxisBeneficiaryDetails>
</NS3:getSearchAxisToAxisBeneficiaryDtlResponse>
</NS1:Body>
</NS1:Envelope>
```

Fetch Other Bank/ Non-Axis Beneficiaries

This service fetches the list of Registered Other Bank/ Non-Axis Beneficiaries from Internet Banking for the registered Customer Id:

Operation Name : getSearchAxisToNonAxisBeneficiaryDetails

REQUEST

HEADER

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
CustomerIdentifier	9	M	Customer Id for which list of Registered Non- Axis Beneficiaries are required to be fetched.

Sample

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org">
  <soapenv:Header>
    <tem:subHeader>
      <tem:UniqueId>A20B00001</tem:UniqueId>
      <tem:ServiceRequestId>MW.HKN</tem:ServiceRequestId>
      <tem:ServiceRequestVersion>1.0</tem:ServiceRequestVersion>
      <tem:ChannelId>HKN</tem:ChannelId>
    </tem:subHeader>
  </soapenv:Header>
  <soapenv:Body>
    <tem:getSearchAxisToNonAxisBeneficiaryDtlRequest>
      <tem:CustomerIdentifier>CUST00026</tem:CustomerIdentifier>
    </tem:getSearchAxisToNonAxisBeneficiaryDtlRequest>
  </soapenv:Body>
```

</soapenv:Envelope>

RESPONSE**HEADER**

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
NumberOfRecords	5	M	No of Registered Axis Beneficiaries found for the provided customer id
FoundFlag	5	M	"true" if records are found. "false" if no records found.
<i>Beneficiary Details</i>			
PayeeListIdentifier	10	M	Registration Identifier for the Beneficiary
PayeeNickName	99	M	Beneficiary Nick Name
DeleteFlag	1	M	Delete Flag
BeneficiaryName	99	M	Beneficiary Name
BeneficiaryAcctNumber	15	M	Beneficiary Account Number
BeneficiaryIFSC	11	M	Beneficiary Bank Branch IFSC

Sample

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
  <NS1:Header>
    <NS2:subHeader xmlns:NS2="http://tempuri.org">
      <NS2:UniqueId>A2OB00001</NS2:UniqueId>
      <NS2:ServiceRequestId>MW.HKN</NS2:ServiceRequestId>
      <NS2:ServiceRequestVersion>1.0</NS2:ServiceRequestVersion>
      <NS2:ChannelId>HKN</NS2:ChannelId>
    </NS2:subHeader>
  </NS1:Header>
  <NS1:Body>
    <NS3:getSearchAxisToNonAxisBeneficiaryDtlResponse xmlns:NS3="http://tempuri.org">
      <NS3:NumberOfRecords>5</NS3:NumberOfRecords>
      <NS3:FoundFlag>true</NS3:FoundFlag>
    </NS3:getSearchAxisToNonAxisBeneficiaryDtlResponse>
  </NS1:Body>
</NS1:Envelope>
```

```

<NS3:getAxisToNonAxisBeneficiaryDetails>
  <NS3:PayeeListIdentifier>000000000191</NS3:PayeeListIdentifier>
  <NS3:PayeeNickName>XXXXXXXXXXXX</NS3:PayeeNickName>
  <NS3>DeleteFlag>N</NS3>DeleteFlag>
  <NS3:BeneficiaryName>XXXXXXXXXXXX</NS3:BeneficiaryName>
  <NS3:BeneficiaryAcctNumber>ACTDUMMY0000001</NS3:BeneficiaryAcctNumber>
  <NS3:BeneficiaryIFSC>SBIN0008692</NS3:BeneficiaryIFSC>
</NS3:getAxisToNonAxisBeneficiaryDetails>
<NS3:getAxisToNonAxisBeneficiaryDetails>
  <NS3:PayeeListIdentifier>000000000200</NS3:PayeeListIdentifier>
  <NS3:PayeeNickName>XXXXXXXXXXXX</NS3:PayeeNickName>
  <NS3>DeleteFlag>N</NS3>DeleteFlag>
  <NS3:BeneficiaryName>XXXXXXXXXXXX</NS3:BeneficiaryName>
  <NS3:BeneficiaryAcctNumber>SBIN0008692</NS3:BeneficiaryAcctNumber>
  <NS3:BeneficiaryIFSC>SBIN0008692</NS3:BeneficiaryIFSC>
</NS3:getAxisToNonAxisBeneficiaryDetails>
<NS3:getAxisToNonAxisBeneficiaryDetails>
  <NS3:PayeeListIdentifier>000000000201</NS3:PayeeListIdentifier>
  <NS3:PayeeNickName>XXXXXXXXXXXX</NS3:PayeeNickName>
  <NS3>DeleteFlag>N</NS3>DeleteFlag>
  <NS3:BeneficiaryName>XXXXXXXXXXXX</NS3:BeneficiaryName>
  <NS3:BeneficiaryAcctNumber>SBIN0008692</NS3:BeneficiaryAcctNumber>
  <NS3:BeneficiaryIFSC>SBIN0008692</NS3:BeneficiaryIFSC>
</NS3:getAxisToNonAxisBeneficiaryDetails>
<NS3:getAxisToNonAxisBeneficiaryDetails>
  <NS3:PayeeListIdentifier>000000000238</NS3:PayeeListIdentifier>
  <NS3:PayeeNickName>XXXXXXXXXXXX</NS3:PayeeNickName>
  <NS3>DeleteFlag>N</NS3>DeleteFlag>
  <NS3:BeneficiaryName>XXXXXXXXXXXX</NS3:BeneficiaryName>
  <NS3:BeneficiaryAcctNumber>SBIN0008693</NS3:BeneficiaryAcctNumber>
  <NS3:BeneficiaryIFSC>SBIN0008692</NS3:BeneficiaryIFSC>
</NS3:getAxisToNonAxisBeneficiaryDetails>
<NS3:getAxisToNonAxisBeneficiaryDetails>
  <NS3:PayeeListIdentifier>000000000206</NS3:PayeeListIdentifier>
  <NS3:PayeeNickName>XXXXXXXXXXXX</NS3:PayeeNickName>
  <NS3>DeleteFlag>N</NS3>DeleteFlag>
  <NS3:BeneficiaryName>XXXXXXXXXXXX</NS3:BeneficiaryName>
  <NS3:BeneficiaryAcctNumber>SBIN0008692</NS3:BeneficiaryAcctNumber>
  <NS3:BeneficiaryIFSC>SBIN0008692</NS3:BeneficiaryIFSC>
</NS3:getAxisToNonAxisBeneficiaryDetails>
</NS3:getSearchAxisToNonAxisBeneficiaryDtlResponse>
</NS1:Body>
</NS1:Envelope>

```