



PINAUTHENTICATIONMWSERVICE SPECIFICATION

Release: 1.0
Date: 30 Apr,2015

Author: Sumeet Madan

Table of Contents	Page
Objective.....	3
Verify PIN.....	3
Response Code Master.....	6

Objective

This service authenticates if the PIN and other card details, for the provided Credit or Debit card, are valid or not.

Verify PIN

This service authenticates if the PIN and other card details, for the provided Credit or Debit card, are valid or not:

Operation Name : VerifyPin

REQUEST

HEADER

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
ExpiryDate	4	M	Card Expiry Date in yymm format.
Pin	6	M	Card PIN
CardNo	16	M	16 Digit Card Number
Currency	3	M	Hard Coded Value : 356
ProductCode	10	M	Value is DEBITCARD in case of authenticating a debit card. If Credit card is being authenticated, value is CREDITCARD

Sample

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:tem="http://tempuri.org">
  <soapenv:Header>
    <tem:subHeader>
      <tem:UniqueId>PINATH001</tem:UniqueId>
      <tem:ServiceRequestId>MW.HKN</tem:ServiceRequestId>
      <tem:ServiceRequestVersion>1.0</tem:ServiceRequestVersion>
      <tem:ChannelId>HKN</tem:ChannelId>
    </tem:subHeader>
  </soapenv:Header>
  <soapenv:Body>
    <tem:PinAuthenticateRequest>
      <tem:ExpiryDate>1903</tem:ExpiryDate>
      <tem:Pin>PD0001</tem:Pin>
      <tem:CardNo>DEBITCARD0000001</tem:CardNo>
      <tem:Currency>356</tem:Currency>
      <tem:ProductCode>debitcard</tem:ProductCode>
    </tem:PinAuthenticateRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

RESPONSE

HEADER

Field	Length	M/O	Description
UniqueId	9	M	Unique Alphanumeric ID (without special characters) from the source system
ServiceRequestId	30	M	Hardcoded Value – MW.HKN
ServiceRequestVersion	3	M	Hardcoded Value – 1.0
ChannelId	3	M	Hardcoded Value – HKN

BODY

Field	Length	M/O	Description
RspCode	3	M	Response Codes from the Authentication System. Refer Response Code Master (last section) for the Code Description
RspDesc	99	M	Description

Sample

```
<NS1:Envelope xmlns:NS1="http://schemas.xmlsoap.org/soap/envelope/">
  <NS1:Header>
    <NS2:subHeader xmlns:NS2="http://tempuri.org">
      <NS2:UniqueId>PINATH001</NS2:UniqueId>
      <NS2:ServiceRequestId>MW.HKN</NS2:ServiceRequestId>
      <NS2:ServiceRequestVersion>1.0</NS2:ServiceRequestVersion>
      <NS2:ChannelId>HKN</NS2:ChannelId>
    </NS2:subHeader>
  </NS1:Header>
  <NS1:Body>
    <NS3:PinAuthenticateResponse xmlns:NS3="http://tempuri.org">
      <NS3:CustomerName>XXXXXXXXXXXX</NS3:CustomerName>
      <NS3:CustomerAccountNumber>ACCTNO00000006</NS3:CustomerAccountNumber>
      <NS3:CustomerId>CUST01006</NS3:CustomerId>
      <NS3:RspCode>00</NS3:RspCode>
      <NS3:RspDesc>Authenticated.</NS3:RspDesc>
    </NS3:PinAuthenticateResponse>
  </NS1:Body>
</NS1:Envelope>
```

Response Code Master

Response Codes	Description
"00"	approved - balance avail
"00"	approved - balance <u>unavail</u>
"11"	approved - <u>vip</u>
"11"	approved - <u>vip</u>
"79"	approved - admin <u>tran</u>
"80"	approved - National Neg hit okay
"81"	approved - <u>commercial</u>
"05"	unauthorized usage
"54"	expired card
"75"	pin tries exceeded
"31"	no sharing
"82"	Private, no security box
"12"	invalid transaction
"57"	<u>tran</u> not permitted
"41"	lost card
"14"	invalid card number
"62"	restricted card
"83"	private (no accounts)
"84"	no <u>pbf</u>
"85"	<u>pbf</u> update error
"86"	invalid <u>auth</u> type
"87"	bad track2
"12"	invalid <u>tranx</u>
"T1"	invalid amount
"T2"	format error
"88"	private <u>ptlf</u> error
"30"	format error
"15"	no <u>idf</u>
"R8"	private card on NATION NEG FILE
"89"	invalid route service
"N0"	unable to authorize
"N1"	invalid pan length

"51"	not sufficient fund
"N2"	pre <u>auth</u> full
"94"	duplicate transaction
"N3"	private <u>max</u> online refund reached
"N4"	private <u>max</u> offline refund reached
"N5"	private <u>max</u> credit per refund
"65"	exceeds withdrawal frequency limit
"N6"	<u>max</u> refund credit reached
"N7"	customer selected neg reason
"57"	transaction not permitted to <u>cardholder</u>
"N8"	<u>overfloor</u> limit
"N9"	<u>max</u> number of refund credit
"01"	refer to card issuer
"T5"	CAF status 0 or 9
"T6"	Bad UAF
"O1"	referral file full
"O1"	neg file problem
"O2"	advance less than <u>min</u>
"O3"	delinquent
"O4"	over limit table
"61"	exceeds withdrawal amt. limit
"O5"	private pin required
"O6"	mod 10 check
"O7"	force post
"O8"	bad <u>pbf</u>
"06"	unable to process <u>tranx.</u>
"02"	refer to card issuer special <u>cond.</u>
"02"	! ~~~~~
"O9"	neg file problem
"P0"	<u>caf</u> file problem
"T3"	no card record
"T4"	invalid amount
"P1"	over daily limit
"P2"	<u>capf</u> no found
"P3"	advance less than <u>min</u>
"P4"	<u>num</u> of times used exceeded

"P5"	delinquent
"P6"	over limit table
"68"	response <u>recieved</u> to late
"S4"	<u>ptlf</u> is full
"S8"	Admin file error
"S9"	security device error
"01"	ARQC failure
"01"	CVR Referral
"01"	TVR Referral
"01"	Reason On-line Referral
"01"	<u>Fallback</u> Referral
"03"	invalid merchant
"83"	private (no accounts)
"55"	incorrect pin
"P7"	advance less amount
"P8"	admin card needed
"P9"	enter lesser amount
"13"	invalid amount
"56"	<u>caf</u> not found
"Q0"	invalid <u>tran</u> date
"Q1"	invalid expiration date
"Q2"	invalid <u>trancode</u>
"T7"	cash back > daily limit
"05"	ARQC failure
"05"	HSM parameter error
"05"	HSM failure
"05"	KEYI Record not found
"05"	ATC check failure
"05"	CVR decline
"05"	TVR decline
"05"	Reason On-line decline
"05"	<u>Fallback</u> Decline
"38"	allowable PIN tries exceeded
"33"	expired card
"36"	restricted card
"43"	stolen card
"Q3"	advance less than <u>min</u>

"Q4"	number of times used exceeded
"Q5"	delinquent
"Q6"	over limit table
"Q7"	amount over <u>max</u>
"04"	CAPTURE
"04"	ARQC failure
"04"	CVR Capture
"04"	TVR Capture
"Q8"	! admin card not found
"Q9"	! admin card not allowed
"R0"	! approved admin request in window
"R1"	! approved admin request out window
"R2"	! approved admin request <u>anytime</u>
"R3"	! <u>chargeback</u> customer file updated
"R4"	! <u>chargeback cust.file</u> updated <u>acqr.not fo</u>
"R5"	! <u>chargeback</u> incorrect prefix number
"R6"	! <u>chargeback</u> incorrect <u>rsp</u> code or <u>cpf</u> con
"R7"	! admin transactions not supported
"S5"	! Approved, customer files not updated
"S6"	! Approved, files not updated <u>Acq.</u> not <u>fou</u>
"S7"	! Accepted, incorrect destination