

Honda Automotive CRM Learning Extension

Part 1 — Contact, Opportunity, Vehicle Interest, Activities and Sales-Cycle Foundation

```
1 =====
2 TASK - HONDA AUTOMOTIVE CRM - PART 1
3 Business Central / AL
4 =====
```

Hi Arun, welcome to your second major hands-on AL project.

Your Student Management Module taught you the **master → journal → posting → permanent entry** pattern. This project introduces a different Business Central pattern:

```
1 Contact
2     ↓
3 Opportunity
4     ↓
5 Sales Cycle
6     ↓
7 Vehicle Interest
8     ↓
9 Follow-up Activities
10    ↓
11 Opportunity Progress
```

The Future Motors process manual uses standard Business Central Contacts and Opportunities. Users first create a Contact, then create an Opportunity, select its salesperson, priority and sales-cycle code, and activate the first stage. The Contact also contains customer details, location information, salesperson assignment, interaction dates and next-task information. We will build Part 1 around that same foundation instead of creating unnecessary replacements for standard CRM objects. [\[Future Mot...s Manual 2 | Word\]](#)

This is not intended to reproduce a confidential production application. It is a standalone learning extension inspired by the documented automotive CRM process.

What Part 1 Will Teach You

Part 1 focuses on the following AL and Business Central concepts:

1. Extending standard Business Central tables
 2. Extending standard pages
 3. Using standard Contact and Opportunity records
 4. Creating automotive master data
 5. Header-and-line table relationships
 6. Get versus SetRange and SetFilter
 7. TableRelation with conditional filters
 8. Field validation and automatic field population
 9. Duplicate-contact detection
 10. Opportunity creation from a Contact
 11. Sales-cycle activation
 12. Follow-up activity management
 13. Controlled status changes through codeunits
 14. Maintaining permanent history entries
 15. FactBoxes and subpages
 16. Transaction-safe business procedures
 17. Permission sets
 18. Manual acceptance testing
-

Important Scope Boundary

Part 1 ends after the opportunity and its CRM activities are established.

It will **not** create:

- Vehicle Sales Quote
- Vehicle Sales Memo
- Vehicle Sales Order
- Sales Invoice
- Vehicle Delivery
- Recovery Sheet
- Service Booking
- Service Order
- Service Feedback
- Customer Complaint

The Future Motors manual documents those later processes, including quotation, sales memo, order, invoicing, delivery and service. They will become later learning modules after the CRM foundation is stable. [\[Future Mot...s Manual 2 | Word\]](#)

Before You Start

Development Rules

- Use a separate development sandbox.
- Do not use real customer data.
- Do not commit credentials, environment URLs or secrets.
- Do not copy production source code into the learning repository.
- Use fictional customer, dealer and vehicle data.
- Confirm your actual object-ID range with your technical lead before deploying to a company tenant.

Suggested Object ID Range

For a standalone learning project:

1 Object IDs: 51000-51199

The requirement below uses 51000 onward.

If that range is already occupied, change the IDs consistently before starting.

Suggested Extension Name

1 Honda Automotive CRM Learning

Suggested Branch Name

1 feature/honda-crm-part1-arun

Business Process You Are Building

1	Create or Find Contact
2	↓
3	Check for Possible Duplicates
4	↓
5	Assign Salesperson and Preferred Dealer
6	↓
7	Create Opportunity
8	↓
9	Add Interested Vehicle Model and Variant
10	↓
11	Select Sales Cycle and Activate First Stage
12	↓

13	Create Follow-up Activities
14	↓
15	Complete Activities and Update Contact Dates
16	↓
17	Advance Opportunity Through Early CRM Stages
18	↓
19	View Activity and Stage History

The Future Motors manual shows a similar starting process: create a Contact, fill customer and salesperson information, create an Opportunity, select its priority and sales-cycle code, and activate the first sales-cycle stage. [\[Future Mot...s Manual 2 | Word\]](#)

Architecture Decision

Use Standard Business Central Objects

Part 1 must reuse:

- Contact
- Contact Card
- Contact List
- Opportunity
- Opportunity Card
- Opportunity List
- Salesperson/Purchaser
- Standard Sales Cycle
- Standard Sales Cycle Stage

Create Custom Automotive Objects

Part 1 will create:

- Honda Dealer
- Honda Vehicle Model
- Honda Vehicle Variant
- Honda CRM Activity
- Honda Opportunity Vehicle Line
- Honda Opportunity Status Entry
- Honda CRM Management codeunit

Why We Are Not Creating a Custom Lead Table

For this project:

- A Contact represents the prospect or customer identity.
- An Opportunity represents one possible vehicle sale.
- An Activity represents work or communication.
- A vehicle-interest line represents what the customer may purchase.

A single Contact may have several Opportunities over time. For example, the same person may enquire about a scooter today and an automobile two years later.

Step 1 — Create the Enums

Use extensible enums where future customization is reasonable.

Enum 51000 Honda Product Category

Values:

- | | |
|---|---------------|
| 1 | Motorcycle |
| 2 | Scooter |
| 3 | Automobile |
| 4 | Power Product |

Set:

- | | |
|---|--------------------|
| 1 | Extensible = true; |
|---|--------------------|

Purpose

This identifies the broad Honda product category in which a Contact or Opportunity is interested.

Enum 51001 Honda Dealer Type

Values:

- | | |
|---|----------------|
| 1 | Showroom |
| 2 | Service Center |
| 3 | 3S Facility |

Set:

- | | |
|---|--------------------|
| 1 | Extensible = true; |
|---|--------------------|

Purpose

A 3S facility can represent sales, service and spare-parts operations under one location.

Enum 51002 Honda Lead Source

Values:

- | | |
|----|-------------------|
| 1 | Walk In |
| 2 | Website |
| 3 | Phone |
| 4 | Social Media |
| 5 | Campaign |
| 6 | Referral |
| 7 | Dealer |
| 8 | Service Center |
| 9 | Existing Customer |
| 10 | Other |

Set:

- | | |
|---|--------------------|
| 1 | Extensible = true; |
|---|--------------------|

Purpose

Lead Source explains where the Contact or sales enquiry originated.

Although Part 1 uses a standard Contact instead of a separate Lead record, the source still needs to be captured for future conversion analysis.

Enum 51003 Honda CRM Activity Type

Values:

- | | |
|---|--------------------|
| 1 | Phone Call |
| 2 | Email |
| 3 | Meeting |
| 4 | Showroom Visit |
| 5 | Test Drive Request |
| 6 | Follow Up |
| 7 | Other |

Set:

- | | |
|---|--------------------|
| 1 | Extensible = true; |
|---|--------------------|

Enum 51004 Honda CRM Activity Status

Values:

- | | |
|---|-----------|
| 1 | Open |
| 2 | Completed |
| 3 | Cancelled |

Do not create an empty value unless your team's enum convention requires one.

Enum 51005 Honda Opportunity CRM Stage

Values:

- | | |
|---|-------------------|
| 1 | New |
| 2 | Initial Contact |
| 3 | Needs Analysis |
| 4 | Vehicle Selection |
| 5 | Test Drive |
| 6 | Quotation Ready |

Important

This custom stage is the simplified automotive stage used by your extension. It does not replace the standard Business Central Sales Cycle Stage.

The record should still retain its standard Sales Cycle relationship. Your custom field gives you a controlled learning workflow and simpler validation rules.

Enum 51006 Honda Opportunity Result

Values:

- | | |
|---|---------------------|
| 1 | Open |
| 2 | Ready for Quotation |
| 3 | Won |
| 4 | Lost |
| 5 | Cancelled |

Part 1 will mainly use:

- Open
- Ready for Quotation
- Lost

- Cancelled

Actual quotation conversion and final sales processing will be introduced later.

Enum 51007 Honda Lost Reason

Values:

1	Price
2	Finance Unavailable
3	Vehicle Unavailable
4	Competitor
5	Purchase Postponed
6	Unable to Contact
7	Not Interested
8	Duplicate Enquiry
9	Other

Set:

1	Extensible = true;
---	--------------------

Enum 51008 Honda Contact Preference

Values:

1	Phone
2	Email
3	In Person
4	No Preference

Concept Check

Explain why enums are preferred over free text for:

- Activity Status
- Opportunity Result
- Lost Reason
- Product Category

Your answer should cover:

- Controlled values
- Consistent filters

- Reliable business logic
 - Better reporting
 - Prevention of spelling variations
 - Extensibility
-

Step 2 — Create the Automotive Master Tables

Table 51000 Honda Dealer

This stores the dealership, showroom or service-center locations relevant to the CRM process.

Fields

1	1	Code	Code[20]
2	2	Name	Text[100]
3	3	Dealer Type	Enum "Honda Dealer Type"
4	4	Address	Text[100]
5	5	Address 2	Text[50]
6	6	City	Text[50]
7	7	Province	Text[50]
8	8	District	Text[50]
9	9	Municipality	Text[50]
10	10	Phone No.	Text[30]
11	11	Email	Text[80]
12	12	Contact Person	Text[100]
13	13	Location Code	Code[20]
14	14	Salesperson Code	Code[20]
15	15	Active	Boolean
16	16	Blocked	Boolean
17	17	Last Date Modified	Date

Primary Key

1	Code
---	------

Table Relations

1	Location Code
2	→ Location.Code
3	
4	Salesperson Code

5 → Salesperson/Purchaser.Code

Default Values

1 Active = true
2 Blocked = false

Validations

- Name must not be blank.
 - A blocked dealer cannot be selected on new CRM records.
 - Email validation should use an appropriate standard Business Central email-validation method if available in your target runtime.
 - Update Last Date Modified when relevant values change.
-

Table 51001 Honda Vehicle Model

This represents a CRM product master.

It does not represent a physical vehicle in stock and does not replace the standard Item table.

Fields

1	1	Code	Code[20]
2	2	Description	Text[100]
3	3	Product Category	Enum "Honda Product Category"
4	4	Make Code	Code[20]
5	5	Model Year	Integer
6	6	Starting Price	Decimal
7	7	Active	Boolean
8	8	Blocked	Boolean
9	9	Item No.	Code[20]
10	10	Last Date Modified	Date

Primary Key

1 Code

Table Relations

1 Item No.
2 → Item."No."

Item No. remains optional in Part 1. It provides a future bridge to quotation and inventory.

Default Values

- | | |
|---|-------------------|
| 1 | Make Code = HONDA |
| 2 | Active = true |
| 3 | Blocked = false |

Validations

- Description is mandatory.
 - Product Category is mandatory.
 - Starting Price cannot be negative.
 - Model Year cannot be negative.
 - A blocked model cannot be selected on a new opportunity line.
-

Table 51002 Honda Vehicle Variant

This stores variants belonging to a vehicle model.

Fields

1	1	Model Code	Code[20]
2	2	Code	Code[20]
3	3	Description	Text[100]
4	4	Model Year	Integer
5	5	Fuel Type	Text[30]
6	6	Transmission Type	Text[30]
7	7	Color Description	Text[50]
8	8	Unit Price	Decimal
9	9	Item No.	Code[20]
10	10	Active	Boolean
11	11	Blocked	Boolean

Primary Key

- | | |
|---|------------------|
| 1 | Model Code, Code |
|---|------------------|

Table Relations

- | | |
|---|----------------------------|
| 1 | Model Code |
| 2 | → Honda Vehicle Model.Code |
| 3 | |
| 4 | Item No. |
| 5 | → Item."No." |

Validations

- Model Code is mandatory.
- Description is mandatory.
- Unit Price cannot be negative.
- Model Year cannot be negative.

Concept Check

Why is the primary key made from both Model Code and Code?

Expected understanding:

- A variant belongs to a model.
 - The same short variant code may be meaningful under different models.
 - The compound key establishes the parent-child identity.
 - It supports filtering variants by the selected model.
-

Step 3 — Create the Master Pages

Create the following pages:

1	Page 51000	Honda Dealer Card
2	Page 51001	Honda Dealer List
3	Page 51002	Honda Vehicle Model Card
4	Page 51003	Honda Vehicle Model List
5	Page 51004	Honda Vehicle Variant List

Page 51000 Honda Dealer Card

Page type:

1 Card

Source table:

1 Honda Dealer

Groups:

- General
- Address and Communication
- Assignment
- Administration

Show all relevant fields.

Page 51001 Honda Dealer List

Page type:

1 List

Show:

- Code
- Name
- Dealer Type
- City
- Province
- Phone No.
- Salesperson Code
- Active
- Blocked

Set:

1 UsageCategory = Lists; 2 ApplicationArea = All; 3 CardPageId = "Honda Dealer Card";

Page 51002 Honda Vehicle Model Card

Groups:

- General
- Product Information
- Pricing
- Integration
- Administration

Add a part showing variants belonging to the current model.

Use SubPageLink to filter the variant list by Model Code.

Page 51003 Honda Vehicle Model List

Show:

- Code

- Description
- Product Category
- Model Year
- Starting Price
- Active
- Blocked

Set:

```
1 UsageCategory = Lists;
2 ApplicationArea = All;
3 CardPageId = "Honda Vehicle Model Card";
```

Page 51004 Honda Vehicle Variant List

Show:

- Model Code
- Code
- Description
- Model Year
- Fuel Type
- Transmission Type
- Color Description
- Unit Price
- Active
- Blocked

Allow editing when opened from the Vehicle Model Card.

Step 4 — Extend the Standard Contact Table

Create:

```
1 TableExtension 51000 "Honda Contact Ext."
2 extends Contact
```

Do not duplicate standard fields such as Name, Address, Phone No., E-Mail or Salesperson Code.

Add These Fields

Use field numbers from your allocated extension range.

1	Honda Customer Type	Text[30]
2	Honda Lead Source	Enum "Honda Lead Source"
3	Honda Preferred Dealer Code	Code[20]
4	Honda Product Category	Enum "Honda Product Category"
5	Honda Preferred Model Code	Code[20]
6	Honda Preferred Model Desc.	Text[100]
7	Honda Province	Text[50]
8	Honda District	Text[50]
9	Honda Municipality	Text[50]
10	Honda Citizenship No.	Text[30]
11	Honda Last Attempted Date	Date
12	Honda Next Task Date	Date
13	Honda Contact Preference	Enum "Honda Contact Preference"
14	Honda Consent to Contact	Boolean
15	Honda Consent Date	Date
16	Honda Do Not Contact	Boolean

Use a recognizable prefix because these fields extend a standard table.

Table Relations

Preferred Dealer Code

Relate it to an active, unblocked Honda Dealer.

Conceptually:

```

1 TableRelation = "Honda Dealer".Code
2     where(Active = const(true),
3           Blocked = const(false));

```

Preferred Model Code

Relate it to active, unblocked vehicle models.

The model lookup should be filtered by the Contact's selected Product Category when possible.

Contact Validation Rules

Preferred Dealer Code

When a dealer is selected:

1. Retrieve the Dealer with Get.
2. Verify that it is active.

3. Verify that it is not blocked.
4. Raise an error if it cannot be used.

Preferred Model Code

When a model is selected:

1. Retrieve the model with Get.
2. Verify that it is active.
3. Verify that it is not blocked.
4. Copy Description to Honda Preferred Model Desc.
5. Copy Product Category when the Contact's category is blank.
6. Error if the selected model conflicts with an already selected category.

When Preferred Model Code is cleared:

1 Clear Preferred Model Description

Consent Rules

When Honda Consent to Contact changes to true:

1 Set Honda Consent Date to WorkDate
2 Set Honda Do Not Contact to false

When Honda Do Not Contact changes to true:

1 Set Honda Consent to Contact to false
2 Block creation of new follow-up activities

Do not automatically delete old activities or communication history.

Next Task Date

Do not directly calculate it from WorkDate in the Contact trigger. Later, the Activity Management process will update it based on the earliest open activity.

Step 5 — Extend the Standard Contact Pages

Create:

1 PageExtension 51000 "Honda Contact Card Ext."
2 extends "Contact Card"
3
4 PageExtension 51001 "Honda Contact List Ext."
5 extends "Contact List"

Contact Card Extension

Add these groups:

Honda CRM

Show:

- Honda Customer Type
- Honda Lead Source
- Salesperson Code
- Honda Preferred Dealer Code
- Honda Product Category
- Honda Preferred Model Code
- Honda Preferred Model Desc.
- Honda Contact Preference

Honda Address Information

Show:

- Honda Province
- Honda District
- Honda Municipality
- Honda Citizenship No.

Honda Follow-up

Show:

- Honda Last Attempted Date
- Honda Next Task Date
- Date of Last Interaction, if available on the standard record/page
- Honda Consent to Contact
- Honda Consent Date
- Honda Do Not Contact

The Future Motors manual's Contact process includes personal and location details, salesperson assignment, last interaction, last attempted date and next-task date. These fields inform this learning extension's Contact design. [\[Future Mot...s Manual 2 | Word\]](#)

Add Contact Actions

Add an action group named:

1 Honda CRM

Actions:

1. Check Possible Duplicates
 2. Create Honda Opportunity
 3. Honda Opportunities
 4. Create Follow-up
 5. Honda Activities
 6. Honda Activity History
-

Contact List Extension

Add columns:

- Honda Lead Source
- Honda Preferred Dealer Code
- Honda Product Category
- Honda Preferred Model Code
- Honda Last Attempted Date
- Honda Next Task Date
- Honda Do Not Contact

Use a StyleExpr to highlight:

- Overdue next tasks
- Contacts marked Do Not Contact
- Contacts without a Salesperson Code

Do not place complicated business logic inside StyleExpr. Calculate simple Boolean style variables when the record changes.

Step 6 — Create Duplicate-Contact Detection

Create:

```
1 Codeunit 51000 "Honda CRM Management"
```

Add a procedure such as:

```
1 procedure CheckContactDuplicates(  
2     Contact: Record Contact;  
3     ShowResults: Boolean): Boolean
```

Duplicate Rules

A Contact is a possible duplicate when another Contact has:

- The same nonblank mobile/phone number, or
- The same nonblank email address

The current Contact must be excluded.

Required Logic

1. Copy the Contact record into a separate record variable.
2. Reset filters.
3. Exclude the current Contact No.
4. Search first by Phone No.
5. Search separately by E-Mail.
6. Avoid showing the same duplicate twice.
7. Return whether at least one possible duplicate exists.
8. If ShowResults is true, open a filtered Contact List.

Important Behavior

Duplicate detection is a **warning**, not a hard error, in Part 1.

Reasons include:

- Family members may share a phone number.
- Company contacts may use a shared address.
- A valid duplicate may represent a separate person or business relationship.

The user must still review existing records before continuing.

Concept Check

Why can't Get be used to find duplicate phone numbers?

Expected answer:

- Get reads a record using its primary key.
- Phone No. is not the Contact primary key.
- There may be multiple Contacts with the same phone number.
- SetRange, SetFilter, FindFirst or FindSet are required.

Step 7 — Extend the Standard Opportunity Table

Create:

1	TableExtension 51001 "Honda Opportunity Ext."
2	extends Opportunity

Add Fields

1	Honda Dealer Code	Code[20]
2	Honda Product Category	Enum "Honda Product Category"
3	Honda CRM Stage	Enum "Honda Opportunity CRM Stage"
4	Honda Result	Enum "Honda Opportunity Result"
5	Honda Estimated Budget	Decimal
6	Honda Expected Purchase Date	Date
7	Honda Finance Required	Boolean
8	Honda Lost Reason	Enum "Honda Lost Reason"
9	Honda Lost Reason Remarks	Text[250]
10	Honda Competitor Name	Text[100]
11	Honda Ready for Quote Date	Date
12	Honda Closed Date	Date
13	Honda Last Activity Date	Date
14	Honda Next Activity Date	Date
15	Honda Primary Model Code	Code[20]
16	Honda Primary Variant Code	Code[20]
17	Honda Primary Model Desc.	Text[100]

Table Relations

Honda Dealer Code

Relate to active and unblocked Honda Dealers.

Honda Primary Model Code

Relate to active and unblocked Honda Vehicle Models.

Honda Primary Variant Code

Relate to variants where:

- | | |
|---|---------------------------------------|
| 1 | Model Code = Honda Primary Model Code |
| 2 | Active = true |
| 3 | Blocked = false |

Opportunity Validation Rules

Estimated Budget

- | | |
|---|---------------------------------------|
| 1 | Must be greater than or equal to zero |
|---|---------------------------------------|

Expected Purchase Date

When entered on an open opportunity:

1 Must not be before the opportunity creation date
--

Do not compare only against WorkDate because historical data migration may eventually require controlled exceptions.

Lost Reason

Normally blank unless Result is Lost.

Lost Reason Remarks

Mandatory if Lost Reason is Other.

Primary Variant Code

Cannot be entered until Primary Model Code is present.

When a model is changed:

- Clear an incompatible variant.
 - Refresh the model description.
 - Align Product Category with the selected model.
-

Step 8 — Create the Opportunity Vehicle Line

Create:

1 Table 51003 "Honda Opp. Vehicle Line"

This table stores one or more vehicle interests under an Opportunity.

Fields

1	1	Opportunity No.	Code[20]
2	2	Line No.	Integer
3	3	Model Code	Code[20]
4	4	Model Description	Text[100]
5	5	Variant Code	Code[20]
6	6	Variant Description	Text[100]
7	7	Product Category	Enum "Honda Product Category"
8	8	Preferred Color	Text[50]
9	9	Quantity	Decimal
10	10	Estimated Unit Price	Decimal
11	11	Estimated Line Amount	Decimal

12	12	Primary Interest	Boolean
13	13	Remarks	Text[250]

Primary Key

1	Opportunity No., Line No.
---	---------------------------

Table Relations

1	Opportunity No.
2	→ Opportunity."No."
3	
4	Model Code
5	→ Honda Vehicle Model.Code
6	
7	Variant Code
8	→ Honda Vehicle Variant.Code
9	where(Model Code = field(Model Code))

Auto-fill Logic

When Model Code is validated:

1. Use Get to read the model.
2. Check Active.
3. Check Blocked.
4. Copy Description.
5. Copy Product Category.
6. Copy Starting Price to Estimated Unit Price.
7. Clear Variant Code and Variant Description.
8. Recalculate Estimated Line Amount.

When Variant Code is validated:

1. Use its compound primary key: Model Code and Variant Code.
2. Check Active.
3. Check Blocked.
4. Copy Variant Description.
5. Replace Estimated Unit Price with Variant Unit Price when it is not zero.
6. Recalculate Estimated Line Amount.

When Quantity or Estimated Unit Price changes:

1	Estimated Line Amount = Quantity × Estimated Unit Price
---	---

Set the default Quantity to 1.

Primary Interest Rule

Only one line per Opportunity may have Primary Interest = true.

When a line is marked as primary:

1. Filter other lines by Opportunity No.
2. Exclude the current Line No.
3. Set their Primary Interest to false.
4. Copy the primary Model and Variant back to the Opportunity extension fields.

Concept Check

Explain why vehicle interests are lines instead of adding Model 1, Model 2 and Model 3 fields to Opportunity.

Expected understanding:

- The number of interests is not fixed.
 - Lines are easier to filter and report.
 - New interests do not require adding new fields.
 - Header/line design is normalized.
 - One line can be marked as primary.
-

Step 9 — Create Opportunity Vehicle Pages

Create:

- | | |
|---|---|
| 1 | Page 51005 "Honda Opp. Vehicle Subform" |
| 2 | Page 51006 "Honda Opp. Vehicle Lines" |

Subform

Page type:

- | | |
|---|----------|
| 1 | ListPart |
|---|----------|

Show:

- Model Code
- Model Description
- Variant Code
- Variant Description
- Product Category
- Preferred Color
- Quantity

- Estimated Unit Price
- Estimated Line Amount
- Primary Interest
- Remarks

Link it to the Opportunity Card using:

1 Opportunity No. = Opportunity."No."

Vehicle Lines Page

Create a searchable or navigable list for administrators and testing.

Do not expose it as the primary user-entry page if all normal entry should happen from the Opportunity Card.

Step 10 — Create CRM Activities

Create:

1 Table 51004 "Honda CRM Activity"

Fields

1	1	Entry No.	Integer
2	2	Contact No.	Code[20]
3	3	Opportunity No.	Code[20]
4	4	Activity Type	Enum "Honda CRM Activity Type"
5	5	Subject	Text[100]
6	6	Activity Date	Date
7	7	Due Date	Date
8	8	Due Time	Time
9	9	Status	Enum "Honda CRM Activity Status"
10	10	Salesperson Code	Code[20]
11	11	Dealer Code	Code[20]
12	12	Notes	Text[250]
13	13	Outcome	Text[250]
14	14	Created Date-Time	DateTime
15	15	Created By	Code[50]
16	16	Completed Date-Time	DateTime
17	17	Completed By	Code[50]
18	18	Cancelled Date-Time	DateTime
19	19	Cancelled By	Code[50]

20	20	Cancellation Reason	Text[250]
----	----	---------------------	-----------

Primary Key

1	Entry No.
---	-----------

For Part 1, Entry No. may be assigned safely by a controlled helper procedure with table locking.

In Part 2, replace this with the final numbering/setup design if using a Code-based Activity No.

Secondary Keys

Create keys supporting:

1	Contact No., Status, Due Date
2	Opportunity No., Status, Due Date
3	Salesperson Code, Status, Due Date
4	Dealer Code, Status, Due Date

Table Relations

1	Contact No.
2	→ Contact."No."
3	
4	Opportunity No.
5	→ Opportunity."No."
6	
7	Salesperson Code
8	→ Salesperson/Purchaser.Code
9	
10	Dealer Code
11	→ Honda Dealer.Code

Activity Creation Rules

- Contact No. is mandatory.
- Activity Type is mandatory.
- Subject is mandatory.
- Activity Date defaults to WorkDate.
- Due Date cannot be before Activity Date.
- Status defaults to Open.
- Created Date-Time defaults to CurrentDateTime.
- Created By defaults to UserId.

- If Opportunity No. is supplied, its Contact must match Activity Contact No.
 - A new activity cannot be created when the Contact has Honda Do Not Contact = true, except with an explicit manager-level override planned for a later part.
-

Completed Activity Rules

A completed activity becomes historical.

When completing:

1. Confirm Status is Open.
2. Require Outcome.
3. Set Status to Completed.
4. Set Completed Date-Time.
5. Set Completed By.
6. Update Contact's last interaction date where appropriate.
7. Update Honda Last Attempted Date.
8. Update Opportunity Honda Last Activity Date.
9. Recalculate the next open activity date for the Contact.
10. Recalculate the next open activity date for the Opportunity.
11. Prevent normal editing of completion stamps.

Cancelled Activity Rules

When cancelling:

1. Confirm Status is Open.
2. Require Cancellation Reason.
3. Set Status to Cancelled.
4. Set Cancelled Date-Time.
5. Set Cancelled By.
6. Recalculate next activity dates.

Do not delete activities merely because they were cancelled.

Step 11 — Create the Activity Pages

Create:

- | | |
|---|--|
| 1 | Page 51007 "Honda CRM Activity Card" |
| 2 | Page 51008 "Honda CRM Activity List" |
| 3 | Page 51009 "Honda Contact Activities Part" |

Activity Card

Groups:

- General
- Schedule
- Related Records
- Assignment
- Completion
- Cancellation
- Notes

Activity List

Show:

- Entry No.
- Contact No.
- Opportunity No.
- Activity Type
- Subject
- Activity Date
- Due Date
- Due Time
- Status
- Salesperson Code
- Dealer Code

Use styling for:

- Overdue open activities
- Activities due today
- Completed activities
- Cancelled activities

Activity FactBoxes

Contact Activities Part:

1 SubPageLink = Contact No. = Contact."No."

Opportunity Activities Part:

1 SubPageLink = Opportunity No. = Opportunity."No."

Step 12 — Add Activity Procedures to the Management Codeunit

In:

1 Codeunit 51000 "Honda CRM Management"

Create procedures similar to:

1 procedure CreateContactActivity(Contact: Record Contact)
1 procedure CreateOpportunityActivity(Opportunity: Record Opportunity)
1 procedure CompleteActivity(var Activity: Record "Honda CRM Activity")
1 procedure CancelActivity(var Activity: Record "Honda CRM Activity")
1 procedure UpdateContactNextTaskDate(ContactNo: Code[20])
1 procedure UpdateOpportunityActivityDates(OpportunityNo: Code[20])

Update Next Task Date Logic

For a Contact:

1. Filter activities by Contact No.
2. Filter Status to Open.
3. Sort by Due Date and Due Time.
4. Use FindFirst.
5. If found, copy Due Date to Contact's Honda Next Task Date.
6. If none is found, clear Honda Next Task Date.

Use the same idea for Opportunity Honda Next Activity Date.

Concept Check

Why should FindFirst be used rather than FindSet when retrieving only the earliest open activity?

Expected understanding:

- Only one result is needed.
 - The current key determines which record is first.
 - FindSet is intended when iterating over a record set.
 - Correct key selection is important for predictable performance.
-

Step 13 — Create Opportunity Status History

Create:

1	Table 51005 "Honda Opp. Status Entry"
---	---------------------------------------

Fields

1	1	Entry No.	Integer
2	2	Opportunity No.	Code[20]
3	3	Old CRM Stage	Enum "Honda Opportunity CRM Stage"
4	4	New CRM Stage	Enum "Honda Opportunity CRM Stage"
5	5	Old Result	Enum "Honda Opportunity Result"
6	6	New Result	Enum "Honda Opportunity Result"
7	7	Change Date-Time	DateTime
8	8	Changed By	Code[50]
9	9	Reason	Text[100]
10	10	Comment	Text[250]
11	11	Sales Cycle Code	Code[10]
12	12	Sales Cycle Stage	Integer

Check the actual standard field types in your Business Central symbols before finalizing the last two field types.

Primary Key

1	Entry No.
---	-----------

Behavior

- Entries are inserted by the management codeunit.
- Users cannot insert them manually.
- Users cannot modify or delete them.
- Every controlled CRM-stage or result change creates an entry.
- The table must store old and new values as historical facts.

Create:

1	Page 51011 "Honda Opp. Status Entries"
---	--

Set:

1	InsertAllowed = false;
2	ModifyAllowed = false;
3	DeleteAllowed = false;

Step 14 — Extend the Opportunity Pages

Create:

```
1 PageExtension 51002 "Honda Opportunity Card Ext."  
2 extends "Opportunity Card"  
3  
4 PageExtension 51003 "Honda Opportunity List Ext."  
5 extends "Opportunity List"
```

The exact standard page names may differ by Business Central version. Verify them through downloaded symbols before coding.

Opportunity Card Extension

Add groups:

Honda Automotive CRM

Show:

- Honda Dealer Code
- Honda Product Category
- Honda CRM Stage
- Honda Result
- Honda Estimated Budget
- Honda Expected Purchase Date
- Honda Finance Required

Vehicle Interest

Add the Honda Opp. Vehicle Subform.

Activity Information

Show:

- Honda Last Activity Date
- Honda Next Activity Date

Add the Opportunity Activities Part as a FactBox or page part.

Closing Information

Show:

- Honda Lost Reason
- Honda Lost Reason Remarks

- Honda Competitor Name
- Honda Ready for Quote Date
- Honda Closed Date

Closing fields should be non-editable during ordinary data entry. The management actions should populate them.

Add Actions

Create an action group:

1	Honda CRM
---	-----------

Actions:

1. Activate Honda CRM
 2. Move to Next CRM Stage
 3. Create Follow-up
 4. Complete Current Activity
 5. Show Honda Activities
 6. Mark Ready for Quotation
 7. Mark Lost
 8. Cancel Opportunity
 9. Show Status History
 10. Show Contact
 11. Check Contact Duplicates
-

Step 15 — Create Opportunity from Contact

Add this procedure:

1	procedure CreateOpportunityFromContact(
2	Contact: Record Contact;
3	var Opportunity: Record Opportunity)

Required Logic

1. Require Contact No.
2. Require Contact Name.
3. Require at least Phone No. or E-Mail.
4. Check possible duplicates.
5. Require Salesperson Code.
6. Require Honda Preferred Dealer Code.
7. Verify the dealer is active and not blocked.

8. Create a new standard Opportunity.
9. Link it to the Contact using the correct standard fields and standard APIs for your BC version.
10. Copy Salesperson Code.
11. Copy Honda Dealer Code.
12. Copy Honda Product Category.
13. Set Honda CRM Stage to New.
14. Set Honda Result to Open.
15. Copy the expected purchase information when available.
16. If the Contact has a Preferred Model, create the first Opportunity Vehicle Line.
17. Mark that line as Primary Interest.
18. Insert a status-history entry.
19. Open the Opportunity Card.

Important

Do not manually recreate functionality already provided by standard Business Central Opportunity-management codeunits.

Before writing the procedure:

1. Inspect the standard Opportunity table.
2. Inspect the standard Opportunity Card actions.
3. Inspect the standard relationship-management codeunits.
4. Identify the supported standard procedure for creating an Opportunity.
5. Use the standard API where available.
6. Add your custom automotive fields after the standard record is created.

The documented Future Motors flow creates an Opportunity from a Contact and then captures description, Contact information, salesperson, priority and sales-cycle information.

[\[Future Mot...s Manual 2 | Word\]](#)

Step 16 — Sales Cycle and Activation

The user must select a valid standard Sales Cycle Code on the Opportunity before activating the first CRM stage.

Create:

```
1 procedure ActivateHondaOpportunity(var Opportunity: Record  
Opportunity)
```


Required Validations

Before activation:

- Opportunity must be open.
- Contact No. must exist.
- Salesperson Code must exist.
- Honda Dealer Code must exist.
- Sales Cycle Code must exist.
- At least one vehicle-interest line must exist.
- Exactly one line should be the Primary Interest.
- Estimated Budget cannot be negative.
- Expected Purchase Date must be valid.

Required Processing

1. Use the supported standard Business Central process to activate the first Sales Cycle Stage.
2. Set Honda CRM Stage to Initial Contact.
3. Keep Honda Result as Open.
4. Insert a status-history entry.
5. Create an initial follow-up activity due according to a simple Part 1 rule, such as WorkDate plus two days.
6. Show a success message.

The Future Motors process explicitly requires choosing a Sales Cycle Code and activating the first stage, after which the Sales Cycle Stage is updated. [\[Future Mot...s Manual 2 | Word\]](#)

Do Not

- Update standard opportunity internals by direct assignment if a standard management procedure exists.
 - Hardcode a Sales Cycle Code in AL.
 - Activate an opportunity without vehicle-interest information.
 - allow activation twice.
-

Step 17 — Controlled CRM Stage Movement

Create:

```
1 procedure MoveToNextCRMStage(var Opportunity: Record  
Opportunity)
```

Part 1 stages:

- | | |
|---|---------------------|
| 1 | New |
| 2 | → Initial Contact |
| 3 | → Needs Analysis |
| 4 | → Vehicle Selection |
| 5 | → Test Drive |
| 6 | → Quotation Ready |

Transition Rules

New → Initial Contact

Require:

- Contact
- Salesperson
- Dealer
- Sales Cycle Code
- Vehicle-interest line

Normally handled by Activate Honda CRM.

Initial Contact → Needs Analysis

Require:

- At least one completed Phone Call, Meeting or Showroom Visit activity
- Estimated Budget
- Expected Purchase Date

Needs Analysis → Vehicle Selection

Require:

- At least one vehicle-interest line
- One Primary Interest line

Vehicle Selection → Test Drive

Require:

- Primary Model Code
- Open or completed Test Drive Request activity

Part 1 does not implement the full booking calendar. It only records the request activity.

Test Drive → Quotation Ready

Require:

- Completed Test Drive Request activity, or

- A manager-approved reason for skipping the drive

The full test-drive booking and conflict-management process belongs to Part 2.

Every Transition Must

1. Validate current stage.
 2. Validate required data.
 3. Save old values.
 4. update the new stage.
 5. Modify the Opportunity.
 6. Insert a history entry.
 7. Raise the integration event added later.
 8. Complete in one transaction.
-

Step 18 — Mark Ready for Quotation

Create:

```
1 procedure MarkReadyForQuotation(var Opportunity: Record  
Opportunity)
```

Required Validations

- Opportunity is open.
- Opportunity is at Quotation Ready stage.
- Contact exists.
- Dealer exists.
- Salesperson exists.
- Primary vehicle interest exists.
- Estimated Budget is greater than zero.
- Expected Purchase Date exists.
- No overdue mandatory activity remains open.
- Lost Reason is blank.

Processing

1. Set Honda Result to Ready for Quotation.
2. Set Honda Ready for Quote Date to WorkDate.
3. Insert status history.
4. Raise an integration event.
5. Do not create a Sales Quote yet.

Part 3 will subscribe to or call this process to create an automotive Vehicle Sales Quote.

Step 19 — Mark Opportunity as Lost

Create:

```
1 procedure MarkOpportunityLost(  
2     var Opportunity: Record Opportunity;  
3     LostReason: Enum "Honda Lost Reason";  
4     LostRemarks: Text[250];  
5     CompetitorName: Text[100])
```

Rules

- Lost Reason is mandatory.
 - Remarks are mandatory when Lost Reason is Other.
 - Competitor Name should be requested when the reason is Competitor.
 - An already lost or cancelled Opportunity cannot be lost again.
 - Open activities must be cancelled with a system-generated explanation.
 - Set Closed Date.
 - Set Result to Lost.
 - Insert status-history entry.
 - Do not delete opportunity lines or activity history.
-

Step 20 — Cancel Opportunity

Create:

```
1 procedure CancelHondaOpportunity(  
2     var Opportunity: Record Opportunity;  
3     Reason: Text[250])
```

Rules

- Cancellation reason is mandatory.
- Ready-for-quotation or completed Opportunities should not be cancelled through this basic action.
- Open activities must be cancelled.
- Set Result to Cancelled.
- Set Closed Date.

- Insert status history.

Concept Check

What is the difference between Lost and Cancelled?

Suggested interpretation:

- **Lost:** a genuine sales opportunity existed, but the customer did not proceed with this business.
- **Cancelled:** the record should no longer continue for an administrative or process reason.

Examples of cancellation:

- Duplicate opportunity
 - Created by mistake
 - Invalid enquiry
 - Opportunity merged with another record
-

Step 21 — Add Integration Events

In Honda CRM Management, declare the following events.

<pre> 1 [IntegrationEvent(false, false)] 2 local procedure OnAfterHondaOpportunityCreated(3 Contact: Record Contact; 4 var Opportunity: Record Opportunity) 5 begin 6 end;</pre>
<pre> 1 [IntegrationEvent(false, false)] 2 local procedure OnAfterHondaOpportunityActivated(3 var Opportunity: Record Opportunity) 4 begin 5 end;</pre>
<pre> 1 [IntegrationEvent(false, false)] 2 local procedure OnAfterHondaCRMStageChanged(3 var Opportunity: Record Opportunity; 4 OldStage: Enum "Honda Opportunity CRM Stage"; 5 NewStage: Enum "Honda Opportunity CRM Stage") 6 begin 7 end;</pre>

<pre> 1 [IntegrationEvent(false, false)] 2 local procedure OnAfterHondaActivityCompleted(3 var Activity: Record "Honda CRM Activity") 4 begin 5 end; </pre>
<pre> 1 [IntegrationEvent(false, false)] 2 local procedure OnAfterHondaOpportunityReadyForQuotation(3 var Opportunity: Record Opportunity) 4 begin 5 end; </pre>

Part 1 may include a small subscriber codeunit:

<pre> 1 Codeunit 51001 "Honda CRM Event Subscriber" </pre>
--

Example subscriber:

- When an Opportunity is activated, create an initial follow-up activity.
- When an Activity is completed, update last and next activity dates.

The publisher should not know or care how many subscribers exist.

Step 22 — Transaction and Error-Handling Rules

The following operations must be transaction-safe:

- Creating an Opportunity from a Contact
- Creating its initial vehicle-interest line
- Activating the Opportunity
- Creating its initial activity
- Moving CRM stages
- Completing activities
- Cancelling activities
- Marking an Opportunity lost
- Marking an Opportunity ready for quotation

Example

If Opportunity creation succeeds but inserting the first vehicle line fails, the whole operation should fail. The system must not leave an incomplete Opportunity behind.

Do not add Commit() merely to make intermediate records visible.

Use Commit() only when there is a specific, reviewed architectural reason.

Step 23 — Permissions

Create:

1	PermissionSet 51000 "HONDA CRM USER"
2	PermissionSet 51001 "HONDA CRM MANAGER"

HONDA CRM USER

Allow appropriate access to:

- Read Honda dealers
- Read Honda vehicle models
- Read Honda variants
- Read and edit permitted Contact data
- Read and edit permitted Opportunity data
- Insert and update vehicle-interest lines
- Create and complete activities
- Read status history

Do not allow users to:

- Modify status-history entries
- Delete completed activities
- Modify blocked master records without permission

HONDA CRM MANAGER

Add permission to:

- Maintain dealers
- Maintain models and variants
- View all opportunities
- Handle exceptional transitions
- Cancel activities on behalf of users
- Review duplicates
- View complete status history

Actual record-level security by salesperson will be introduced in a later part. A permission set controls object access but does not, by itself, guarantee that users see only their own records.

Step 24 — Data Classification

Apply meaningful DataClassification values.

Suggested examples:

```
1 Name, address, email, phone:
2 CustomerContent
3
4 Citizenship number:
5 EndUserIdentifiableInformation
6
7 User ID and completed-by fields:
8 EndUserIdentifiableInformation
9
10 Status entry and system timestamps:
11 SystemMetadata or CustomerContent,
12 depending on the field's purpose
13
14 Dealer and model setup:
15 CustomerContent
```

Do not place customer phone numbers, email addresses, citizenship details or free-text activity notes into telemetry.

Step 25 — Manual Test Data

Create fictional data only.

Dealers

Create at least:

```
1 KTM-SHOWROOM
2 LTP-3S
3 PKR-SHOWROOM
```

Make:

- Two active
- One blocked or inactive

Vehicle Models

Create at least:

- Two motorcycles
- Two scooters
- Two automobiles
- One power product

Variants

Create at least two variants for three different models.

Salespersons

Create at least two fictional Salesperson/Purchaser records.

Contacts

Create at least five fictional Contacts with a mixture of:

- Walk-in source
 - Website source
 - Referral source
 - Phone source
 - Different preferred models
 - Different dealers
 - One duplicate phone number
 - One duplicate email address
 - One Do Not Contact record
-

How to Test Part 1

Complete every test before marking the task as done.

Master-Data Tests

Test 1 — Dealer Creation

- Create an active dealer.
- Confirm the dealer appears in the Contact lookup.

Test 2 — Blocked Dealer

- Block a dealer.
- Try selecting it on a new Contact or Opportunity.
- The system must reject it.

Test 3 — Model and Variant Relationship

- Create a model with two variants.
- Select the model on an Opportunity line.
- Confirm only variants belonging to the model are available.

Test 4 — Auto-fill

- Select a model.
 - Confirm description, category and starting price are copied.
 - Select a variant.
 - Confirm variant description and price are copied.
-

Contact Tests

Test 5 — Create Contact

Create a Contact with:

- Name
- Phone
- Email
- Lead Source
- Salesperson
- Preferred Dealer
- Product Category
- Preferred Model

Confirm the model description is populated.

Test 6 — Duplicate Phone

- Create another Contact using the same phone number.
- Run Check Possible Duplicates.
- Confirm the existing Contact is shown.

Test 7 — Duplicate Email

- Create a Contact with an existing email.
- Confirm it is detected.

Test 8 — Valid Shared Value

- Continue after viewing the duplicate warning.
- Confirm the system allows the user to proceed.

Test 9 — Do Not Contact

- Mark a Contact as Do Not Contact.
 - Try creating a follow-up activity.
 - Confirm the system blocks it.
-

Opportunity Tests

Test 10 — Create Opportunity

- Open a valid Contact.
- Choose Create Honda Opportunity.
- Confirm the Opportunity is created and linked to the Contact.
- Confirm dealer, salesperson, category and preferred model are copied.

Test 11 — Missing Salesperson

- Create a Contact without a Salesperson.
- Try creating or activating an Opportunity.
- Confirm a clear validation error is shown.

Test 12 — Missing Vehicle Interest

- Create an Opportunity without vehicle lines.
- Try activation.
- Confirm activation is blocked.

Test 13 — Primary Interest

- Add three vehicle-interest lines.
- Mark the second as Primary.
- Confirm the other lines are no longer Primary.
- Confirm primary model information is copied to the Opportunity.

Test 14 — Sales Cycle Activation

- Select a valid Sales Cycle Code.
 - Activate Honda CRM.
 - Confirm the standard first Sales Cycle Stage is activated.
 - Confirm Honda CRM Stage becomes Initial Contact.
 - Confirm an initial follow-up is created.
 - Confirm a status-history entry is inserted.
-

Activity Tests

Test 15 — Create Follow-up

- Create a follow-up Activity from the Contact.
- Confirm Contact No., Salesperson and Dealer are populated.
- Confirm Status is Open.

Test 16 — Invalid Due Date

- Enter a Due Date earlier than Activity Date.
- Confirm an error is shown.

Test 17 — Complete Activity

- Complete an open Activity.
- Enter an outcome.
- Confirm completion date, time and user are stamped.
- Confirm Contact Last Attempted Date is updated.
- Confirm the next open task is recalculated.

Test 18 — Complete Twice

- Try completing the same Activity again.
- Confirm the system blocks it.

Test 19 — Cancel Activity

- Cancel an open Activity.
- Leave Cancellation Reason blank.
- Confirm the system requires a reason.

Test 20 — Historical Protection

- Try editing a completed Activity's completion fields.
 - Confirm the fields are protected.
 - Try deleting the completed Activity.
 - Confirm deletion is prevented.
-

Stage Tests

Test 21 — Initial Contact to Needs Analysis

- Attempt movement without a completed Activity.
- Confirm it fails.
- Complete the required Activity.

- Enter Estimated Budget and Expected Purchase Date.
- Confirm progression succeeds.

Test 22 — Vehicle Selection

- Attempt progression without a Primary Interest line.
- Confirm it fails.
- Mark one line as Primary.
- Confirm progression succeeds.

Test 23 — Test Drive Stage

- Attempt to move to Test Drive without a Test Drive Request.
- Confirm the validation behavior.
- Create the request.
- Confirm progression succeeds.

Test 24 — Ready for Quotation

- Complete the required Test Drive Activity.
- Move the Opportunity to Quotation Ready.
- Mark it Ready for Quotation.
- Confirm date and status-history entry are created.

Test 25 — Lost Opportunity

- Try marking an Opportunity lost without a reason.
 - Confirm an error.
 - Select Competitor without a competitor name.
 - Confirm the appropriate validation.
 - Complete the loss process.
 - Confirm open activities are cancelled and history is retained.
-

Definition of Done

Part 1 is complete only when:

- All objects compile without warnings that indicate design problems.
- Standard Business Central Contact and Opportunity processes remain functional.
- Master pages are searchable.
- Table relations display correctly.
- Blocked masters cannot be selected.
- Contact duplicate detection works for phone and email.

- Opportunity creation uses Contact information.
 - Opportunity vehicle lines work.
 - Exactly one vehicle line can be Primary.
 - Sales-cycle activation works.
 - Activity creation, completion and cancellation work.
 - Contact and Opportunity follow-up dates are updated.
 - CRM stage transitions are validated.
 - Status history is permanent and read-only.
 - Relevant actions are promoted and understandable.
 - Permission sets compile and can be assigned.
 - All 25 manual tests have been executed.
 - No real customer information exists in the repository.
 - No credentials or environment URLs have been committed.
-

What to Submit

Git

Push your code to:

```
1 feature/honda-crm-part1-arun
```

Include

```
1 src/  
2 README.md  
3 docs/Part-1-Test-Results.md  
4 docs/Part-1-Learning-Notes.md
```

README Contents

Include:

- Project purpose
- Business flow
- Prerequisites
- Object range
- Objects created
- Standard objects extended
- Setup/demo-data steps
- Testing instructions

- Known limitations
- Future Part 2 scope

Test Results

For every acceptance test, record:

- | | |
|---|----------------------|
| 1 | Test No.: |
| 2 | Test Name: |
| 3 | Test Data: |
| 4 | Expected Result: |
| 5 | Actual Result: |
| 6 | Pass/Fail: |
| 7 | Screenshot or Notes: |

Do not include screenshots containing personal information, credentials or environment secrets.

Learning Note to Submit

Write the answers in your own words.

Question 1

Why did you extend the standard Contact and Opportunity tables instead of creating custom Lead and Opportunity tables?

Question 2

What is the difference between:

- | | |
|---|-----------------------|
| 1 | Contact |
| 2 | Opportunity |
| 3 | Vehicle Interest Line |
| 4 | CRM Activity |
| 5 | Status History Entry |

Question 3

Why is Get suitable for retrieving one selected Vehicle Model, while SetRange and FindSet are required for duplicate detection or activity processing?

Question 4

Why should CRM stage changes be performed through a management codeunit instead of allowing users to directly edit the stage field?

Question 5

Why is a status-history entry stored rather than implemented as a FlowField?

Question 6

Why should completed and cancelled activities not be deleted?

Question 7

Why should only one vehicle-interest line be marked as Primary?

Question 8

Why should Opportunity creation, first vehicle-line creation and initial history insertion be one transaction?

Question 9

What problem does an Integration Event solve when a future requirement asks the system to create a Vehicle Sales Quote after an Opportunity becomes Ready for Quotation?

Question 10

What is the difference between a permission set and record-level salesperson security?

What You Should Understand After Part 1

By the end of this assignment, you should be able to explain this clearly:

A Contact identifies the person or organization with whom the company has a relationship. An Opportunity represents one potential sale involving that Contact. Vehicle-interest lines describe the products being considered. Activities represent calls, meetings, visits and follow-ups. The sales cycle and CRM stage control how the Opportunity progresses. Status-history entries preserve the significant changes that occurred over time.

You should also recognize the main difference from your Student Management project:

- | |
|--|
| <ol style="list-style-type: none">1 Student Management:2 Editable journal → posting → permanent entry34 CRM:5 Master relationship → opportunity lifecycle6 → repeated activities → controlled transitions → history |
|--|

The Student project was centered on **posting**. This CRM project is centered on **relationships, lifecycle, follow-up and auditability**.