

```
kaggle
```

```
In [1]: ##
```

```
In [2]: import pandas as pd
```

```
In [4]: ratings= pd.read_csv(r'/Users/sasidharbhagavatula/Downloads/archive/ratin
```

```
In [7]: tags=pd.read_csv(r'/Users/sasidharbhagavatula/Downloads/archive/tag.csv')
```

```
In [8]: movie=pd.read_csv(r'/Users/sasidharbhagavatula/Downloads/archive/movie.cs
```

```
In [9]: print(tags.columns)
```

Index(['userId', 'movieId', 'tag', 'timestamp'], dtype='object')

```
In [11]: print(ratings.columns)
```

Index(['userId', 'movieId', 'rating', 'timestamp'], dtype='object')

```
In [12]: del tags['timestamp']
```

```
In [14]: del ratings['timestamp']
```

```
In [15]: tags.head()
```

```
Out[15]:
```

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero

```
In [16]: ratings.head()
```

```
Out[16]:
```

	userId	movieId	rating
0	1	2	3.5
1	1	29	3.5
2	1	32	3.5
3	1	47	3.5
4	1	50	3.5

```
In [17]: row_0 = tags.iloc[0]
type(row_0)
```

```
Out[17]: pandas.core.series.Series
```

```
In [18]: print(row_0)
```

```
userId           18
movieId         4141
tag      Mark Waters
Name: 0, dtype: object
```

```
In [19]: row_0.index
```

```
Out[19]: Index(['userId', 'movieId', 'tag'], dtype='object')
```

```
In [20]: row_0['userId']
```

```
Out[20]: np.int64(18)
```

```
In [21]: 'rating' in row_0
```

```
Out[21]: False
```

```
In [22]: row_0.name
```

```
Out[22]: 0
```

```
In [23]: tags.head()
```

```
Out[23]:
```

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero

```
In [24]: 'movieId' in row_0
```

```
Out[24]: True
```

```
In [25]: row_0 = row_0.rename('firstRow')
row_0.name
```

```
Out[25]: 'firstRow'
```

```
In [26]: tags.head()
```

```
Out[26]:
```

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero

```
In [30]: print(tags.iloc[0])
```

```
userId           18
movieId         4141
tag      Mark Waters
Name: 0, dtype: object
```

```
In [32]: print(row_0)
```

```
userId           18
movieId         4141
tag      Mark Waters
Name: firstRow, dtype: object
```

```
In [33]: tags.index
```

```
Out[33]: RangeIndex(start=0, stop=465564, step=1)
```

```
In [34]: tags.columns
```

```
Out[34]: Index(['userId', 'movieId', 'tag'], dtype='object')
```

```
In [36]: tags.iloc[[0,11,500]]
```

```
Out[36]:
```

	userId	movieId	tag
0	18	4141	Mark Waters
11	65	1783	noir thriller
500	342	55908	entirely dialogue

```
In [37]: #descriptive statistics
```

```
In [39]: ratings['rating'].describe()
```

```
Out[39]: count    2.000026e+07
          mean     3.525529e+00
          std      1.051989e+00
          min      5.000000e-01
          25%     3.000000e+00
          50%     3.500000e+00
          75%     4.000000e+00
          max      5.000000e+00
          Name: rating, dtype: float64
```

```
In [40]: ratings.describe()
```

```
Out[40]:      userId      movieId      rating
count  2.000026e+07  2.000026e+07  2.000026e+07
mean   6.904587e+04  9.041567e+03  3.525529e+00
std    4.003863e+04  1.978948e+04  1.051989e+00
min    1.000000e+00  1.000000e+00  5.000000e-01
25%    3.439500e+04  9.020000e+02  3.000000e+00
50%    6.914100e+04  2.167000e+03  3.500000e+00
75%    1.036370e+05  4.770000e+03  4.000000e+00
max    1.384930e+05  1.312620e+05  5.000000e+00
```

```
In [41]: ratings['rating'].mean()
```

```
Out[41]: np.float64(3.5255285642993797)
```

```
In [42]: ratings.mean()
```

```
Out[42]: userId      69045.872583
          movieId     9041.567330
          rating       3.525529
          dtype: float64
```

```
In [45]: ratings['rating'].min()
```

```
Out[45]: 0.5
```

```
In [47]: ratings['rating'].max()
```

```
Out[47]: 5.0
```

```
In [48]: ratings['rating'].std()
```

```
Out[48]: 1.051988919275684
```

```
In [49]: ratings['rating'].mode()
```

```
Out[49]: 0    4.0
          Name: rating, dtype: float64
```

```
In [51]: ratings.corr()
```

```
Out[51]:
```

	userId	movieId	rating
userId	1.000000	-0.000850	0.001175
movieId	-0.000850	1.000000	0.002606
rating	0.001175	0.002606	1.000000

```
In [54]: print(ratings['rating']>10)
```

```
0      False
1      False
2      False
3      False
4      False
...
20000258  False
20000259  False
20000260  False
20000261  False
20000262  False
Name: rating, Length: 20000263, dtype: bool
```

```
In [55]: filter2=ratings['rating']>0
filter2.all()
```

```
Out[55]: np.True_
```

DATA CLEANING .. HANDELING MISSING DATA

```
In [56]: movie.shape
```

```
Out[56]: (27278, 3)
```

```
In [60]: movie.isnull().any().all()      #so no null values
```

```
Out[60]: np.False_
```

```
In [61]: tags.shape
```

```
Out[61]: (465564, 3)
```

```
In [63]: tags.isnull().any().any()# we have some tags which are null
```

```
Out[63]: np.True_
```

```
In [65]: tags.dropna()
```

```
Out[65]:
```

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero
...
465559	138446	55999	dragged
465560	138446	55999	Jason Bateman
465561	138446	55999	quirky
465562	138446	55999	sad
465563	138472	923	rise to power

465548 rows × 3 columns

```
In [66]: tags.isnull().any().any()
```

```
Out[66]: np.True_
```

```
In [68]: tags.shape
```

```
Out[68]: (465564, 3)
```

```
In [69]: tags.dropna()
```

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero
...
465559	138446	55999	dragged
465560	138446	55999	Jason Bateman
465561	138446	55999	quirky
465562	138446	55999	sad
465563	138472	923	rise to power

465548 rows × 3 columns

In [70]: `tags.shape`

Out[70]: (465564, 3)


DATA VISUALIZATION

In [78]: `import matplotlib
import matplotlib.pyplot as plt
%matplotlib inline
import numpy as np
import pandas as pd`

In [83]: `ratings.hist(column='rating', figsize=(10,5))`

Out[83]: `array([[]], dtype=object)`


In [84]: `plt.show()`



```
In [86]: ratings.boxplot(column='rating', figsize=(10,5))
```

```
Out[86]: <Axes: >
```

```
In [87]: plt.show()
```



SLICING OUT COLUMNS

```
In [89]: movie[['title','genres']].head()
```

Out[89]:

	title	genres
0	Toy Story (1995)	Adventure Animation Children Comedy Fantasy
1	Jumanji (1995)	Adventure Children Fantasy
2	Grumpier Old Men (1995)	Comedy Romance
3	Waiting to Exhale (1995)	Comedy Drama Romance
4	Father of the Bride Part II (1995)	Comedy

In [91]:

`movie[['title']].head()`

Out[91]:

	title
0	Toy Story (1995)
1	Jumanji (1995)
2	Grumpier Old Men (1995)
3	Waiting to Exhale (1995)
4	Father of the Bride Part II (1995)

In [92]:

`tags[['tag']].head()`

Out[92]:

	tag
0	Mark Waters
1	dark hero
2	dark hero
3	noir thriller
4	dark hero

In [94]:

`ratings[:]`

Out[94]:

	userId	movieId	rating
0	1	2	3.5
1	1	29	3.5
2	1	32	3.5
3	1	47	3.5
4	1	50	3.5
...
20000258	138493	68954	4.5
20000259	138493	69526	4.5
20000260	138493	69644	3.0
20000261	138493	70286	5.0
20000262	138493	71619	2.5

20000263 rows × 3 columns

In [95]:

ratings[-10:]

Out[95]:

	userId	movieId	rating
20000253	138493	60816	4.5
20000254	138493	61160	4.0
20000255	138493	65682	4.5
20000256	138493	66762	4.5
20000257	138493	68319	4.5
20000258	138493	68954	4.5
20000259	138493	69526	4.5
20000260	138493	69644	3.0
20000261	138493	70286	5.0
20000262	138493	71619	2.5

In [97]:

tags[:]

Out[97]:

	userId	movieId	tag
0	18	4141	Mark Waters
1	65	208	dark hero
2	65	353	dark hero
3	65	521	noir thriller
4	65	592	dark hero
...
465559	138446	55999	dragged
465560	138446	55999	Jason Bateman
465561	138446	55999	quirky
465562	138446	55999	sad
465563	138472	923	rise to power

465564 rows × 3 columns

In [99]: `val=tags['tag']`

In [100...]: `val[:]`

Out[100...]:

0	Mark Waters
1	dark hero
2	dark hero
3	noir thriller
4	dark hero
...	
465559	dragged
465560	Jason Bateman
465561	quirky
465562	sad
465563	rise to power

Name: tag, Length: 465564, dtype: object

In [102...]: `val[-10:]`

```
Out[102...]: 465554      visually appealing  
              465555      family friendly  
              465556  Scary Movies To See on Halloween  
              465557          Peter Pan  
              465558      visually appealing  
              465559          dragged  
              465560          Jason Bateman  
              465561          quirky  
              465562          sad  
              465563      rise to power  
Name: tag, dtype: object
```

In []:

In []:

```
In [105...]: tag_counts = tags['tag'].value_counts()  
tag_counts[-10:]
```


```
Out[105...]: tag  
Hell naw                1  
This is my happy face    1  
I heel toe on Uday's house 1  
Why?                   1  
Bobo                     1  
Diamond Dallas Page      1  
I'm Devon Butler!       1  
No arguement             1  
Really Bad               1  
Botox                     1  
Name: count, dtype: int64
```

```
In [113...]: tag_counts[:10].plot(kind='bar', 'g', figsize=(10,5))
```

Cell In[113], line 1
tag_counts[:10].plot(kind='bar', 'g', figsize=(10,5))
^

SyntaxError: positional argument follows keyword argument

```
In [111...]: plt.show()
```



In []: