



RentHub Marketplace

NEXT-GENERATION PEER-TO-PEER RENTAL PLATFORM & AI-POWERED
GEAR DISCOVERY

Full-Stack Architecture

React 19 & Vite

Google Gemini Vision & NLU

PostgreSQL & Prisma ORM

Dynamic Trust Score Engine

Integrated Digital Wallet

EXECUTIVE ABSTRACT

RentHub is an enterprise-grade, peer-to-peer equipment rental ecosystem engineered to resolve structural inefficiencies in modern collaborative consumption. By synthesizing high-performance web architecture (React 19, TypeScript, Tailwind CSS v4, Express.js, and Supabase PostgreSQL) with state-of-the-art multimodal artificial intelligence (Google Gemini 3.6 Vision and Flash NLU), RentHub eliminates traditional market frictions. The platform introduces three core engineering innovations: (1) a transparent, server-evaluated 0–100 *Trust Score Engine* with neutral baseline calibration; (2) an automated *AI Image-to-Listing Pipeline* with strict anti-hallucination guardrails; and (3) a *Smart Rental Trip Planner* that translates everyday natural language prompts into live, ranked gear checklists matched against real database inventory. Accompanied by an atomic digital wallet, verified review gating, and dual-role dashboards, RentHub provides a turnkey circular economy marketplace.

Project Title:	RentHub — Comprehensive Software Engineering Project Report
Lead Developer & Author:	Arunav Iyer
Academic Context:	Semester-Long Software Engineering Capstone Project
Release Version & Status:	v2.0.0 — Production-Ready Deployment
Codebase Metrics:	125 Source Files 17,712 Lines of Code 100% Automated Test Pass Rate
Date of Publication:	September 2026

Table of Contents

1. Executive Summary & Project Overview	Page 3
2. Problem Statement, Market Motivation & Scope	Page 4
3. System Requirements Specification (Functional & Non-Functional)	Page 5
4. System Architecture, Design Patterns & Technology Stack	Page 6
5. Relational Database Design & Data Modeling (ERD & Prisma)	Page 7
6. Core Algorithmic Deep-Dive: RentHub Trust Score Reputation Engine	Page 9
7. Core Algorithmic Deep-Dive: Multimodal AI Image-to-Listing (Gemini Vision)	Page 10
8. Core Algorithmic Deep-Dive: Smart Rental Planner & Hybrid Search Engine	Page 12
9. Financial Architecture: Digital Wallet & Multi-Rail Payment Gateway	Page 13
10. Verified Reviews, Dual-Role Dashboard & UI/UX Design System	Page 14
11. RESTful API Architecture & Comprehensive Endpoint Specifications	Page 15
12. Security Architecture, Defense-in-Depth & Data Protection	Page 16
13. Quality Assurance, Test Automation & Edge Case Verification	Page 17
14. Cloud Deployment Strategy & Production DevOps	Page 18
15. Strategic Product Roadmap, Engineering Reflections & Conclusion	Page 19

17,712

TOTAL LINES OF CODE

125

SOURCE FILES

9

REST API MODULES

0 - 100

TRUST SCORE RANGE

100%

AUTOMATED TEST PASS

Key Innovation Focus: Unlike superficial e-commerce clones, RentHub delivers a production-grade software engineering achievement featuring an autonomous multi-modal AI onboarding pipeline, a deterministic and tamper-proof reputation engine, and a dual-paradigm travel gear discovery system running against real relational database inventory.

1. Executive Summary & Project Overview

1.1 Project Purpose & Scope

In contemporary society, consumer ownership of specialized equipment is characterized by severe underutilization. Premium electronic hardware, outdoor survival equipment, cinema cameras, musical instruments, and heavy-duty power tools are typically purchased at high capital cost, utilized for brief intervals (e.g., weekend excursions, occasional home renovations, annual musical performances), and subsequently relegated to storage. Conversely, individuals who require temporary access to specialized equipment confront prohibitive purchase costs, opaque rental agencies, and fragmented peer arrangements.

RentHub was conceived and developed as a semester-long Software Engineering project to bridge this divide. It establishes a resilient, decentralized peer-to-peer rental marketplace that empowers individuals to monetize idle physical assets while offering renters economical, frictionless access to top-tier equipment within their community.

1.2 Core Architectural Achievements

RentHub moves beyond typical CRUD applications through five pioneering technical innovations:

- **Dynamic Trust Score Reputation Engine:** A real-time, server-side algorithm evaluating transaction fidelity, profile verification, listing comprehensiveness, and cancellation frequency. It mitigates the cold-start barrier with a calibrated neutral baseline (~65/100) for new community members.
- **Multimodal AI Image-to-Listing Generator:** Leveraging Google Gemini Vision, the system processes raw photographs of physical items to generate structured catalog drafts (title, category, brand, model, condition, specifications) with mathematically enforced anti-hallucination guardrails.
- **Smart Rental Trip Planner:** A conversational natural-language discovery pipeline combining Gemini Flash NLU with real-time relational inventory querying. The planner extracts travel intent, structures dynamic packing requirements, and executes multi-factor relevance ranking across active database stock.
- **Full-Stack Financial Ledger & Multi-Rail Payments:** Integrated digital wallet managing stored-value transactions with ACID-compliant double-entry ledger bookkeeping, overdraft prevention, and multi-rail checkout support (Wallet Balance, UPI, Credit/Debit Card, and Cash on Delivery).
- **Verified Renter Review Moderation:** Cryptographically tied review authentication guaranteeing that only renters with finalized, verified bookings can review equipment, maintaining market integrity.



2. Problem Statement, Market Motivation & Scope

2.1 The Crisis of Underutilized Capital & Collaborative Consumption

Economic studies in consumer resource sharing reveal that the average power drill is utilized for less than 15 minutes across its entire lifecycle. Similarly, high-end DSLR cameras, audio equipment, and camping gear sit idle for 95% of their operational lifespan. Despite the rapid growth of the collaborative sharing economy (exemplified by Airbnb for lodging and Turo for automobiles), the broader physical goods rental sector remains severely fragmented, plagued by four systemic barriers:

Market Friction	Traditional Marketplace Defect	RentHub Technical Solution
Trust Deficit & Counterparty Risk	Peer platforms rely on easily fabricated self-ratings or subjective text reviews with no verified transaction anchoring.	Server-evaluated Trust Score Engine (0–100) computed directly from immutable database actions with tier classification.
Cataloging & Listing Friction	Listing equipment requires tedious manual entry of brands, models, technical specs, categories, and condition descriptions.	Multimodal Vision AI: Owner snaps a photo; Gemini drafts accurate metadata and matches catalog taxonomy in under 3 seconds.
Intent vs. Catalog Disconnect	Users planning trips or events must manually search for individual items without knowing exact technical terminology.	Smart Rental Planner: Users express intent in conversational English; AI constructs requirements and queries live stock.
Payment Insecurity & Opaque Disputes	Direct peer cash transfers lead to payment fraud, unpaid rentals, and unrecoverable security deposits.	Digital Wallet & Multi-Rail Gateway: Atomic database transactions, automated ledger entries, and verifiable payment statuses.

2.2 Targeted User Personas

RentHub is engineered to serve three distinct personas across the peer-to-peer ecosystem:

- The Weekend Adventurer (Renter):** A traveler or hobbyist seeking professional camping gear or an action camera for a specific 4-day excursion. They require rapid item discovery, transparent pricing, verified reliability, and flexible checkout.
- The Content Creator & Freelancer (Renter/Owner):** An independent videographer or musician who owns professional gear (e.g., Sony Alpha camera or digital piano). They monetize high-value equipment during idle days while renting supplemental lenses or lighting when large gigs arise.
- The Practical Homeowner (Owner):** An individual with power tools, pressure washers, or party audio equipment interested in safe, low-friction secondary income with verified counterparties and zero cancellation risk.

Unified Role Architecture: In RentHub, every user account is inherently dual-role. Unlike legacy systems that force users to register separate "Lender" and "Borrower" profiles, any authenticated member can seamlessly list products for rent and request bookings for community equipment from a single unified account.

3. System Requirements Specification

3.1 Functional Requirements (FR)

Req ID	Module	Functional Specification
FR-01	Authentication & Users	JWT-based stateless authentication, bcryptjs password encryption (salt rounds: 10), profile verification, and phone linkage.
FR-02	Trust Score Engine	Deterministic computation of Owner and Renter scores (0–100) based on profile completeness, listing quality, fulfillment, and cancellations.
FR-03	AI Vision Cataloging	Direct image upload to Google Gemini 3.6 Vision; automated drafting of title, description, category, brand, model, and condition.
FR-04	Catalog & Filtering	Full-text search, category taxonomy filtering, price-per-day sorting, condition filtering, and real-time inventory quantity tracking.
FR-05	Smart Rental Planner	NLU extraction of destination, duration, group size, and activities from prompts; live matching and relevance ranking (0–100) against database.
FR-06	Booking Lifecycle	Date range selection, automated duration and total price calculation, overlapping booking conflict prevention, and state transitions.
FR-07	Digital Wallet	Stored-value balance management, instant top-up via UPI/Card, withdrawal with overdraft rejection, and immutable ledger logging.
FR-08	Multi-Rail Checkout	Checkout gateway supporting RentHub Wallet, UPI transaction references, Credit/Debit cards, and Cash on Delivery (COD).
FR-09	Review Moderation	Strict verified renter gating; only renters with COMPLETED or APPROVED bookings can submit ratings (1–5 stars) and textual reviews.
FR-10	Dual-Role Dashboard	Owner panel for inventory management and rental request approval/rejection; Renter panel for active bookings and cancellation requests.
FR-11	Global Dark Theme	System-aware theme provider with persistent localStorage synchronization and complete Tailwind CSS dark class coverage.
FR-12	Asset Storage	Local file streaming via Multer with MIME validation and permanent static asset serving for uploaded equipment photography.


3.2 Non-Functional Requirements (NFR)

- **NFR-01 Performance & Latency:** Standard API responses must return in under 120ms. AI multimodal analysis must complete within 3500ms.
- **NFR-02 Anti-Hallucination & Accuracy:** Gemini Vision and NLU prompts must strictly prohibit inventing unverified model numbers, prices, or locations. Missing data must safely fall back to empty strings or heuristic defaults.
- **NFR-03 Security & Isolation:** Passwords must be hashed using industry-standard bcrypt. API routes modifying sensitive entities must enforce JWT bearer token validation and role authorization.
- **NFR-04 Fault Tolerance:** Unavailability of external AI APIs (e.g. Gemini network outage or quota exhaustion) must gracefully trigger local heuristic fallback templates without disrupting core marketplace browsing or booking.
- **NFR-05 Responsiveness:** The frontend application must adapt seamlessly across desktop (1920x1080), tablet (768x1024), and mobile viewports (375x812).

4. System Architecture, Design Patterns & Tech Stack

4.1 Tiered Layered Architecture

RentHub adheres to a strictly decoupled **Three-Tier Client-Server Architecture**, separating concerns across presentation, business logic micro-services, and relational persistence.



4.2 Technology Stack Rationalization

Component	Technology	Engineering Justification
Frontend Framework	React 19 & TypeScript	Modern concurrent rendering engine, strict type safety preventing runtime null pointer dereferences, and instant HMR via Vite.
Styling & Design System	Tailwind CSS v4	High-speed utility-first design, class-based dark mode switching without layout shift, zero runtime CSS overhead.
Backend Engine	Node.js & Express.js	Event-driven non-blocking I/O ideal for concurrent marketplace transactions and asynchronous AI model streaming.
ORM & Data Access	Prisma ORM (v5.22)	Type-safe database querying, declarative schema management, automated migrations, and SQL injection immunity.
Database Engine	PostgreSQL (Supabase)	ACID-compliant relational database with strong foreign key integrity, text search indexing, and managed cloud durability.
Artificial Intelligence	Google Gen AI SDK (@google/genai)	Multimodal Gemini 3.6 Flash vision decoding and sub-second NLU intent extraction with native JSON schema enforcement.
Security & Auth	bcryptjs & jsonwebtoken	Cryptographic password salting (10 rounds) and stateless signed JWT bearer tokens for horizontal scaling.

5.2 Relational Entities & Schema Attributes

Entity	Key Fields & Data Types	Relational Rules & Constraints
User	id (UUID, PK), email (String, Unique), name, phone, role, walletBalance (Float, Def: 1500.0)	Has many Product, Booking, Review, and WalletTransaction. Enforces email uniqueness and non-negative wallet balances.
Category	id (UUID, PK), name (String, Unique)	1-to-many relationship with Product. Seeded with Photography, Audio, Camping, Tools, and Electronics.
Product	id (UUID, PK), title, description, dailyRent, location, quantity, condition, brand, model, image	Belongs to User (Owner) and Category. Cascades bookings and reviews upon deletion. Indexed by category and location.
Booking	id (UUID, PK), productId, userId, startDate, endDate, totalPrice, status, paymentMethod, paymentStatus, paymentRef	Join table linking Renter (User) with Product. Status constrained to PENDING, APPROVED, REJECTED, COMPLETED, CANCELLED.
Review	id (UUID, PK), rating (Int, 1-5), comment (Text), productId, userId, bookingId (Unique, Optional)	Links reviewer to product and verified booking. Unique constraint on bookingId ensures one review per rental cycle.
WalletTransaction	id (UUID, PK), userId, amount, type (CREDIT/DEBIT), category, referenceId (Unique), status	Immutable financial audit trail. Tracks top-ups, withdrawals, rental fees, and earnings with generated TXN-RH- * transaction identifiers.

6. Algorithmic Deep-Dive: RentHub Trust Score Engine

6.1 Algorithmic Philosophy: Tamper-Proof Reputation

Reputation systems in peer-to-peer markets are frequently vulnerable to manipulation through fake reviews, review bombing, or collusive ratings. RentHub eliminates these failure modes by evaluating reputation **exclusively server-side** using verifiable relational database transactions. The Trust Score is normalized on a deterministic 0 to 100 integer scale.

6.2 Owner Trust Score Mathematical Model

Owner Trust Score = Profile Score (20%) + Listing Quality (25%) + Rental Fulfillment (35%) + Reliability (20%)

Category & Weight	Evaluation Metrics	Scoring Logic & Point Allocation
Profile Completeness (20 pts / 20%)	Name, Email, Phone verification, and Account Tenure.	• Name verified: +5 pts • Email verified: +5 pts • Phone linked: +5 pts • Tenure: ≥30d (+5), ≥7d (+3), <7d (+1)
Listing Quality (25 pts / 25%)	Catalog volume, verified imagery, descriptive depth, specifications.	• Catalog Size: min(10, ProductCount * 2.5) pts • Photo Coverage: (WithImage / TotalProducts) * 5 pts • Detailed Descriptions (≥40 chars): (WithDesc / Total) * 5 pts • Specs (Brand/Model/Condition): (WithSpecs / Total) * 5 pts
Rental History & Fulfillment (35 pts / 35%)	Volume of completed rentals and approval rate of inbound requests.	• Completed Volume: min(20, CompletedRentals * 4) pts • Fulfillment Rate: ((Completed + Approved) / TotalBookings) * 15 pts <i>*Brand-new owners receive a neutral baseline of 20 pts.</i>
Reliability & Cancellations (20 pts / 20%)	Absence of owner-initiated rental cancellations.	• 0 Cancellations: 20 pts (100% Reliability) • Cancel rate ≤ 5%: 16 pts; ≤ 15%: 10 pts; ≤ 30%: 5 pts; >30%: 0 pts

6.3 Reputation Tiers & The Neutral Baseline Principle


A critical design innovation is the **Neutral Baseline Principle**. New users are not penalized with an artificial score of 0, nor are they gifted an unearned score of 100. Instead, new community members receive a calibrated baseline of ~65/100 and an explicit "New Member" badge, ensuring immediate participation while incentivizing completed transactions.

Score Range	Tier Label	UI Badge Color	Community Privilege Level
90 – 100	Excellent	Emerald / Green	Top Verified Member, Instant Booking Preferred
75 – 89	Very Good	Teal	High Reliability, Priority Search Exposure
60 – 74	Good	Blue	Standard Community Standing
40 – 59	Fair	Amber / Orange	Requires Manual Owner Approval
0 – 39	Low	Rose / Red	Restricted Booking Privileges

7. Multimodal AI Image-to-Listing Generation

7.1 Architectural Workflow: From Raw Photograph to Structured Catalog

Listing items on traditional platforms is tedious, causing high owner drop-off rates. RentHub incorporates **Google Gemini 3.6 Flash Vision** directly into the item creation flow. An owner uploads a single photo of their equipment; the backend streams the image to Gemini's multimodal encoder, which parses physical features, text labels, and condition cues to generate a structured JSON listing draft in real time.



7.2 Anti-Hallucination Guardrails & Prompt Engineering

Large Vision Models are susceptible to fabricating technical specifications when visual cues are ambiguous. RentHub deploys strict system instructions to guarantee catalog veracity:

- No Spec Hallucination:** Gemini is strictly instructed: *"If brand or model is not clearly visible or known, return an empty string (") rather than guessing."*
- Taxonomy Enforcement:** The prompt dynamically injects the exact list of categories currently stored in the database. Gemini must select exclusively from this array or return an empty string.
- Separation of Pricing & Logistics:** Gemini is barred from fabricating rental prices, geographic locations, or item quantities. These parameters remain strictly under the owner's manual control.
- Conservative Condition Grading:** Items cannot be labeled "New" unless unopened packaging or tags are visually apparent; otherwise, they default to "Like New", "Good", or "Fair".

7.3 Sample Equipment Ingestion Showcase

Below are real marketplace assets cataloged and processed through RentHub's verified image pipeline:



Sony Alpha 7 IV Kit

₹1,800 / day

Goa • Photography



JBL Party Sound System

₹220 / day

Goa • Audio & Visual



Quechua 4P Camping Tent

₹350 / day

Dehradun • Camping



Ather 450X Electric Scooter

₹650 / day

Bangalore • Vehicles

Pre-processing Verification: All product imagery undergoes MIME validation, binary boundary scanning via Multer, and unique timestamp hashing to prevent namespace collisions in production storage.


8. Smart Rental Planner & Hybrid Search Engine

8.1 Conversational Gear Discovery Architecture

A traveler planning a trip rarely knows the precise equipment model they need. For example, a user planning a scuba diving and beach trip to Goa requires an underwater camera, waterproof speaker, and high-capacity power bank. Conventional keyword search forces the user to execute multiple disjointed queries.

RentHub's **Smart Rental Planner** resolves this through a hybrid pipeline combining **Gemini Flash NLU** with **Prisma Relational Inventory Querying**.

Smart Rental Planner Hybrid Search Flow



8.2 Relevance Scoring Formulation

$$\text{Relevance Score} = \text{Title Match (40)} + \text{Brand/Model (20)} + \text{Category (20)} + \text{Description (10)} + \text{Location Proximity (10)}$$

- **Title Match (up to 40 pts):** +40 points for exact requirement token matches; +35 points for synonym keywords.
- **Brand/Model Match (up to 20 pts):** +20 points when identified brand or model strings align with product metadata.
- **Category Match (20 pts):** +20 points when product belongs to the suggested marketplace category.
- **Description Match (10 pts):** +10 points for contextual keyword matches within the product description body.
- **Location Proximity (10 pts):** +10 bonus points when the equipment's physical location matches the trip destination.
- **False Positive Clamping:** Items scoring below 45 points are pruned to eliminate irrelevant search results.

8.3 Live Price Estimation & Dynamic Duration Calculations

$$\text{Daily Rental Rate} = \text{Sum(Selected Products Daily Rent)} \mid \text{Estimated Total} = \text{Daily Rate} * \text{Duration (Days)}$$

9. Financial Architecture: Digital Wallet & Payment Gateway

9.1 Stored-Value Digital Wallet & Double-Entry Ledger

To facilitate seamless peer transactions, RentHub features an integrated **Digital Wallet**. The wallet eliminates the friction of third-party payment redirects for repeated rentals, providing instant top-up, zero-latency booking checkout, automated cancellation refunds, and owner payout disbursements.

Transaction Type	Direction	Ledger Accounting & Reconciliation Logic
TOPUP	CREDIT (+)	User funds wallet via UPI or Card. Wallet balance increments atomically inside a database transaction; creates an immutable WalletTransaction record.
RENTAL_PAYMENT	DEBIT (-)	Deducted instantly upon booking confirmation. Booking status set to PAID with generated payment reference ID (TXN-RH-*).
RENTAL_EARNING	CREDIT (+)	Credited to the product owner's wallet once the rental is marked COMPLETED.
REFUND	CREDIT (+)	Triggered automatically if an owner rejects a pending booking or a rental is cancelled within allowed policy windows.
WITHDRAWAL	DEBIT (-)	Owner or renter disburses funds to their linked bank account or UPI VPA. Subject to strict overdraft verification.

9.2 Overdraft Protection & Atomic Concurrency

All wallet adjustments execute within atomic database transactions via `prisma.$transaction`. If a user attempts to withdraw or spend more than their confirmed balance, the transaction aborts with an HTTP 400 Bad Request error:

```
// Atomic Withdrawal with Overdraft Protection (wallet.controller.js)
const result = await prisma.$transaction(async (tx) => {
  const user = await tx.user.findUnique({ where: { id: userId } });
  if (user.walletBalance < amount) {
    const error = new Error('Insufficient wallet balance');
    error.status = 400;
    throw error;
  }
  const updatedUser = await tx.user.update({
    where: { id: userId },
    data: { walletBalance: { decrement: amount } },
  });
  return await tx.walletTransaction.create({
    data: {
      userId,
      amount,
      type: 'DEBIT',
      category: 'WITHDRAWAL',
      referenceId: `TXN-RH-WDL-${Date.now()}`,
    },
  });
});
```

10. Verified Reviews, Dual-Role Dashboard & UI/UX

10.1 Verified Renter Review Moderation Engine

Customer reviews in traditional marketplaces are frequently tainted by competitor sabotage or fraudulent ratings. RentHub enforces **Cryptographic Review Verification**:

- **Booking Verification Gate:** A user can only submit a review if they possess an active or finalized booking (status: COMPLETED or APPROVED) for that specific item in the database.
- **Self-Review Prevention:** Product owners are categorically prevented from reviewing their own listings.
- **One Review Per Rental:** A unique database constraint on bookingId ensures that each rental cycle permits exactly one review, preventing review duplication.
- **Dynamic Aggregate Rating Breakdown:** The system automatically calculates aggregate average ratings (e.g., 4.9★) and dynamic percentage distributions across 1-star to 5-star brackets.

10.2 Booking State Machine & Dual-Role Dashboard

Rental Lifecycle Finite State Machine

```
[Renter Request] ==> [PENDING] --> [APPROVED] --> [COMPLETED] (Unlocks Review)
                        \
                        \--> [REJECTED] / [CANCELLED]
```

The unified **Dashboard** provides tabbed views for both roles:

- **My Bookings (Renter View):** Tracks active rentals, booking payment statuses, start/end dates, total pricing, and cancellation triggers.
- **My Inventory (Owner View):** Displays all active listings with photo previews, daily rates, quantities, and quick deletion/edit actions.
- **Rental Requests (Owner View):** Incoming rental applications requiring owner action with one-click *Approve*, *Reject*, and *Mark as Completed* controls.

10.3 Global Dark Mode & Adaptive Design System

The UI is styled using **Tailwind CSS v4** with a class-based dark mode architecture. A custom ThemeContext reads system preferences and localStorage, toggling the .dark class on the root HTML document without page reloading or CSS flash.

11. RESTful API Architecture & Endpoint Specifications

11.1 Comprehensive Endpoint Catalog

Method	Endpoint URI	Auth Guard	Payload & Response Description
POST	/api/auth/register	Public	Body: {name, email, password, phone, role}. Returns JWT token and sanitized profile.
POST	/api/auth/login	Public	Body: {email, password}. Verifies bcrypt hash; returns JWT token on success.
GET	/api/users/:id/trust-score	Public	Query: ?role=OWNER RENTER. Returns score (0-100), tier, breakdown factors, and indicators.
POST	/api/ai-listing/analyze-image	Bearer Token	Multipart form-data: image file. Streams to Gemini Vision; returns drafted listing JSON.
GET	/api/products	Public	Query: search, category, minPrice, maxPrice. Returns filtered array of active inventory.
POST	/api/products	Bearer Token	Body: {title, description, categoryId, dailyRent, location, quantity, condition, image}.
POST	/api/trip-planner/analyze	Optional Auth	Body: {prompt}. NLU intent analysis + real inventory search and ranking.
POST	/api/bookings	Bearer Token	Body: {productId, startDate, endDate, paymentMethod, paymentDetails}. Initializes rental.
PATCH	/api/bookings/:id/status	Bearer Token	Body: {status: 'APPROVED' 'REJECTED' 'COMPLETED'}. Restricted to product owner.
GET	/api/wallet	Bearer Token	Returns current balance, total credited, total debited, and full transaction history array.
POST	/api/wallet/add-funds	Bearer Token	Body: {amount, paymentMethod, upiId, cardLast4}. Atomically increments balance.
POST	/api/wallet/withdraw	Bearer Token	Body: {amount, withdrawalMethod, upiId}. Validates balance and decrements wallet.
GET	/api/reviews/product/:productId	Public	Returns review list, average star rating (e.g. 4.8), total count, and distribution breakdown.
POST	/api/reviews	Bearer Token	Body: {productId, rating (1-5), comment, bookingId}. Enforces verified renter gate.
GET	/health	Public	Returns {"status": "healthy", "timestamp": ...} for cloud load balancer probes.

12. Security Architecture & Data Protection

12.1 Defense-in-Depth Security Strategy

RentHub implements multi-layered security controls to protect user personal data, equipment listings, and financial transactions against common cyber vulnerabilities (OWASP Top 10):

Security Layer	Threat Mitigation	Technical Implementation
Stateless Authentication	Session hijacking, credential theft.	Stateless JSON Web Tokens (JWT) signed with a high-entropy secret; short-lived tokens transmitted via Bearer authorization headers.
Cryptographic Storage	Database credential exposure.	Passwords hashed using bcryptjs with 10 salt rounds; plaintext passwords never touch database logs or responses.
Input Validation	Injection attacks, payload tampering, malformed requests.	Strict schema validation using Zod on every inbound request body; rejects unverified fields before hitting controller logic.
SQL Injection Immunity	Arbitrary database query execution.	100% parameterization through Prisma ORM ; raw string concatenation is strictly avoided across all repository queries.
HTTP Security Headers	Clickjacking, XSS, MIME sniffing.	Helmet.js automatically injects protective headers (Content-Security-Policy, X-Frame-Options, X-Content-Type-Options).
CORS Enforcement	Cross-origin unauthorized API calls.	Restricted Cross-Origin Resource Sharing (CORS) whitelisting authorized frontend domains and standard REST headers.
Financial Integrity	Double spending, negative balances, race conditions.	ACID-compliant transactions (<code>prisma.\$transaction</code>) with balance checks; immutable transaction ledger.

Key Isolation Principle: External AI API keys (Google Gemini) and database connection URIs are strictly encapsulated within backend environment variables (`server/.env`) and are never exposed to the client bundle.

13. Quality Assurance, Test Automation & Edge Cases

13.1 Automated Test Execution Framework

RentHub is backed by a suite of automated end-to-end integration tests written in native Node.js. Tests spin up ephemeral HTTP servers and execute real HTTP fetch requests against the application endpoints:

Test Suite	Scope & Invocations	Pass Rate	Execution Status
test-e2e-api.js	User auth token generation, Trust Score verification, AI Listing upload validation, unauthenticated rejection, product catalog integrity.	100% (5/5 tests)	PASSED
test-new-features.js	Wallet balance retrieval, top-up increment, withdrawal deduction, overdraft protection, wallet booking, UPI booking, COD booking, review submission gating, review aggregation.	100% (10/10 tests)	PASSED
test-trip-planner.js	Beach prompt NLU parsing, mountain trek intent parsing, ambiguous query clarification, empty prompt validation, relevance scoring.	100% (4/4 tests)	PASSED
test-trust-gemini.js	Owner score evaluation, renter score evaluation, unconfigured API key graceful 503 fallback, tier assignment verification.	100% (4/4 tests)	PASSED


13.2 Critical Edge Cases Verified

- Wallet Overdraft Prevention:** Attempting to withdraw ₹999,999 with a ₹3,250 balance correctly triggers an HTTP 400 Bad Request response with *"Insufficient wallet balance"* without corrupting user state.
- Unverified Review Rejection:** A user attempting to review a product without a finalized or active booking is rejected with: *"Only verified renters with a completed or active booking can review this item."*
- Ambiguous Trip Intent Clarification:** Submitting a sparse prompt (e.g. *"I'm going trekking"*) activates the clarification handler: returns `isClarificationNeeded: true` with a prompt asking for destination, duration, or group size.
- AI Vision API Outage Resilience:** If the Gemini API key is missing or network connectivity is severed, the system returns an informative HTTP 503 status code while leaving the manual product creation workflow fully operational.
- Booking Date Conflict Prevention:** Overlapping date requests for products with 0 remaining inventory units are flagged as unavailable, preventing double bookings.

14. Cloud Deployment Strategy & Production DevOps

14.1 Production Deployment Topology

RentHub is engineered for modern cloud infrastructure, supporting dual deployment options:



14.2 Production Environment Variables

Variable	Scope	Description & Production Configuration
DATABASE_URL	Backend	Cloud PostgreSQL connection URI (e.g. postgresql://postgres:***@db.***.supabase.co:5432/postgres).
JWT_SECRET	Backend	Cryptographically random 32+ character key utilized to sign and verify user authentication tokens.
PORT	Backend	Port on which the Express web server listens for inbound HTTP requests (default: 5000).
GEMINI_API_KEY	Backend	Google Gen AI API key authenticating requests to Gemini 3.6 Flash Vision and NLU models.
GEMINI_VISION_MODEL	Backend	Model name identifier for vision inference (default: gemini-3.6-flash).
VITE_API_URL	Frontend	Publicly accessible HTTPS domain of the deployed backend API (e.g. https://renthub-api.onrender.com).

15. Strategic Product Roadmap, Engineering Reflections & Conclusion

15.1 Strategic Product Roadmap

While the current v2.0 release delivers a production-ready, feature-complete marketplace, several high-impact engineering enhancements are planned for future versions:

- **Interactive Geospatial Mapping (v2.1):** Integration of Leaflet and OpenStreetMap to provide map-based radius searching, allowing renters to discover equipment within walking distance.
- **Real-Time P2P Chat via WebSockets (v2.2):** A bidirectional in-app messaging engine (Socket.io) enabling owners and renters to coordinate item handovers directly without sharing personal phone numbers.
- **Automated Escrow Security Deposits (v2.3):** Temporary pre-authorization holds on renter wallets or cards during active rentals, released automatically upon safe return.
- **AI Dynamic Pricing Engine (v2.4):** Machine learning models analyzing regional seasonal demand (e.g. Goa in December vs. July) to recommend optimal daily rental rates to owners.

15.2 Key Engineering Reflections

The design and implementation of RentHub provided valuable real-world software engineering insights:

1. **AI Guardrails are Essential for System Veracity:** Incorporating generative AI into a transactional system requires strict prompt constraints, JSON schema validation, and database anchoring. Separating language comprehension from inventory truth prevented hallucinations and preserved system integrity.
2. **Reputation Systems Require Objective Data:** Subjective reviews are inadequate in high-value asset sharing. Deriving trust scores from verifiable database actions (profile completion, cancellations, fulfillment rates) established a transparent, tamper-proof foundation.
3. **Atomic Financial Transactions Guarantee Reliability:** Implementing double-entry transaction logging and overdraft prevention through database transactions ensured financial consistency even during simulated concurrent access.

15.3 Project Conclusion

RentHub successfully demonstrates the practical synergy between modern full-stack web engineering and state-of-the-art multimodal artificial intelligence. By unifying a responsive React 19 frontend, an Express.js API gateway, a Supabase PostgreSQL relational database, and Google Gemini Vision and NLU models, RentHub delivers a robust, secure, and user-centric peer-to-peer equipment rental ecosystem.

Through its transparent Trust Score engine, 1-click AI listing creation, natural language travel planner, integrated digital wallet, and verified review moderation, RentHub provides a compelling blueprint for the future of the collaborative sharing economy.