

NFTickets

Presented by: RIP_scoorge

------> Arunav Sameer

> Vedant Jain

Tanishq Godha

Abhitulya Mishra










Wallet Integration with MetaMask



Service Gas-Efficient





Frontend



CSS





Backend



node.js

Tools for development



MetaMask

GitHub **C**



Smart Contracts and Libraries



solidity

IPFS

OpenZeppelin



Browser-Based Decentralized Interactions



Ether.js









CONTRACTS OVERVIEW





Event

Manages a single event's ticket sales and related details.

buyTicket()

getDetails()

ListTickets()

ownerWithdraw()

EventFactory

Creates multiple Event contracts and tracks them.

createEvent()

getAllEvents()

getEventDetails()



GAS CONSUMPTION



No.	function	Description	Gas Usage
1	constructor()	Initializes the contract and sets event details.	3,987,609 [Event Creation]
2	buyTicket()	Purchases a ticket with ETH and mints an ownership NFT.	175,335 (User buying ticket)
3	transferTicket()	Transfers a ticket and updates ownership records.	111577 (transfer ticket)
4	listTicket()	Lists a ticket for sale with a set price and expiry after approval.	96,361 (List Ticket)
5	cancelListing()	Cancels an active ticket listing and revokes approval.	38,917 (Cancel Listing)
6	_safeMint()	Minting a ticket for Event One.	111,577 (Event Ticket)
7	approveTicketPermission()	Approves ticket permission to the contract for listing.	49,300 (Approve Permission)







GAS OPTIMIZATION






Optimized Ticket Removal



Off-Chain Metadata (IPFS)





Minimal Structs/Listing





FUTURE IMPROVEMENTS





Event Cancellation and messaging



Waitlist Buy order for oversold events ---



Event Refund and Discounts



Limited Period Ticket



Updating Event Details

