

Question 12

Problem

The following configuration runs an **Apache HTTP Server**:

```
version: "3"
```

```
services:
```

```
  web:
```

```
    image: httpd
```

Modify the file to meet the following requirements:

1. Map **port 8081 on the host** to **port 80 in the container**
2. Mount a local folder **./website** to **/usr/local/apache2/htdocs**
3. Set the container name as **apache_server**

Solution

```
version: "3"
```

```
services:
```

```
  web:
```

```
    image: httpd
```

```
    container_name: apache_server
```

```
  ports:
```

```
    - "8081:80"
```

```
  volumes:
```


```
    - ./website:/usr/local/apache2/htdocs
```

Run the container

```
docker compose up -d
```

Access in browser

```
http://localhost:8081
```



Question 13

Problem

Create a docker-compose.yml file to deploy the following application:

Requirements

1. **Server 1: Nginx Web Server**
 - Image: nginx
 - Port Mapping: **8085**
2. **Service 2: Redis Database**
 - Image: redis
3. Both services must run on a **custom network called appnetwork**
4. The **Nginx container name should be nginx_server**

Solution

version: "3"

services:

server1:

image: nginx

container_name: nginx_server

ports:

- "8085:80"

networks:

- appnetwork

redisdb:

image: redis

networks:

- appnetwork

networks:

appnetwork:

Run the application

`docker compose up -d`

Check running containers

`docker ps`

Access Nginx

`http://localhost:8085`

