ECT302	ELECTROMAGNETICS -	CATEGORY	L	T	P	CREDIT
		PCC	3	1	0	4

**Preamble:** This course aims to impart knowledge on the basic concepts of electric and magnetic fields and its applications.

Prerequisite: MAT102 Vector Calculus

Course Outcomes: After the completion of the course the student will be able to

CO 1	To summarize the basic mathematical concepts related to electromagnetic
K2	vector fields.
CO 2	Analyse Maxwell's equation in different forms and apply them to diverse engineering
K3	problems.
CO3	To analyse electromagnetic wave propagation and wave polarization
K3	To analyse electromagnetic wave propagation and wave polarization
CO4	To analyse the characteristics of transmission lines and solve the transmission line
K3	problems using Smith chart.
CO5	To analyse and evaluate the propagation of EM waves in Wave guides.
K3	To analyse and evaluate the propagation of EW waves in wave guides.

## Mapping of course outcomes with program outcomes

	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO
	1	2	3	4	5	6	7	8	9	10	11	12
CO1	3	3	1	1								2
CO2	3	3	1	1								2
CO3	3	3	1	1								2
CO4	3	3	1	1		ctrl						2
CO5	3	3	1	1								2

## **Assessment Pattern**

Bloom's Category	Continuous As Tests	ssessment	End Semester Examination		
	1	2			
Remember K1					
Understand K2	20	20	40		
Apply K3	30	30	60		
Analyse					
Evaluate					
Create					

#### Mark distribution

Total Marks	CIE	ESE	ESE Duration
150	50	100	3 hours

#### **Continuous Internal Evaluation Pattern:**

Attendance : 10 marks
Continuous Assessment Test (2 numbers) : 25 marks
Assignment/Quiz/Course project : 15 marks

**End Semester Examination Pattern:** There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

## **Course Level Assessment Questions**

Course Outcome 1 (CO1): To summarize the basic mathematical concepts related to electromagnetic vector fields. (K2)

- 1. State and explain divergence theorem. Give a geometrical explanation.
- 2. Find the curl of the vector A =  $2r\cos\phi a_0 + r a_\phi$  in cylindrical coordinates
- 3. Show that curl grad **F** and div curl **F** are identically zero.

4. Show that 
$$V = \frac{1}{4\pi\xi_0} \frac{Q}{r}$$
 where  $r = (x^2 + y^2 + z^2)^{1/2}$  satisfies Laplace's equation.

Course Outcome 2 (CO2): Analyse Maxwell's equation in different forms and apply them to diverse engineering problems. (K3)

- 1. State and explain Maxwell's equations in the integral and differential forms.
- 2. Derive the solution of uniform plane wave in lossy dielectric medium.

Course Outcome 3 (CO3): To analyse electromagnetic wave propagation and wave polarization (K3)

1. Derive an expression for reflection coefficient of a plane wave under oblique incidence with parallel polarization at a dielectric interface.

- 2. Explain wave polarization and different polarisation with example.
- 3. Derive the expression for Brewster angle for parallel polarised wave.

## Course Outcome 4 (CO4): To analyse the characteristics of transmission lines and solve the transmission line problems using Smith chart. (K3)

- 1.A transmission line of length 0.2  $\lambda$  and characteristic impedance  $100\Omega$  is terminated with a load impedance of 50+200j. Find input impedance, reflection coefficient at load end, reflection coefficient at the input end and VSWR.
- 2. A lossless transmission line has a characteristic impedance of  $50\Omega$  and phase constant of 3 Rad/ m at 100 MHz . Find Inductance per meter and Capacitance per meter of the transmission line .
- 3. A  $50 + j200 \Omega$  load is connected to a  $100\Omega$  lossless transmission line . Using Smith chart , find i. Reflection coefficient at load ii. VSWR

# Course Outcome 5 (CO5): To analyse and evaluate the propagation of EM waves in Wave guides.(K3)

- 1.For TE10 mode of propagation in a rectangular wave guide, with length 8cm and
- 6 cm respectively, find the following when frequency of operation is 6 GHz.
- i. Cut off frequency
- ii. Cut off wavelength
- iii. Guide wavelength
- iv. Phase constant
- v. Phase velocity
- vi. Group velocity
- vii. Wave impedance
- 2.A rectangular wave guide has a dimension of  $3 cm \times 5 cm$ , and is operating at a frequency of 10 GHz. Calculate the cutoff wavelength, cutoff frequency, guide wavelength, phase velocity and group velocity, and the wave impedance for TE10 mode.
- 3.Derive the expression for Electric and magnetic field intensities for TM mode of propagation of rectangular waveguide.

#### **SYLLABUS**

#### **MODULE 1:**

Introduction to Electromagnetic Theory. Review of vector calculus- curl, divergence gradient. Rectangular, cylindrical and spherical coordinate systems. Expression of curl divergence and Laplacian in cartesian, cylindrical and spherical coordinate system. Electric field and magnetic field, Review of Coulomb's law, Gauss law and Amperes current law. Poisson and Laplace equations, Determination of E and V using Laplace equation.

#### **MODULE 2:**

Derivation of capacitance and inductance of two wire transmission line and coaxial cable. Energy stored in Electric and Magnetic field. Displacement current density, continuity equation. Magnetic vector potential. Relation between scalar potential and vector potential. Maxwell's equation from fundamental laws. Boundary condition of electric field and magnetic field from Maxwells equations. Solution of wave equation.

#### **MODULE 3:**

Propagation of plane EM wave in perfect dielectric, lossy medium, good conductor, mediaattenuation, phase velocity, group velocity, skin depth. Reflection and refraction of plane electromagnetic waves at boundaries for normal & oblique incidence (parallel and perpendicular polarization), Snell's law of refraction, Brewster angle.

#### **MODULE 4:**

Power density of EM wave, Poynting vector theorem. Polarization of electromagnetic wavelinear, circular and elliptical polarisation.

Uniform lossless transmission line - line parameters. Transmission line equations, Voltage and Current distribution of a line terminated with load .Reflection coefficient and VSWR. Derivation of input impedance of transmission line.

#### **MODULE 5:**

Transmission line as circuit elements (L and C). Development of Smith chart - calculation of line impedance and VSWR using smith chart.

The hollow rectangular wave guide –modes of propagation of wave-dominant mode, group velocity and phase velocity -derivation and simple problems only

#### **Text Books**

- 1. John D. Kraus, Electromagnetics, 5/e, TMH, 2010.
- 2. Mathew N O Sadiku, Elements of Electromagnetics, Oxford University Press, 6/e, 2014.
- 3. William, H. Hayt, and John A. Buck. Engineering Electromagnetics. McGraw-Hill, 8/e McGraw-Hill, 2014.

## **Reference Books**

- 1. Edminister, "Schaum's Outline of Electromagnetics", 4/e, McGraw-Hill, 2014.
- 2. Jordan and Balmain, Electromagnetic waves and Radiating Systems, PHI, 2/e,2013
- 3. Martin A Plonus, Applied Electromagnetics, McGraw Hill, 2/e,1978.
- 4. Nannapaneni Narayana Rao, Elements of Engineering Electromagnetics, Pearson, 6/e, 2006.
- 5. Umran S. Inan and Aziz S. Inan, Engineering Electromagnetics, Pearson, 2010.

## **Course Contents and Lecture Schedule**

No	Торіс	No. of Lectures
1	Module 1	
1.1	Introduction to Electromagnetic Theory. Review of vector	3
	calculus- curl, divergence gradient.	
1.2	Rectangular, cylindrical and spherical coordinate systems.	3
	Expression of curl divergence and Laplacian in cartesian,	
	cylindrical and spherical coordinate system.	
1.3	Electric field and magnetic field.Review of Coulomb's law, Gauss	2
	law and Amperes current law.	
1.4	Poisson and Laplace equations, Determination of E and V using	2
	Laplace equation.	
2	Module 2	
2.1	Derivation of capacitance and inductance of two wire transmission	2
	line and coaxial cable.	
2.2	Energy stored in Electric and Magnetic field.	1
2.3	Displacement current density, continuity equation. Magnetic vector	3
	potential. Relation between scalar potential and vector potential.	
2.4	Maxwell's equation from fundamental laws.	2
	Boundary condition of electric field and magnetic field from	1
	Maxwell's equations.	
2.5	Solution of wave equation	1
3	Module 3	
3.1	Propagation of plane EM wave in perfect dielectric, lossy medium,	4
	good conductor, media-attenuation, phase velocity, group velocity,	
	skin depth.	
3.2	Reflection and refraction of plane electromagnetic waves at	4
	boundaries for normal & oblique incidence (parallel and	
	perpendicular polarization), Snell's law of refraction, Brewster	
	angle.	
4	Module 4	

4.1	Power density of EM wave, Poynting vector theorem.	2
4.2	Polarization of electromagnetic wave-linear, circular and elliptical polarisation.	2
4.3	Uniform lossless transmission line - line parameters. Transmission line equations	3
4.4	Voltage and Current distribution of a line terminated with load .Reflection coefficient and VSWR.Derivation of input impedance of transmission line.	3
5	Module 5	
5.1	Transmission line as circuit elements (L and C).	1
5.2	Development of Smith chart - calculation of line impedance and VSWR using smith chart.	3
5.3	The hollow rectangular wave guide -modes of propagation of wave-dominant mode, group velocity and phase velocity -derivation and simple problems only	4

## **Assignments:**

## Model Question paper

## APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

SIXTH SEMESTER B.TECH DEGREE EXAMINATION, (Model Question Paper)

**Course Code: ECT302** 

**Course Name: ELECTROMAGNETICS** 

Max. Marks: 100 Duration: 3 Hours

### PART A

Answer ALL Questions. Each Carries 3 mark.

- Define Curl of a vector field. Explain its physical significance. K2 1 2 Obtain Coulomb's law from Gauss' law K2 3 Write Poisson's and Laplace's Equation with applications K1 A Parallel plate capacitor with plate area of 5cm<sup>2</sup> and a plate separation of 3mm 4 K3 has a voltage  $50\sin 10^3$ t Volt applied to its plates. Calculate the displacement current assuming  $\varepsilon = 2\varepsilon_0$ . K1
- 5 List all Maxwell's equations in integral form

6 Explain the significance of skin depth. K2 7 What is Snell's law? **K**1 What is wave polarisation? What are the different types of polarisation? K1 8 9 State the relation between standing wave ratio and reflection coefficient. **K**1 How a quarter wave dissipationless line can be used for impedance matching?. 10 K2 PART – B Answer one question from each module; each question carries 14 marks. Module - I 11 7 Derive the equation for curl of a vector field in Cartesian co-ordinate system. a. CO<sub>1</sub> K2 b. A Spherical volume charge distribution is given by 7  $\rho = \rho_0 (1 - \frac{r^2}{a^2}); r \le a$ CO<sub>1</sub>  $\rho = 0; r > a$ K3 Find the electric field intensity E; i) inside and ii) outside the charge distribution OR 12 Interpret the following 7 CO<sub>1</sub>  $\nabla \times B = \mu_0 J$  ii)  $\nabla \times E = 0$  where B and J stands for magnetic flux i) K3 density and electric current density b. Apply Ampere's circuital law to the case of an infinitely long coaxial cable carrying a uniformly distributed total current I. Compute the magnetic field CO<sub>1</sub> intensity existing in different parts of the cable. K3 Module - II 13 Derive the expression of capacitance of two wire transmission line. 7 a. CO<sub>2</sub> K2 Show that the energy stored in a system of n point charges is given by 7 b.

	$W_E = \frac{1}{2} \sum_{i=1}^{n} Q_i V_i$ where $V_i$ is the potential of the point charge $Q_i$ .	CO2 K3
	OR	
14a	Define vector magnetic potential and show that $B = \nabla \times A$ , where B is the magnetic flux density and A is the vector magnetic potential at any point.	7 CO2 K2
b	State and prove boundary conditions for E and H in accordance with Maxwell's equations.	7 CO2 K2
	Module - III	
15	Derive the expression for reflection coefficient for a wave of perpendicular	7
a.	polarization, travelling from one medium to another at oblique incidence.	CO3 K2
b.	In a lossy dielectric medium, characteristic impedance of the medium is 173 +j100 $\Omega$ , Expression of Magnetic field of a plane wave is given by	7 CO3
	$10~e^{-\alpha x}cos(\omega~t-0.5x)a_z~A/m$ . Find	K3
	i. Direction of propagation	
	ii. Loss tangent	
	iii. Attenuation constant	
	iv. Phase constant	
	v. Skin depth	
16 a	OR  Derive continuity equation from fundamental laws.	7 CO3
h	Find the skin denth Set a frequency of 1 6 MHz in alternatives, where	K2
b	Find the skin depth, $\delta$ at a frequency of 1.6 MHz in aluminium, where $\sigma$ =38.2MS/m and $\mu_r$ = 1. Also find the propagation constant, $\gamma$ and the wave	
	5 30.21 15/111 and μ <sub>Γ</sub> 1. Also thid the propagation constant, γ and the wave	

7 velocity v. CO<sub>3</sub> K3 **Module - IV** 17a Derive the equation for transmission and reflection coefficients of an electromagnetic wave incident normally on the boundary between two different CO<sub>4</sub> regions. K2 7 b Derive an expression for net outward power flow associated with an CO<sub>4</sub> electromagnetic wave, from a surface. K2 OR 18 Derive standard Transmission line equations. 7 CO<sub>4</sub> a. K2 b. Given two dielectric media, the first medium is free space and the second medium 7 has  $\varepsilon_2 = 4\varepsilon_0$  and  $\mu = \mu_0$ . Find the reflection coefficient for oblique incidence at  $\theta_1 = 30^\circ$ CO4 for i) perpendicular polarisation and ii) parallel polarisation K3 Module - V 19 A rectangular wave guide has a dimension of 3cm x 5cm, and is operating at a 7 a. frequency of 10 GHz. Calculate the cutoff wavelength, cutoff frequency, guide CO<sub>5</sub> K3 wavelength, phase velocity and group velocity, and the wave impedance for TE10 mode. At a frequency of 80 MHz, a lossless transmission line has a characteristic b. impedance of  $300\Omega$  and a wavelength of 2.5m. Find: CO<sub>5</sub> iii) If the line is terminated with a parallel combination of  $200\Omega$ i) L and 5pF, determine the reflection co-efficient and the standing wave ratio. K3 OR 20 a A  $50 + j200 \Omega$  load is connected to a  $100\Omega$  lossless transmission line. Using smith 7 chart, find

CO5 i. Reflection coefficient at load iii. Load admittance ii. VSWR K3 Derive the expression for Electric and magnetic field intensities for TM mode of 7 b propagation of rectangular waveguide. CO<sub>5</sub> K2