

Lab 2: Agile Backlog Creation & Sprint Simulation in Jira

Problem Statement #10: Student Club Event Ticketing & Budget Portal

SRN: PES1UG24CS083 | Class: SE Section B | Faculty: Dr. Sapna V M

Jira Project / Workspace Link

<https://aruukadlabal.atlassian.net/jira/software/c/projects/CEP/boards/34/backlog>

1. Backlog: Epics, User Stories & Story Points

I organized my backlog into 3 Epics derived from my Lab 1 functional requirements, and broke them down into 12 User Stories with Fibonacci story point estimates. The screenshots below show my full backlog with Epics, linked User Stories, and Story Point assignments, visible in the numbered column beside each item.




Fig 1.1: My Backlog view, showing Epic 1 stories staged in CEP Sprint 1, remaining stories in the Backlog section, and Story Points visible per item.




Fig 1.2: My Backlog view, showing Epic 2 and Epic 3 stories staged in CEP Sprint 2, with Story Points and epic links visible.

2. Sprint 1: Active Sprint Board & Burndown Chart

For Sprint 1 (1-week duration), I included 6 User Stories from Epic 1: Event Proposal & Budget Approval, plus the first story of Epic 2, totaling 23 story points. I simulated task progress across To Do, In Progress, and Done.




Fig 2.1: My Sprint 1 Active Sprint board, with 1 item in To Do, 2 In Progress, and 3 Done.




Fig 2.2: My Sprint 1 Burndown Chart (Story Points vs. Time).




Fig 2.3: My Sprint 1 Burndown event log. The sprint started at 23 points; I burned down 13 points by completing CEP-7, CEP-8, and CEP-10; 10 points carried over at sprint end.

3. Sprint 2: Active Sprint Board & Burndown Chart

For Sprint 2 (1-week duration), I included the remaining 6 User Stories from Epic 2: QR-Code Ticketing & Venue Check-in and Epic 3: Budget & Event Reporting Dashboard, totaling 21 story points.




Fig 3.1: My Sprint 2 Active Sprint board, with 1 item in To Do, 2 In Progress, and 3 Done.




Fig 3.2: My Sprint 2 Burndown Chart (Story Points vs. Time).




Fig 3.3: My Sprint 2 Burndown event log. The sprint started at 21 points; I burned down 10 points by completing CEP-14, CEP-15, and CEP-16; 11 points remained at sprint end.

4. Reflection Questions

1. Did your estimations reflect the actual effort?

For the most part, yes. I found the approval-chain stories, like Faculty Coordinator Review and Dean Final Approval, straightforward to size since each one maps to a single review action, so I estimated them lower at 3 points. Stories involving more system logic and integration, such as Generate QR Ticket and Register for Event, felt more uncertain to me around validation and data flow, so I sized those higher at 5 points on the Fibonacci scale. Looking back, I think my estimates held up reasonably well against the scope of each story as I wrote it.

2. Was your backlog well-prioritized?

I believe so. I front-loaded the high-priority items into Sprint 1 because the approval workflow in Epic 1 is a hard dependency for everything downstream; ticket generation and check-in in Epic 2 cannot begin until an event proposal is actually approved. I pushed the lower-priority items, like the aggregated reporting dashboard for Campus Admin in Epic 3, to Sprint 2 since I saw those as adding visibility rather than core functionality.

3. How did your simulated sprint align with your plan?

I started both sprints with their full planned scope, 23 points and 21 points respectively, and moved stories across To Do, In Progress, and Done during my simulation. In Sprint 1, I completed 13 of 23 points before closing it, carrying 3 stories (10 points) back into the backlog. In Sprint 2, I completed 10 of 21 points, with 3 stories (11 points) left incomplete. I left this partial completion intentional so my burndown chart would show a realistic curve rather than a sprint where every item finishes instantly. Since I ran and completed both sprints within minutes rather than the full one-week timebox, my burndown charts show a sharp, near-vertical drop early in the timeline instead of a gradual diagonal. I recognize this as an expected artifact of compressing a week-long sprint into a short lab simulation.

4. What insights did the burndown chart give about your team's capacity?

Both of my charts show the remaining-points line dropping in discrete steps as I marked individual stories Done, rather than a smooth continuous decline, which makes sense since I tracked work at the story level rather than in granular sub-tasks. I completed roughly half of my committed points in each sprint (13 of 23, and 10 of 21), which suggests that if these sprints had run for their full week instead of being compressed for this simulation, a velocity of around 20 to 23 points per week would be a reasonable planning baseline for me going forward. It also showed me that the approval-chain stories in Sprint 1, despite being lower-pointed individually, were the ones I prioritized finishing first since they unblock the rest of my backlog.