ARUN ENTERPRISES ERP - Hostinger VPS Setup Guide

Step-by-step guide: Emergent par bane ERP (React + FastAPI + MongoDB) ko apne Hostinger VPS (50 GB) par chalane ke liye. Har command copy karke VPS terminal mein chalayein. Jahan **erp.yourdomain.com** likha hai, wahan apna domain likhein.

Zaroori: Yeh kaam kisi technical vyakti (Linux / server jaanne wale) se karwayein. Live data shift karne se pehle Emergent wale app se poora backup zaroor download kar lein.

STEP 0 - Kya-kya chahiye (Checklist)

Cheez	Detail
Hostinger VPS	Ubuntu 22.04 / 24.04, kam se kam 2 vCPU + 4 GB RAM (8 GB behtar), 50 GB disk - kaafi hai
Domain	Jaise erp.yourdomain.com - DNS mein VPS ka IP lagana hoga
GitHub account	Emergent ka 'Save to GitHub' (Standard ya upar ka plan) se code wahan jayega
Email service	Login OTP aur backup mail ke liye - Gmail SMTP / Hostinger email / Zoho (Step 11)
OpenAI API key (optional)	Sirf AI Work Order (PDF padhna / AI scope) ke liye (Step 12)
Backup file	System Management -> Nightly Backups se latest JSON backup download karein (Step 10)

STEP 1 - Code ko GitHub par save karein

1. Emergent chat mein neeche **'Save to GitHub'** button dabayein.
2. Apna GitHub account jodein, repository ka naam dein (jaise **arun-erp**), Private rakhein.
3. Push hone ke baad GitHub par repo khol kar dekh lein ki **backend/** aur **frontend/** folder aa gaye.

.env files GitHub par nahi jaati (security ke liye). Unhe Step 6 aur Step 8 mein VPS par khud banana hai.

STEP 2 - VPS mein login aur update

Hostinger hPanel -> VPS -> SSH details se IP aur root password lein. Apne computer ke terminal (Windows: PowerShell) mein:

```
ssh root@YOUR_VPS_IP
apt update && apt upgrade -y
timedatectl set-timezone Asia/Kolkata
adduser erp            # naya user (password set karein)
usermod -aG sudo erp
ufw allow OpenSSH && ufw allow 80 && ufw allow 443 && ufw enable
```

STEP 3 - Software install karein

Python 3.11, Node.js 20, Yarn, MongoDB 7, Nginx, Certbot:

```
apt install -y git curl build-essential nginx software-properties-common gnupg
add-apt-repository -y ppa:deadsnakes/ppa
apt install -y python3.11 python3.11-venv python3.11-dev
curl -fsSL https://deb.nodesource.com/setup_20.x | bash -
apt install -y nodejs && npm install -g yarn
# MongoDB 7
curl -fsSL https://www.mongodb.org/static/pgp/server-7.0.asc | gpg --dearmor -o /usr/share/keyrings/
    mongodb-7.gpg
echo "deb [signed-by=/usr/share/keyrings/mongodb-7.gpg] https://repo.mongodb.org/apt/ubuntu jammy/
    mongodb-org/7.0 multiverse" > /etc/apt/sources.list.d/mongodb-org-7.0.list
apt update && apt install -y mongodb-org
systemctl enable --now mongod
apt install -y certbot python3-certbot-nginx
```

Ubuntu 24.04 par MongoDB repo mein **jammy** ki jagah **noble** likhein (agar MongoDB ka noble package uplabdh ho).

STEP 4 - Code VPS par laayein

```
mkdir -p /opt/arun-erp && chown erp:erp /opt/arun-erp
su - erp
git clone https://github.com/YOUR_GITHUB/arun-erp.git /opt/arun-erp
cd /opt/arun-erp && ls      # backend  frontend  dikhna chahiye
```

STEP 5 - MongoDB ko surakshit karein

```
mongosh
use admin
db.createUser({user: "erpadmin", pwd: "STRONG_DB_PASSWORD", roles: [{role: "readWrite", db:
    "arun_erp"}]})
exit
# /etc/mongod.conf mein:
#   net:  bindIp: 127.0.0.1        (bahar se band)
#   security:  authorization: enabled
sudo systemctl restart mongod
```

STEP 6 - Backend (FastAPI) setup

```
cd /opt/arun-erp/backend
python3.11 -m venv venv && source venv/bin/activate
pip install --upgrade pip
pip install -r requirements.txt --extra-index-url https://d33sy5i8bnduwe.cloudfront.net/simple/
```

Ab /opt/arun-erp/backend/.env file banayein (nano .env). Har line apni value ke saath:

Key	Kya likhein
MONGO_URL	mongodb://erpadmin:STRONG_DB_PASSWORD@127.0.0.1:27017/?authSource=admin
DB_NAME	arun_erp
CORS_ORIGINS	https://erp.yourdomain.com
JWT_SECRET	lamba random text (openssl rand -hex 32 se banayein)
ADMIN_EMAIL / ADMIN_PASSWORD / ADMIN_NAME	SuperAdmin login (arunenterprises2023@gmail.com aur naya strong password)
LEGACY_ADMIN_EMAILS	purane admin emails, comma se alag (ya khaali)
EMAIL_FROM_NAME	Arun Enterprises
SMTP_HOST / SMTP_PORT / SMTP_USER / SMTP_PASS	Naya email service (Step 11)
WEBHOOK_CRON_SECRET	random text - nightly backup ke liye (Step 13)
OPENAI_API_KEY (optional)	AI Work Order ke liye (Step 12)

Test chalayein:

```
uvicorn server:app --host 127.0.0.1 --port 8001
# doosre terminal mein: curl http://127.0.0.1:8001/api/   -> jawab aana chahiye, phir Ctrl+C
```

STEP 7 - Backend ko hamesha chalu rakhein (systemd)

File banayein: **sudo nano /etc/systemd/system/arun-erp.service**

```
[Unit]
Description=Arun ERP Backend
After=network.target mongod.service

[Service]
User=erp
WorkingDirectory=/opt/arun-erp/backend
EnvironmentFile=/opt/arun-erp/backend/.env
ExecStart=/opt/arun-erp/backend/venv/bin/uvicorn server:app --host 127.0.0.1 --port 8001 --workers 2
Restart=always

[Install]
WantedBy=multi-user.target
```

```
sudo systemctl daemon-reload
sudo systemctl enable --now arun-erp
sudo systemctl status arun-erp      # 'active (running)' dikhna chahiye
journalctl -u arun-erp -f           # error dekhne ke liye
```

STEP 8 - Frontend (React) build

```
cd /opt/arun-erp/frontend
echo "REACT_APP_BACKEND_URL=https://erp.yourdomain.com" > .env
yarn install
yarn build          # 'build' folder banega
```

STEP 9 - Nginx + Domain + SSL (https)

1. Domain ke DNS mein **A record**: erp -> YOUR_VPS_IP.
2. File banayein: **sudo nano /etc/nginx/sites-available/arun-erp**

```
server {
    listen 80;
    server_name erp.yourdomain.com;
    client_max_body_size 50M;
    root /opt/arun-erp/frontend/build;
    index index.html;

    location /api/ {
        proxy_pass http://127.0.0.1:8001;
        proxy_set_header Host $host;
        proxy_set_header X-Real-IP $remote_addr;
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
        proxy_set_header X-Forwarded-Proto $scheme;
        proxy_read_timeout 300s;
    }
    location / {
        try_files $uri /index.html;      # page refresh par blank screen nahi aayegi
    }
}
```

```
sudo ln -s /etc/nginx/sites-available/arun-erp /etc/nginx/sites-enabled/
sudo rm -f /etc/nginx/sites-enabled/default
sudo nginx -t && sudo systemctl reload nginx
sudo certbot --nginx -d erp.yourdomain.com      # free SSL, auto-renew
```

Ab browser mein https://erp.yourdomain.com kholein - Login page aana chahiye. SuperAdmin (ADMIN_EMAIL) se login karein.

STEP 10 - Purana data naye server par laayein

1. Emergent wale live ERP mein SuperAdmin se login -> **10. System Management -> Nightly Backups** -> latest backup **Download (JSON)**. (Ya ARUN_ERP_DATA folder ki latest full backup JSON file.)

2. File VPS par bhejein (apne computer se):

```
scp backup.json erp@YOUR_VPS_IP:/opt/arun-erp/backup.json
```

3. VPS par **/opt/arun-erp/restore.py** banayein aur chalayein:

```
import json, os
from pymongo import MongoClient
from dotenv import load_dotenv
load_dotenv("/opt/arun-erp/backend/.env")
db = MongoClient(os.environ["MONGO_URL"])[os.environ["DB_NAME"]]
data = json.load(open("/opt/arun-erp/backup.json"))["collections"]
for name, docs in data.items():
    if docs:
        db[name].delete_many({})
        db[name].insert_many(docs)
    print(name, len(docs))
```

```
cd /opt/arun-erp/backend && source venv/bin/activate
python ../restore.py
sudo systemctl restart arun-erp
```

Restore ke baad Vendors, Bills, Invoices, HR, MB/RA Bills ki ginti purane ERP se milaayein. Users ke password backup mein hote hain, isliye sab purane password se login kar sakenge. Agar koi collection backup mein na ho to uska data naye server par khaali rahega - restore se pehle backup file ki ginti dekh lein.

STEP 11 - Email (Login OTP + Backup mail) badlein

Emergent par email **EMERGENT_EMAIL_KEY** se jaata hai - yeh VPS par kaam nahi karega. **backend/server.py** mein **_send_email** function ko SMTP se badlein:

```
import smtplib, ssl
from email.mime.text import MIMEText

async def _send_email(*, to: str, subject: str, html: str):
    host, user = os.environ.get("SMTP_HOST"), os.environ.get("SMTP_USER")
    if not host or not user:
        logger.warning("SMTP not set - email skipped"); return None
    msg = MIMEText(html, "html")
    msg["Subject"], msg["From"], msg["To"] = subject, f"{EMAIL_FROM_NAME} <{user}>", to
    def _go():
        with smtplib.SMTP(host, int(os.environ.get("SMTP_PORT", "587"))) as s:
            s.starttls(context=ssl.create_default_context())
            s.login(user, os.environ["SMTP_PASS"])
            s.send_message(msg)
    try:
        await asyncio.to_thread(_go); return "smtp"
    except Exception as e:
        logger.error(f"SMTP error: {e}"); return None
```

Gmail ke liye: Google Account -> Security -> 2-Step ON -> **App Password** banayein. SMTP_HOST=smtp.gmail.com, SMTP_PORT=587, SMTP_USER=aapka gmail, SMTP_PASS=app password. Hostinger email ke liye: smtp.hostinger.com, port 587.

STEP 12 - AI Work Order (optional)

AI se Work Order PDF padhna / AI scope-terms **EMERGENT_LLM_KEY** (Emergent ki key) se chalta hai. Bahar ke server par iska chalna pakka nahi hai. Agar yeh feature chahiye to **platform.openai.com** se apni API key lein aur developer se server.py ke 2 jagah (AI Work Order aur WO PDF parse) mein OpenAI ka seedha SDK lagwayein. Yeh feature na ho to baaki ERP par koi asar nahi.

SMS OTP (Twilio) abhi band hai - chahiye to TWILIO_ACCOUNT_SID, TWILIO_AUTH_TOKEN, TWILIO_FROM_NUMBER .env mein daalein.

STEP 13 - Nightly Backup (roz 2 AM) - Linux cron

Emergent par backup apne-aap chalta tha. VPS par crontab lagayein (**crontab -e**):

```
0 2 * * * curl -s -X POST https://erp.yourdomain.com/api/cron/nightly-backup \
  -H "Authorization: Bearer YOUR_WEBHOOK_CRON_SECRET" -H "Content-Type: application/json" -d '{}'
# Extra: MongoDB ka poora dump roz 3 AM, 15 din purane hatayein
0 3 * * * mongodump --uri="mongodb://erpadmin:STRONG_DB_PASSWORD@127.0.0.1:27017/?authSource=admin"
    --db=arun_erp --out=/opt/backups/$(date +\%F) && find /opt/backups -maxdepth 1 -mtime +15 -exec
    rm -rf {} +
```

Backup ki ek copy VPS ke bahar (Google Drive / apna computer) bhi rakhein - VPS kharab hone par data bachega. SuperAdmin ka ARUN_ERP_DATA folder backup pehle jaisa chalega.

STEP 14 - Naye badlav (Update) kaise karein

Emergent par badlav karne ke baad 'Save to GitHub' -> phir VPS par:

```
cd /opt/arun-erp && git pull
cd backend && source venv/bin/activate && pip install -r requirements.txt --extra-index-url https://
    d33sy5i8bnduwe.cloudfront.net/simple/
sudo systemctl restart arun-erp
cd ../frontend && yarn install && yarn build
sudo systemctl reload nginx
```

STEP 15 - Final Check-list

#	Check	Kaise dekhein
1	Website khulti hai (https)	https://erp.yourdomain.com par Login page
2	SuperAdmin login	ADMIN_EMAIL + ADMIN_PASSWORD
3	User login + Email OTP	Kisi user se login - OTP mail aana chahiye
4	Purana data	Vendors, Bills, Invoices, HR ginti milaayein
5	Page refresh	Kisi bhi page par F5 - blank screen na aaye
6	Print / PDF / Excel	Invoice, Abstract, Reports print karke dekhein
7	Backup	Agle din System Management -> Nightly Backups mein naya backup
8	Service restart test	sudo reboot - phir website apne-aap chalu ho

Samasya aaye to (Troubleshooting)

Dikkat	Upay
502 Bad Gateway	Backend band hai: sudo systemctl status arun-erp, journalctl -u arun-erp -n 100
Login par 'Network error'	frontend/.env ka REACT_APP_BACKEND_URL domain se mile, phir yarn build dobara
CORS error	backend/.env ka CORS_ORIGINS = https://erp.yourdomain.com, phir restart
OTP mail nahi aata	SMTP values / Gmail App Password check karein, logs dekhein
Disk bhar gayi	df -h; /opt/backups ke purane folder hatayein

Yaad rakhein: VPS par jaane ke baad server, security update, backup aur SSL ki zimmedari aapki (ya aapke technical vyakti ki) hogi. Emergent ka 'Publish' button VPS par kaam nahi karta.