RAJALAKSHMI ENGINEERING COLLEGE
RAJALAKSHMI NAGAR, THANDALAM – 602 105

RAJALAKSHMI
ENGINEERING
COLLEGE

CS23332 DATABASE MANAGEMENT SYSTEMS LAB

Laboratory Record Note Book

Name : P. M. Arunesh

Year / Branch / Section : 2025 / CSE - Cyber security

University Register No. : 211624190 1007

College Roll No. : 241901007

Semester : III

Academic Year : 2024 - 28

RAJALAKSHMI
ENGINEERING COLLEGE
An AUTONOMOUS Institution
Affiliated to ANNA UNIVERSITY, Chennai

BONAFIDE CERTIFICATE

NAME P.M. Arunesh

ACADEMIC YEAR 2024-28 SEMESTER 3rd BRANCH CSE - Cyber Security

UNIVERSITY REGISTER No. 211624901007

Certified that this is the bonafide record of work done by the above student in the

Database management System Laboratory during the year 2025 - 2026

Signature of Faculty - in - Charge

Submitted for the Practical Examination held on .....

Internal Examiner

External Examiner

INDEX

Name : P.M.Arunesh Branch : CSE-CS Sec : A Roll No : 2241901007

S.No.	Date	Title	Page No.	Teacher's Sign / Remarks
1.	16/7/25	Creating & managing table	1	
2.	16/7/25	Manipulating data	7	
3.	17/7/25	including constraints	17	
4.	23/7/25	writing basic SQL SELECT statement.	26	
5.	24/7/25	Restricting & sorting data	34	
6.	30/7/25	single row function	45	
7.	31/7/25	Displaying data from multiple table	61	
8.	7/8/25	Aggregating data using group function	70	
9.	13/8/25	Sub Queries	83	
10.	14/8/25	Creating Queries	91	
11.	20/8/25	using the set operators	99	
12.	3/9/25	Not Null & UNIQUE constraints.	141	
13.	17/9/25	Creating queries	149	
14.	18/9/25	other database object	158	
15.	24/9/25	Controlling User Access	163	
16.	25/9/25	PL/SQL	171	
17.	25/9/25	control structure.	172	
18.	8/10/25	Procedure & function	192	
19.	9/10/25	Trigger	199	
20.	15/10/25	Mango DB	220	

Find the Solution for the following:

1. What privilege should a user be given to log on to the Oracle Server? Is this a system or an object privilege?

Grant create session To username;

2. What privilege should a user be given to create tables?

Grant create Table To username

3. If you create a table, who can pass along privileges to other users on your table? only user who created the table are granted Privilage with Grant option

Grant SELECT on dept To user with Grant option

4. You are the DBA. You are creating many users who require the same system privileges. What should you use to make your job easier?

Grant create session, create TABLE TO dept_role;

Grant dept_role to user1, user2;

5. What command do you use to change your password?

Password 'New_Password: Alter USER Dave IDENTIFIED By New_password;

6. Grant another user access to your DEPARTMENTS table. Have the user grant you query access to his or her DEPARTMENTS table.

ALTER Grant SELECT ON departments TO week;

7. Query all the rows in your DEPARTMENTS table.

SELECT * FROM department

8. Add a new row to your DEPARTMENTS table. Team 1 should add Education as department number 500. Team 2 should add Human Resources department number 510. Query the other team's table.

INSERT INTO department (department_id, department_name) values (500, 'Education');

INSERT INTO departments (departments_id, department_name) values (510, 'Human relonces');

commit;

SELECT * FROM km2 department;

9. Query the USER_TABLES data dictionary to see information about the tables that you own.

SELECT table_name, table space_name, num_rows

FROM us_table;

10. Revoke the SELECT privilege on your table from the other team.

Revoke select on department From user2.

11. Remove the row you inserted into the DEPARTMENTS table in step 8 and save the changes.

```
DELETE FROM departments
WHERE departments_id = 500;
Commit;
```

Evaluation Procedure	Marks awarded
Practice Evaluation (5)	5
Viva(5)	5
Total (10)	10
Faculty Signature	

PROGRAM 1

Write a PL/SQL block to calculate the incentive of an employee whose ID is 110.

```
DECLARE
    V_emp_id    Number := 110;
    V_salary    Number;
    V_inactive  Number
BEGIN
    SELECT salary
    INTO V_salary
    FROM employees
    WHERE employee_id = v_emp_id;
    V_inactive := V_salary 0.10;
DBMS_OUTPUT.PUT_LINE('Employee ID: ' || V_emp_id);
DBMS_OUTPUT.PUT_LINE('Salary : ' || V_salary);
DBMS_OUTPUT.PUT_LINE("Inactive (10%): " || V_
                                    inactive);
EXCEPTION:
    WHEN NO_DATA_FOUND THEN
        DBMS_OUTPUT.PUT_LINE('No Employee sal
                                    with ID' ||
    V_emp_id);
    WHEN OTHERS THEN
        DBMS_OUTPUT.PUT_LINE('Error
END;
/
```

PROGRAM 2

Write a PL/SQL block to show an invalid case-insensitive reference to a quoted and without quoted user-defined identifier.

```
DECLARE
    "My variable" NUMBER := 500;
BEGIN
    DBMS_Output.Put_LINE ('My Variable');
END;
/
```

PROGRAM 3

Write a PL/SQL block to adjust the salary of the employee whose ID 122.

Sample table: employees

```
DECLARE:
    V_old_salary
    V_new_salary;
BEGIN
    SELECT salary INTO V_old_salary
    FROM employee
    WHERE employee_id = 122;
V_new_salary := V_old_salary 1.10;
UPdate employee
set salary = V_new_salary
COMMIT;
    EXCEPTION
        WHEN NO_DATA_FOUND THEN
            DBMS_OUTPUT_PUT_LINE ('NO Employee found with ID(122)');
END;
```

PROGRAM 4

Write a PL/SQL block to create a procedure using the "IS [NOT] NULL Operator" and show AND operator returns TRUE if and only if both operands are TRUE.

```
DECLARE
    V_num1 NUMBER := 10;
    V_num2 NUMBER := NULL;
    V_result BOOLEAN;

PROCEDURE CHECK_null_and_logic IS
BEGIN
    IF(V_num1 IS NOT NULL IS
    DBMS_OUTPUT.PUT_LINE ('V_num1 IS NOT NULL');
ELSE
    DMS_OUTPUT.PUT_LINE ('V_num1 IS NULL');
END IF;
    IF(V_num2 IS NOT NULL) AND (V_num1>5) THEN
    DBMS_OUTPUT.PUT_LINE ('Both conditions are TRUE =>
AND EXAMPLE');
ELSE
    DBMS_OUTPUT.PUT_LINE ('one or both conditions
are false');
END IF;
End;
```

PROGRAM 5

Write a PL/SQL block to describe the usage of LIKE operator including wildcard characters and escape character.

```
SET SERVEROUTPUT ON;
BEGIN:
    IF 'Raven' LIKE 'Ra%' THEN
        DBMS_OUTPUT.PUT_LINE ('LIKE with) : Name
                                            starts)
    END IF:
    IF 'Raj' LIKE 'R_j' Then
        DBMS_OUTPUT.PUT_LINE (LIKE with _ Second letter
    can be anything');
    End IF;
    IF 'A_B' LIKE 'A'_B' ESCAPE '\' Then
        DBMS_output.Put_LINE (LIKE with Escape
                method underscore '_');
    END IF;
End;
```


PROGRAM 6

Write a PL/SQL program to arrange the number of two variable in such a way that the small number will store in num_small variable and large number will store in num_large variable.

```
SET SERVEROUTPUT ON;
DECLARE:
    Num1 Number := 25;
    Num2 Number := 10;
    num_small Number;
    num_large Number;
BEGIN
    IF num1 < num2 Then
        num_small := num1;
        num_large := num2;
ELSE
    num_small := num2;
    num_large := num1;
END IF
DBMS_OUTPUT.PUT_LINE ("Smaller number: '|| num (small);
DBMS_OUTPUT.PUT_LINE ("Large number = '|| number_large);
END;
/
```

PROGRAM 7

Write a PL/SQL procedure to calculate the incentive on a target achieved and display the message either the record updated or not.

```
Declar

    Emp_id Number := 123;
    target Number := 75000;
    incentive Number;
    row_updated Number;
Begin
    IF target >= 10000 Then
        incentive := 5000;
    ElsEIF target >= 50000 Then
        incentive := 2000;
Else
        incentive := 0;
ENDif
        update employe
        set incentive = incentive
        where employee id = emp_id;
Else:
    DBMS_Output.Put_LINE ('No Record foun for emp id:'|| emp.id);
END IF;
END;
```


PROGRAM 8

Write a PL/SQL procedure to calculate incentive achieved according to the specific sale limit.

```
Set serveroutput ON;
Create or Replace Procedure calc_incentive
        p_emp_id IN Number,
        p_sales IN Number
) is
        v_incentive Number;
Begin
    if p_sales >= 10000 Then
        v_incentive = 500;
    Else v_incentive := 0;

Else:
    DBMS_output.Put_LINE ('No record foun
for employee ID' || p_emp_id);

End IF;
End;
/
```

PROGRAM 9

Write a PL/SQL program to count number of employees in department 50 and check whether this department have any vacancies or not. There are 45 vacancies in this department.

```
SET SERVEROUTPUT ON;
Declare
        V_em_count Number;
        V_vacancies Number := 45;
        V_remaining number;
Begin
    SELECT count (*) INTO V_emp_count;
DBMS_output.Put_LINE('Number of employee in department 50'||
IF V_remaining >0 Then
    DBMS_OUTPUT.Put_LINE('vacancies available:'|| V_remaining);
ELSE
    DBMS_OutPut.Put_LINE('no vacancies in department 50');
End IF;
End;
/
```


PROGRAM 10

Write a PL/SQL program to count number of employees in a specific department and check whether this department have any vacancies or not. If any vacancies, how many vacancies are in that department.

```
Set serveroutput ON;
declare
    v_dept_id Number := &dept_id;
    v_emp_count Number;
    v_total_Posts Number := 45;
    v_vacancies Number;
Begin
    Select count(*) INTO v_emp_count
    from employees
    where department_id = v_dept_id;
    v_vacancies := v_total_Posts - v_emp_count;
ELSE
    DBMS.output.Put_LINE('No vacancies in the department
END IF;
EXCEPTION
    when no_data_found Then
    DBMS.OutPut.Put_LINE('Invalid Department ID
    when Others Then
    DBMS.OutPut.Put_LINE('Error: '|| SQLERRM);
END;
/
```

PROGRAM 11

Write a PL/SQL program to display the employee IDs, names, job titles, hire dates, and salaries of all employees.

```
set serveroutput on;
declare
    v_emp_id   employee.employee_id%type;
    v_name     employee.first_name%type;
    v_job      employee.job_id%type;
    v_salary   employee.salary%type;
cursor emp_cur is
    select employee_id, first_name, job_id, hire_date, salary
  from employee;
Begin
   DBMS_output.Put_Line('Emp_id Name  Job_ID  hire_Date
                                              salary');
For emp_rec in emp_cur Loop
   DBMS_output.Put_Line(
        RPad(emp_rec.job_id, 12) || '' ||
        To_char(emp_rec.hire_date, 'DD-MON-YYYY') || '' ||
        emp_rec.salary
   );
 End Loop;
End;
/
```


PROGRAM 12

Write a PL/SQL program to display the employee IDs, names, and department names of all employees.

```
set serveroutput on;
declare
     cursor emp_cur is
     select e.employee_id,
     e.first_name,
     d.department_name
     from employee e
     join department d
     on e.department_id = d.department_id
Begin
   DBMS_output.Put_Line
   DBMS_output.Put_Line('------------
   For emp_rec  IN emp_cur Loop

          emp_rec.employee_id || '' ||
          RPAD(emp_rec.first_name, 12) || '' ||
          emp_rec.department_name
   );
   End Loop;
   End;
/
```

PROGRAM 13

Write a PL/SQL program to display the job IDs, titles, and minimum salaries of all jobs.

```
Set SERVEROUTPUT ON;
declare
    cursor job_rec is
      select job_id, job_title, min_salary
    from jobs;
Begin
DBMS_OUTPUT.PUT_LINE('JOB_ID  JOB_TITLE  MIN');
DBMS_OUTPUT.PUT_LINE('--------  ----------  ---');
  for job_rec IN job_rec loop
      RPAD(job_rec.job_title,35)||' '||
      job_rec.min_salary
);
End loop;
End;
/
```


PROGRAM 14

Write a PL/SQL program to display the employee IDs, names, and job history start dates of all employees.

```
Set SERVEROUTPUT ON;
declare
    cursor emp_rec is
    select e.employee_id
    e.first_name
    j.start_date
    from employee e
    join job_history j
BEGIN
    DBMS_OUTPUT.PUT_LINE('EMP_ID Name Start_date');
    DBMS_OUTPUT.PUT_LINE('--------  ----------  ---');
    for emp_rec IN emp_rec loop
    DBMS_OUTPUT.PUT_LINE
    emp_rec.employee_id||' '||
    RPAD(emp_rec.first_name,25)||' '||
);
End loop;
End;
/
```