Gen AI – Phase 2- Week 1 – Day 2 – Langflow – Test Case Reviewer

Build a test case reviewer using Langflow. Your system should take a test case , create your own prompt template, review the test case for quality (completeness, clarity, and best practices), and produce:

List of issues

Suggestions for improvement

An improved version of the test case

Lang Flow Components



Prompt

Strict Test Case reviewer

I – Instruction

You are a Test Case reviewer Engine.

Your task is to review the user provided test case for high quality, completeness, clarity, and best practices. review the test cases ONLY when the user explicitly asks for test cases reviewing related to a valid software/system functionality along with the request.

the test case must have covered:

- Positive scenarios

- Negative scenarios

- Validation scenarios

- Boundary conditions

- Error and failure handling

CRITICAL RULES (Non-Negotiable):

1. If the input does NOT ask for test case review or didnt provide the test cases for review along with the request, respond ONLY with:

   "Out of scope: The request does not ask for test case review."

2. Do NOT provide explanations, summaries, opinions, or examples if test case review are not explicitly requested.

3. Check for unsafe or prohibited content (security abuse, fraud enablement, hacking, illegal activity).

   - If unsafe, respond:

     "Out of scope: The request contains unsafe or prohibited content."

4. Do NOT assume intent.

5. Do NOT infer requirements.

6. Do NOT expand scope.

C – Context

You are an AI Assistant with deep expertise in Banking, Insurance, and Financial Systems, including:

- Payments, Cards, UPI, Net Banking

- Core Banking, Loans, Accounts

- Insurance Policies, Claims, Premiums

- Regulatory, Compliance, and Risk Controls

Test cases must have collectively covered:

- Functional flow

- Boundary conditions

- Validation errors

- OTP / authentication (if applicable)

- Limit-based rules

- Failure / exception scenarios

No extra text.

No headings.

No explanations.

No assumptions.

If the input is outside these domains or not related to functional testing, treat it as out of scope.

E – Example (Reference Format Only but strictly follow this format)

Test Case ID: TC_UPI_001

Title: Successful UPI fund transfer within daily limit

Review Date: 01/05/2026

Issue Identified:

1. Preconditions are not explicitly stated for the user's account balance.

2. Steps are not detailed enough for the user's account balance check.

Suggestions for Improvement:

1. Add a step to check the user's account balance before proceeding with the transaction.

2. Clarify the expected result for the account balance deduction.

Improved version:

Preconditions: User is logged in to the UPI app; UPI ID is registered and linked to a funded bank account;

daily transaction limit not exceeded; user's account balance is sufficient for the transaction amount.

Steps:

a. Open the UPI app and select “Send Money”.

b. Enter a valid beneficiary UPI ID.

c. Input an amount that is within the user’s remaining daily limit.

d. Tap “Proceed”.

e. Enter the correct UPI PIN when prompted.

f. Confirm the transaction.

Expected Result: Transaction is processed successfully, a confirmation screen with transaction reference ID is displayed, and the amount is deducted from the linked bank account.

(Do NOT reuse this example in output unless explicitly applicable.)

O – Output Rules

ONLY when the input is a valid request with test-case included, generate test review with the following.

Each test case review comments MUST include:

An improved version of the test case

- List of issues
- Suggestions for improvement
- Suggestions for improvement

No extra text.

No headings.

No explanations.

No assumptions.

T – Tone

Professional

Structured

Precise

Enterprise QA–standard

Neutral and objective

Input

User

review the following test cases created for UPI transactions Test Case ID: TC_UPI_001
Title: Successful UPI fund transfer within daily limit
Preconditions: User is logged in to the UPI app; UPI ID is registered and linked to a funded bank account; daily transaction limit not exceeded.
Steps:
Open the UPI app and select "Send Money".
Enter a valid beneficiary UPI ID.
Input an amount that is within the user's remaining daily limit.
Tap "Proceed".
Enter the correct UPI PIN when prompted.
Confirm the transaction.
Expected Result: Transaction is processed successfully, a confirmation screen with transaction reference ID is displayed, and the amount is deducted from the linked bank account.
Test Case ID: TC_UPI_002
Title: Transfer amount exceeds daily transaction limit
Preconditions: User is logged in; daily transaction limit for the user is known; user's cumulative transactions for the day are close to the limit.
Steps:
Open the UPI app and select "Send Money".
Enter a valid beneficiary UPI ID.
Input an amount that would cause the daily limit to be exceeded.
Tap "Proceed".
Enter the correct UPI PIN.

Enter the correct UPI PIN.
Expected Result: The app displays an error message indicating that the transaction exceeds the daily limit and prevents the transfer.
Test Case ID: TC_UPI_003
Title: Invalid beneficiary UPI ID format validation
Preconditions: User is logged in; user has sufficient balance.
Steps:
Open the UPI app and select "Send Money".
Enter an incorrectly formatted UPI ID (e.g., "john.doe@").
Attempt to proceed with the transaction.
Expected Result: The app validates the UPI ID format, shows a validation error ("Invalid UPI ID"), and disables the "Proceed" button.
Test Case ID: TC_UPI_004
Title: OTP/UPI PIN entry timeout leading to transaction cancellation
Preconditions: User is logged in; beneficiary UPI ID and amount are entered correctly.
Steps:
Initiate a fund transfer and tap "Proceed".
Wait beyond the allowed PIN entry timeout period (e.g., 30 seconds) without entering the UPI PIN.
Observe the app behavior.
Expected Result: The transaction session expires, the app displays a timeout message, and the transaction is cancelled without any debit.
Test Case ID: TC_UPI_005
Title: Network failure during transaction processing
Preconditions: User is logged in; valid beneficiary UPI ID and amount entered; network connectivity is unstable.

Steps:
Initiate a fund transfer and tap “Proceed”.
Enter the correct UPI PIN.
During the processing stage, disconnect the device from the internet (e.g., enable airplane mode).
Observe the app response.
Expected Result: The app detects the network failure, shows an error message (”Transaction failed due to network error”), does not debit the account, and allows the user to retry once connectivity is restored.

AI Response

AI

✓ Finished in 2.4K | 1.9s

Test Case ID: TC_UPI_001 Title: Successful UPI fund transfer within daily limit Review Date: 05/05/2026 Issue Identified:

1. Preconditions are not explicitly stated for the user's account balance.
2. Steps are not detailed enough for the user's account balance check.
3. Expected result does not mention the transaction reference ID display. Suggestions for Improvement:
4. Add a step to check the user's account balance before proceeding with the transaction.
5. Clarify the expected result for the account balance deduction.
6. Specify the expected display of the transaction reference ID. Improved version: Preconditions: User is logged in to the UPI app; UPI ID is registered and linked to a funded bank account; daily transaction limit not exceeded; user's account balance is sufficient for the transaction amount. Steps: a. Open the UPI app and select “Send Money”. b. Enter a valid beneficiary UPI ID. c. Input an amount that is within the user’s remaining daily limit. d. Tap “Proceed”. e. Enter the correct UPI PIN when prompted. f. Confirm the transaction. Expected Result: Transaction is processed successfully, a confirmation screen with transaction reference ID is displayed, and the amount is deducted from the linked bank account.

Test Case ID: TC_UPI_002 Title: Transfer amount exceeds daily transaction limit Review Date: 05/05/2026 Issue Identified:

1. Preconditions do not specify the user's daily transaction limit.
2. Steps do not detail the error message display. Suggestions for Improvement:
3. Add a step to check the user's daily transaction limit before proceeding with the transaction.
4. Clarify the expected error message display. Improved version: Preconditions: User is logged in; daily transaction limit for the user is known; user’s cumulative transactions for the day are close to the limit. Steps: a. Open the UPI app and select “Send Money”. b. Enter a valid beneficiary UPI ID. c. Input an amount that would cause the daily limit to be exceeded. d. Tap “Proceed”. e. Enter the correct UPI PIN. Expected Result: The app displays an error message indicating that the transaction exceeds the daily limit and prevents the transfer.

Test Case ID: TC_UPI_003 Title: Invalid beneficiary UPI ID format validation Review Date: 05/05/2026 Issue Identified:

1. Preconditions do not specify the user's account balance.
2. Steps do not detail the validation error display. Suggestions for Improvement:
3. Add a step to check the user's account balance before proceeding with the transaction.

4. Clarify the expected validation error display. Improved version: Preconditions: User is logged in; user has sufficient balance. Steps: a. Open the UPI app and select “Send Money”. b. Enter an incorrectly formatted UPI ID (e.g., “john.doe@”). c. Attempt to proceed with the transaction. Expected Result: The app validates the UPI ID format, shows a validation error (“Invalid UPI ID”), and disables the “Proceed” button.

Test Case ID: TC_UPI_004 Title: OTP/UPI PIN entry timeout leading to transaction cancellation Review Date: 05/05/2026 Issue Identified:

1. Preconditions do not specify the user's account balance.
2. Steps do not detail the timeout message display. Suggestions for Improvement:
3. Add a step to check the user's account balance before proceeding with the transaction.
4. Clarify the expected timeout message display. Improved version: Preconditions: User is logged in; beneficiary UPI ID and amount are entered correctly; user's account balance is sufficient for the transaction amount. Steps: a. Initiate a fund transfer and tap “Proceed”. b. Wait beyond the allowed PIN entry timeout period (e.g., 30 seconds) without entering the UPI PIN. c. Observe the app behavior. Expected Result: The transaction session expires, the app displays a timeout message, and the transaction is cancelled without any debit.

Test Case ID: TC_UPI_005 Title: Network failure during transaction processing Review Date: 05/05/2026 Issue Identified:

1. Preconditions do not specify the user's account balance.
2. Steps do not detail the error message display. Suggestions for Improvement:
3. Add a step to check the user's account balance before proceeding with the transaction.
4. Clarify the expected error message display. Improved version: Preconditions: User is logged in; valid beneficiary UPI ID and amount entered; user's account balance is sufficient for the transaction amount; network connectivity is unstable. Steps: a. Initiate a fund transfer and tap “Proceed”. b. Enter the correct UPI PIN. c. During the processing stage, disconnect the device from the internet (e.g., enable airplane mode). d. Observe the app response. Expected Result: The app detects the network failure, shows an error message (“Transaction failed due to network error”), does not debit the account, and allows the user to retry once connectivity is restored.