TECHNICAL DATA SHEET - 3 HP BLOWER

Sr. No.	Specification	Details	20
1.	Blower Make & type	Zed Plus Blower Systems	
3.	Blower Model	ZP – M 42 ES	
5.	Qty.	01 Nos.	
6.	Capacity	115 m3/hr	10
7.	Differential Pressure	340 mbar	
8.	Inlet Pressure	Atmospheric	100
9.	Blower Speed	1440 RPM.	
10.	Power Consumption	2.15 BHP	
11.	Motor Rating	3 HP/1440 RPM	
12.	Inlet Temperature	Atmospheric	
13.	Outlet Temperature	35°C rise above atmospheric	
14.	Power Transmission	Through "V-Belt"	10
15.	Inlet, Outlet Size	40 NB (mm)	
16.	Lob Under Blowers	Twin lob	90
17.	Lubrication	Grease/Oil lubrication	

Material of constructions		Details	
01	Casing, End Cover & Rotor	CIFG-260, IS:210	
02	Shaft	EN -19, BS: 970	
03	Gears	SPUR GEAR (Hardened & Ground) – Make "Shanti Gear"	
04	Side plates, Covers & Pulley	CIFG-260, IS:210	
05	Sealing	Lip Seal	
06	Flanges	As per IS 6392/6418 standard	
07	Noise Level	Below 70 DB	
08	Driven	Belt Driven- NECO/ECO Belt Make	
09	Bearing	FAG/SKF Make	

ARUDHRA TECHNOLOGIES

Standard accessories supplied with the blower

Suction Silencer	
Pressure Relief Valve, pressure gauge	
Slide Rail Type Common Base Frame for Blower and Motor	
V-Belt & Belt Guard, Suction Filter- 1 Pcs	
Inlet Outlet Pipeline	
Foundation Bolt	
Drive & Driven Pulley	
Non return valve with 2 round flanges	

www.arudhratech.com info@arudhratech.com/arudhratech@gmail,com Ph - 0484 - 4865 272 / 044 4806 1931 Mobile - 97917 48380 / 93606 45982

Branches - Chennai - Kochi - Vizag - Tutucorin

