Rajalakshmi Engineering College

Name: Arun Kumar S

Email: 240801031@rajalakshmi.edu.in

Roll no: 240801031 Phone: 8248497648

Branch: REC

Department: I ECE FA

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 2

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Arun is learning about data structures and algorithms. He needs your help in solving a specific problem related to a singly linked list.

Your task is to implement a program to delete a node at a given position. If the position is valid, the program should perform the deletion; otherwise, it should display an appropriate message.

Input Format

The first line of input consists of an integer N, representing the number of elements in the linked list.

The second line consists of N space-separated elements of the linked list.

The third line consists of an integer x, representing the position to delete.

Position starts from 1.

Output Format

The output prints space-separated integers, representing the updated linked list after deleting the element at the given position.

If the position is not valid, print "Invalid position. Deletion not possible."

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5
82317
    Output: 8 3 1 7
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    void insert(int);
    void display_List();
    void deleteNode(int);
   struct node {
      int data:
      struct node* next;
    } *head = NULL, *tail = NULL;
    // You are using GCC
    void insert (int value)
      if(head==NULL)
        head=(struct node*)malloc(sizeof(struct node));
        head->data=value:
        head->next=NULL;
```

```
struct node*temp=head;
          while(temp->next !=NULL)
            temp=temp->next;
          temp->next=(struct node *)malloc(sizeof(struct node));
          temp->next->data=value;
          temp->next->next=NULL;
       }
     void display_list()
...ασι node*list=l
while(list!=NULL)
{
       struct node*list=head;
          printf("%d",list->data);
          list=list->next;
     }
     void deleteNode(int pos)
       int size=0;
       struct node*temp=head;
       while(temp!=NULL)
         size++;
          temp=temp->next;
       if(size<pos)
          printf("Invalid position.Deletion not possible.",size);
       else
          pos-=1;
          if(pos==0)
remp=head
free(head);
head=ter
}
            temp=head->next;
            head=temp;
```

```
74080103else
                                                                            240801031
                                                   240801031
           temp=head;
           while(--pos)
             temp=temp->next;
           struct node* temp1=temp->next;
           temp->next=temp->next->next;
           free(temp1);
         display_list();
                                                   240801031
     int main() {
       int num_elements, element, pos_to_delete;
       scanf("%d", &num_elements);
       for (int i = 0; i < num_elements; i++) {
         scanf("%d", &element);
         insert(element);
scanf("%d", &pos_to_delete),
       }
                                                                            240801031
                                                   240801031
       return 0;
     }
     Status: Correct
                                                                     Marks: 10/10
```

380103¹

24080103

240801031