f (https://www.facebook.com/AnalyticsVidhya)

8+ (https://plus.google.com/+Analyticsvidhya/posts)

in (https://www.linkedin.com/groups/Analytics-Vidhya-Learn-everything-about-5057165)







(http://datahack.analyticsvidhya.com/contest/date-

your-data)

Home (http://www.replythirspi/www.analyticsvibievaleom/bloc/2014/06/introdulictson-rorlest-simpetted??reflygocome12446#respond)

Introduction to Random forest - Simplified

BIG DATA (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/BIG-DATA/) BUSINESS ANALYTICS

(HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/CATEGORY/BUSINESS-ANALYTICS/)

SHARE **f** (http://www.facebook.com/sharer.php?u=http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/&t=Introduction%20to%20Random%20forest%20-%20Simplified) **(https://twitter.com/home?** status=Introduction%20to%20Random%20forest%20-%20Simplified+http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/) **8**+ (https://plus.google.com/share?url=http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/) **P** (http://pinterest.com/pin/create/button/? url=http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/&media=&description=Introduction%20to%20Random%20forest%20-%20Simplified)



(http://admissions.bridgesom.com/pba-new/? utm_source=AV&utm_medium=Banner&utm_campaign=AVBanner)



(http://i2.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/alienvshuman.jpg)

With increase in computational power, we can now choose algorithms which perform very intensive calculations. One such algorithm is "Random Forest", which we will discuss in this article. While the algorithm is very popular in various competitions (e.g. like the ones running on Kaggle), the end output of the model is like a black box and hence should be used judiciously.

Before going any further, here is an example on the importance of choosing the best algorithm.

[stextbox id="section"]Importance of choosing the right algorithm[/stextbox]

Yesterday, I saw a movie called " *Edge of tomorrow*". I loved the concept and the thought process which went behind the plot of this movie. Let me summarize the plot (without commenting on the climax, of course). Unlike other sci-fi movies, this movie revolves around one single power which is given to both the sides (hero and villain). The power being the ability to reset the day.


Human race is at war with an alien specie called "Mimics". Mimic is described as a far more evolved civilization of an alien specie. Entire Mimic civilization is like a single complete organism. It has a central brain called "Omega" which commands all other organisms in the civilization. It stays in contact with all other species of the civilization every single second. "Alpha" is the main warrior specie (like the nervous system) of this civilization and takes command from "Omega". "Omega" has the power to reset the day at any point of time.

Now, let's wear the hat of a predictive analyst to analyze this plot. If a system has the ability to reset the day at any point of time, it will use this power, whenever any of its warrior specie die. And, hence there will be no single war ,when any of the warrior specie (alpha) will actually die, and the brain "Omega" will repeatedly test the best case scenario to maximize the death of human race and put a constraint on number of deaths of alpha (warrior specie) to be zero every single day. You can imagine this as "THE BEST" predictive algorithm ever made. It is literally impossible to defeat such an algorithm.

Let's now get back to "Random Forests" using a case study.

[stextbox id="section"] Case Study [/stextbox]

Following is a distribution of Annual income Gini (http://en.wikipedia.org/wiki/Gini_coefficient)
Coefficients across different countries:



(http://io.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/oecd-income_inequality_2013_2.png)

Mexico has the second highest Gini coefficient and hence has a very high segregation in annual income of rich and poor. Our task is to come up with an accurate predictive algorithm to estimate annual income bracket of each individual in Mexico. The brackets of income are as follows:

- 1. Below \$40,000
- 2. \$40,000 150,000
- 3. More than \$150,000

Following are the information available for each individual:

1. Age , 2. Gender, 3. Highest educational qualification, 4. Working in Industry, 5. Residence in Metro/Non-metro

We need to come up with an algorithm to give an accurate prediction for an individual who has following traits:

1. Age: 35 years, 2, Gender: Male, 3. Highest Educational Qualification: Diploma holder, 4. Industry: Manufacturing, 5. Residence: Metro

We will only talk about random forest to make this prediction in this article.

[stextbox id="section"] The algorithm of Random Forest [/stextbox]

Random forest is like a bootstrapping algorithm with Decision tree (CART) model. Say, we have 1000 observation in the complete population with 10 variables. Random forest tries to build multiple CART model with different sample and different initial variables. For instance, it will take a random sample of 100 observation and 5 randomly chosen initial variables to build a CART model. It will repeat the process (say) 10 times and then make a final prediction on each observation. Final prediction is a function of each prediction. This final prediction can simply be the mean of each prediction.

[stextbox id="section"] Back to Case study [/stextbox]

Disclaimer: The numbers in this article are illustrative

Mexico has a population of 118 MM. Say, the algorithm Random forest picks up 10k observation with only one variable (for simplicity) to build each CART model. In total, we are looking at 5 CART model being built with different variables. In a real life problem, you will have more number of population sample and different combinations of input variables.

Salary bands:

Band 1: Below \$40,000

Band 2: \$40,000 - 150,000

Band 3: More than \$150,000

Following are the outputs of the 5 different CART model.

CART 1: Variable Age

	Salary Band	1	2	3
	Below 18	90%	10%	0%
	19-27	85%	14%	1%
Age	28-40	70%	23%	7%
	40-55	60%	35%	5%
	More than 55	70%	25%	5%

(http://i1.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/rf1.png)

CART 2: Variable Gender

	Salary Band	1	2	3
Candar	Male	70%	27%	3%
Gender	Female	75%	24%	1%

(http://io.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/rf2.png)

CART 3: Variable Education

	Salary Band	1	2	3
	<=High School	85%	10%	5%
Education	Diploma	80%	14%	6%
	Bachelors	77%	23%	0%
	Master	62%	35%	3%

(http://io.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/rf3.png)

CART 4: Variable Residence

	Salary Band	1	2	3
Residence	Metro	70%	20%	10%
	Non-Metro	65%	20%	15%

(http://i2.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/rf4.png)

CART 5: Variable Industry

	Salary Band	1	2	3
	Finance	65%	30%	5%
Industry	Manufacturing	60%	35%	5%
	Others	75%	20%	5%

(http://i1.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/rf5.png)

Using these 5 CART models, we need to come up with singe set of probability to belong to each of the salary classes. For simplicity, we will just take a mean of probabilities in this case study. Other than simple mean, we also consider vote method to come up with the final prediction. To come up with the final prediction let's locate the following profile in each CART model:

1. Age: 35 years, 2, Gender: Male, 3. Highest Educational Qualification: Diploma holder, 4. Industry: Manufacturing, 5. Residence: Metro

For each of these CART model, following is the distribution across salary bands:

CART	Band	1	2	3
Age	28-40	70%	23%	7%
Gender	Male	70%	27%	3%
Education	Diploma	80%	14%	6%
Industry	Manufacturing	60%	35%	5%
Residence Metro		70%	20%	10%
Final probability		70%	24%	6%

(http://i1.wp.com/www.analyticsvidhya.com/blog/wp-content/uploads/2014/06/DF.png)

The final probability is simply the average of the probability in the same salary bands in different CART models. As you can see from this analysis, that there is 70% chance of this individual falling in class 1 (less than \$40,000) and around 24% chance of the individual falling in class 2.

[stextbox id="section"] End Notes [/stextbox]


Random forest gives much more accurate predictions when compared to simple CART/CHAID or regression models in many scenarios. These cases generally have high number of predictive variables and huge sample size. This is because it captures the variance of several input variables at the same time and enables high number of observations to participate in the prediction. In some of the coming articles, we will talk more about the algorithm in more detail and talk about how to build a simple random forest on R.

If you like what you just read & want to continue your analytics learning, subscribe to our emails (http://feedburner.google.com/fb/a/mailverify? uri=analyticsvidhya), follow us on twitter (http://twitter.com/analyticsvidhya) or like our facebook page (http://facebook.com/analyticsvidhya).

Share this:

- in (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=linkedin&nb=1)
- f (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=facebook&nb=1)
- G+ (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=google-plus-1&nb=1)
- (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=twitter&nb=1)
- (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=pocket&nb=1)
- (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?share=reddit&nb=1)

RELATED



(http://www.analyticsvidhya.com/blog/2015/09/random-forest-algorithm-multiple-challenges/)
Powerful Guide to learn Random
Forest (with codes in R & Python)
(http://www.analyticsvidhya.com/blog/2015/09/random-forest-algorithm-multiple-challenges/)

In "Business Analytics"



(http://www.analyticsvidhya.com/blog/2015/06/tuning-random-forest-model/)
Tuning the parameters of your
Random Forest model
(http://www.analyticsvidhya.com/blog/2015/06/tuning-random-forest-model/)

In "Business Analytics"



(http://www.analyticsvidhya.com/blog/2015/10/understaing-support-vector-machine-example-code/)
Understanding Support Vector
Machine algorithm from examples
(along with code)
(http://www.analyticsvidhya.com/blog/2015/10/understaing-support-vector-machine-example-code/)


In "Business Analytics"

TAGS: CART (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/CART/), CHAID (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/CHAID/), DECISION TREE (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/DECISION-TREE/), MACHINE LEARNING (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/MACHINE-LEARNING/), R (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/TAG/RANDOM-

FOREST/)

Previous Article Senior Analyst - VMware, Bangalore (5+ years of experience) analyst-vmware-bangalore-5-yearsexperience/)

Next Article Analyst - Wells Fargo, Chennai (2+ years of experience) (http://www.analyticsvidhya.com/blog/2014/06/seniofhttp://www.analyticsvidhya.com/blog/2014/06/analystwells-fargo-chennai-2-years-experience/)



(http://www.analyticsvidhya.com/blog/author/tavish1/) Author

Tavish Srivastava (http://www.analyticsvidhya.com/blog/author/tavish1/)

I am Tavish Srivastava, a post graduate from IIT Madras in Mechanical Engineering. I have

more than two years of work experience in Analytics. My experience ranges from hands on analytics in a developing country like India to convince banking partners with analytical solution in matured market like US. For last two and a half years I have contributed to various sales strategies, marketing strategies and Recruitment strategies in both Insurance and Banking industry.

10 COMMENTS



Suman (\$40%://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?replytocom=10249#respond)

June 10, 2014 at 6:55 am (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest
SIMPLIFIED/#COMMENT-10249)

Enlightening



Anure 2014/16/introduction-random-forest-simplified/?replytocom=10250#respond)
June 10, 2014 at 7:05 am (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forestsimplified/#comment-10250)

Very nice write up. My two cents. A fundamental problem with most empirical research is omitted correlated variables? How can analysts be sure that most (if not all) variables that explain the process are included? Also what happens if we choose subsets of variables and build predictive models? Wonder if we can use machine learning tools to deal with this. LASSO models with variable selection may be better than Random Forests (maybe) guess but again it is still based on the assumption that analysts can provide the entire universe of predictors (which is debatable), especially in the social sciences. Nevertheless, nice post and look forward to more here.



Pankaj \$ an \$ i./www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?replytocom=10255#respond)
June 10, 2014 at 8:19 am (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forestsimplified/#comment-10255)

awesome !!! Thanks Man !!!



Pradeor Sans/www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?replytocom=10263#respond)
June 10, 2014 at 10:04 am (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forestSIMPLIFIED/#COMMENT-10263)

This is great. Just one Question why we are looking at only this group

1. Age: 35 years, 2, Gender: Male, 3. Highest Educational Qualification: Diploma holder, 4. Industry: Manufacturing, 5. Residence: Metro?



Tavist Stinastown. No. 2014/06/INTRODUCTION-RANDOM-FOREST-SIMPLIFIED/?REPLYTOCOM=10269#RESPOND)
JUNE 10, 2014 AT 11:28 AM (HTTP://www.analyticsvidhya.com/blog/2014/06/INTRODUCTION-RANDOM-FORESTSIMPLIFIED/#COMMENT-10269)

Pradeep,

That is just a test case on which we are scoring our algorithm.

Tavish



Navdrep/Rays//www.analyticsvidhya.com/blog/2014/06/Introduction-random-forest-simplified/?replytocom=11576#respond)
June 21, 2014 at 5:47 PM (http://www.analyticsvidhya.com/blog/2014/06/Introduction-random-forestsimplified/#comment-11576)

Simple and detailed explanation...really appreciate you work.

Part 2: Random forest vs. CART model (http://www.analyticsvidhya.com/blog/2014/06/comparing-random-forest-simple-cart-model/) says:

JUNE 27, 2014 AT 3:39 AM (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/2014/06/INTRODUCTION-RANDOM-FOREST-SIMPLIFIED/#COMMENT-12446)

[...] model are pretty simple to build. We have previously explained the algorithm of a random forest (Introduction to Random Forest). This article is the second part of the series on comparison of a random forest with a CART [...]



Sivakupunat sama: Analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?replytocom=13030#respond)
July 2, 2014 At 4:57 PM (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forestsimplified/#comment-13030)

Thank u giving such appropriate experience i understand concept of random forest technique.



Olivirpisansp://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/?replytocom=28408#respond)
October 11, 2014 at 3:22 pm (http://www.analyticsvidhya.com/blog/2014/06/introduction-random-forest-simplified/#comment-28408)

ty.

some include code snippets in R and others don't.

will be very useful to see implementation

ty

0



VJ@DATASEPPAGASAXSTICSVIDHYA.COM/BLOG/2014/06/INTRODUCTION-RANDOM-FOREST-SIMPLIFIED/?REPLYTOCOM=94494#RESPOND)
SEPTEMBER 8, 2015 AT 3:33 PM (HTTP://WWW.ANALYTICSVIDHYA.COM/BLOG/2014/06/INTRODUCTION-RANDOM-FORESTSIMPLIFIED/#COMMENT-94494)

Hi Tavish,

really appreciate this and easy to understand the concept of Random Forest.

Question to you:-

In CART model, when we get multiple predictors in a particular model – solution can be implemented in actual business scenario (e.g. if customer falls in so and so age group & had taken products in the past and so on.... then probability is 60%)

but in the case of above example, averaging out probabilities of multiple predictors from multiple models would leave it as black box – please provide some thoughts around implementation front

LEAVE A REPLY

\sim		111	
Conr	$1 \triangle CT$	\ Y/IT P	١
	ICCL	WILL	



f (http://www.analyticsvidhya.com/wp-login.php?

 $action=wordpress_social_authenticate\&mode=login\&provider=Facebook\&redirect_to=http\%3A\%2F\%2F \\ random-forest-simplified\%2F)$

Your email address will not be published.

Comment	
Name (required)	//
Email (required)	
Website	
Notify me of follow-up comments by email.	SUBMIT COMMENT
Notify me of new posts by email.	

TOP USERS

Rank	Name		Points
1		Nalin Pasricha (http://datahack.analyticsvidhya.com/user/profile/Nalin)	3478
2		SRK (http://datahack.analyticsvidhya.com/user/profile/SRK)	3364
3		Aayushmnit (http://datahack.analyticsvidhya.com/user/profile/aayushmnit)	3075
4		binga (http://datahack.analyticsvidhya.com/user/profile/binga)	2623
5		vikash (http://datahack.analyticsvidhya.com/user/profile/vikash)	2190

More Rankings (http://datahack.analyticsvidhya.com/users)




(http://pgpba.greatlakes.edu.in/?

 $utm_source=AVM\&utm_medium=Banner\&utm_campaign=Pgpba_decjan)$

POPULAR POSTS

- Free Must Read Books on Statistics & Mathematics for Data Science
 (http://www.analyticsvidhya.com/blog/2016/02/free-read-books-statistics-mathematics-data-science/)
- A Complete Tutorial to Learn Data Science with Python from Scratch
 (http://www.analyticsvidhya.com/blog/2016/01/complete-tutorial-learn-data-science-python-scratch-2/)
- Essentials of Machine Learning Algorithms (with Python and R Codes)
 (http://www.analyticsvidhya.com/blog/2015/08/common-machine-learning-algorithms/)
- A Complete Tutorial on Time Series Modeling in R
 (http://www.analyticsvidhya.com/blog/2015/12/complete-tutorial-time-series-modeling/)
- Complete guide to create a Time Series Forecast (with Codes in Python)
 (http://www.analyticsvidhya.com/blog/2016/02/time-series-forecasting-codes-python/)
- 4 tricky SAS questions commonly asked in interview
 (http://www.analyticsvidhya.com/blog/2013/11/4-sas-tricky-analytics-interview/)
- SAS vs. R (vs. Python) which tool should I learn?
 (http://www.analyticsvidhya.com/blog/2014/03/sas-vs-vs-python-tool-learn/)
- 7 Important Model Evaluation Error Metrics Everyone should know
 (http://www.analyticsvidhya.com/blog/2016/02/7-important-model-evaluation-error-metrics/)





(http://imarticus.org/programs/business-analytics-

professional/)

RECENT POSTS



(http://www.analyticsvidhya.com/blog/2016/02/complete-tutorial-learn-data-

science-scratch/)

A Complete Tutorial to learn Data Science in R from Scratch (http://www.analyticsvidhya.com/blog/2016/02/complete-tutorial-learn-data-science-scratch/)
MANISH SARASWAT, FEBRUARY 28, 2016



(http://www.analyticsvidhya.com/blog/2016/02/guide-build-predictive-models-

segmentation/)

Guide to Build Better Predictive Models using Segmentation (http://www.analyticsvidhya.com/blog/2016/02/guide-build-predictive-models-segmentation/) GUEST BLOG, FEBRUARY 26, 2016



(http://www.analyticsvidhya.com/blog/2016/02/quick-insights-analytics-big-data-

salary-report-2016/)

Quick Insights: India Analytics and Big Data Salary Report 2016 (http://www.analyticsvidhya.com/blog/2016/02/quick-insights-analytics-big-data-salary-report-2016/)

KUNAL JAIN, FEBRUARY 24, 2016



(http://www.analyticsvidhya.com/blog/2016/02/analytics-big-data-salary-report-

India Exclusive: Analytics and Big Data Salary Report 2016 (http://www.analyticsvidhya.com/blog/2016/02/analytics-big-data-salary-report-2016/) KUNAL JAIN . FEBRUARY 22. 2016



(http://www.edvancer.in/certified-business-analytics?

ENROL NOW www.edvancer.in

 $utm_source=AV\&utm_medium=AVads\&utm_campaign=AVads1\&utm_content=cbapavad)$

GET CONNECTED



4,159

FOLLOWERS

(http://www.twitter.com/analyticsvidhya)

g+

915

FOLLOWERS

(https://plus.google.com/+Analyticsvidhya)

f

11,950

FOLLOWERS

(http://www.facebook.com/Analyticsvidhya)

3

Email

SUBSCRIBE

(http://feedburner.google.com/fb/a/mailverify?



uri=analyticsvidhya)

(http://www.analyticsvidhya.com/blog/2016/02/quick-

FULL TO BE SEED FOR LOWN of are wondering what is "Analytics Vidhya", "Analytics" can be defined as the science of extracting insights from raw data. The spectrum of analytics starts from capturing data and evolves into using insights of trends from this data to make informed decisions. insights-analytics-big-data-salary-report-2016/)

STAY CONNECTED



4,159

FOLLOWERS

(http://www.twitter.com/analyticsvidhya)



915

FOLLOWERS

(https://plus.google.com/+Analyticsvidhya)

LATEST POSTS



FOLLOWERS

(http://www.facebook.com/Analyticsvidhya)



SUBSCRIBE

(http://feedburner.google.com/fb/a/mailverify? uri=analyticsvidhya)



(http://www.analyticsvidhya.com/blog/2016/02/complete-tutorial-learn-data-

science-scratch/)

A Complete Tutorial to learn Data Science in R from Scratch (http://www.analyticsvidhya.com/blog/2016/02/complete-tutorial-learn-data-science-scratch/)
MANISH SARASWAT, FEBRUARY 28, 2016



(http://www.analyticsvidhya.com/blog/2016/02/guide-build-predictive-models-

segmentation/)

Guide to Build Better Predictive Models using Segmentation (http://www.analyticsvidhya.com/blog/2016/02/guide-build-predictive-models-segmentation/) GUEST BLOG. FEBRUARY 26, 2016



(http://www.analyticsvidhya.com/blog/2016/02/quick-insights-analytics-big-data-

salary-report-2016/)

Quick Insights: India Analytics and Big Data Salary Report 2016 (http://www.analyticsvidhya.com/blog/2016/02/quick-insights-analytics-big-data-salary-report-2016/)

KUNAL JAIN, FEBRUARY 24, 2016



(http://www.analyticsvidhya.com/blog/2016/02/analytics-big-data-salary-report-

India Exclusive: Analytics and Big Data Salary Report 2016 (http://www.analyticsvidhya.com/blog/2016/02/analytics-big-data-salary-report-2016/) KUNAL JAIN . FEBRUARY 22. 2016

QUICK LINKS

Home (http://www.analyticsvidhya.com/)

About Us (http://www.analyticsvidhya.com/about-

me/)

Our team (http://www.analyticsvidhya.com/about-

me/team/)

Privacy Policy

(http://www.analyticsvidhya.com/privacy-policy/)

Refund Policy

(http://www.analyticsvidhya.com/refund-policy/)

Terms of Use

(http://www.analyticsvidhya.com/terms/)

TOP	REV	IEWS
------------	-----	-------------

© Copyright 2015 Analytics Vidhya