



5000+ IT Final-Year Project Ideas

Volume 3 - Cybersecurity & Forensics

Categories in this volume: Cybersecurity, Ethical Hacking & Pentesting, Digital Forensics

Total project ideas in this volume: 501

Each entry includes: problem statement, solution overview, core features, full technology stack, security features, deployment plan, future scope, estimated development time, and learning outcomes.

Category	Project # Range	Count
Cybersecurity	#1003 - #1169	167
Ethical Hacking & Pentesting	#1170 - #1336	167
Digital Forensics	#1337 - #1503	167

Project #1003 — Next-Gen Phishing Detection System with Zero Trust Architecture Integration for Finance

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Finance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Finance institutions frequently face inability to scale during demand spikes because current phishing detection tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Finance stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1004 — Privacy-Preserving Ransomware Behavior Analysis using SOC Automation (SOAR) for Transportation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Transportation | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable ransomware behavior analysis solution tailored for Transportation, causing delayed decision-making for smaller players in the sector.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by SOC Automation (SOAR), giving Transportation teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1005 — Autonomous Insider Threat Monitoring Agent Built with XDR Threat Correlation for Hospitals & Clinics

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Hospitals & Clinics | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Hospitals & Clinics sector struggle with increased fraud and security exposure due to manual, fragmented insider threat monitoring processes that do not scale.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for Hospitals & Clinics decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1006 — SIEM Analytics (Splunk/ELK/Wazuh-style) Enabled Cloud Workload Protection Dashboard for Human Resources Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Human Resources | Est. Dev Time: 4-5 months

Problem Statement

Existing cloud workload protection workflows in Human Resources are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Human Resources operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1007 — Federated Soc Alert Triage Network using ML-based Threat Detection for Disaster Management

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Disaster Management lack a unified, intelligent way to handle SOC alert triage, resulting in delayed decision-making and inefficiency.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Disaster Management stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1008 — MITRE ATT&CK; Mapping-Powered Malware Sandboxing System for Travel & Tourism

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Travel & Tourism | Est. Dev Time: 6-8 weeks

Problem Statement

Travel & Tourism institutions frequently face increased fraud and security exposure because current malware sandboxing tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by MITRE ATT&CK; Mapping, giving Travel & Tourism teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1009 — Smart IoT Device Security Platform using Deception Technology (Honeypots) for Entertainment & Media

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Entertainment & Media | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT device security solution tailored for Entertainment & Media, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Entertainment & Media decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1010 — Zero Trust Architecture-Based Api Security Scanning Solution for the Food & Beverage Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Food & Beverage | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Food & Beverage sector struggle with delayed decision-making due to manual, fragmented API security scanning processes that do not scale.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from API security scanning patterns, proactively flagging issues before they impact Food & Beverage operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1011 — An Intelligent Dark-Web Threat Intelligence Framework Leveraging SOC Automation (SOAR) in Hospitality

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Hospitality | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing dark-web threat intelligence workflows in Hospitality are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Hospitality stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1012 — Agriculture-Focused Supply-Chain Risk Monitoring Assistant Powered by XDR Threat Correlation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Agriculture | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Agriculture lack a unified, intelligent way to handle supply-chain risk monitoring, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by XDR Threat Correlation, giving Agriculture teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1013 — Real-Time Deepfake Detection Detection using SIEM Analytics (Splunk/ELK/Wazuh-style) for Energy & Utilities Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Energy & Utilities | Est. Dev Time: 10-14 weeks

Problem Statement

Energy & Utilities institutions frequently face delayed decision-making because current deepfake detection tools are siloed, outdated, or not data-driven.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Energy & Utilities decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1014 — ML-based Threat Detection-Driven Ddos Mitigation Optimization Platform for Space

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Space | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable DDoS mitigation solution tailored for Space, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact Space operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1015 — Next-Gen Container Security Scanning System with MITRE ATT&CK; Mapping Integration for Wildlife Conservation

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Wildlife Conservation sector struggle with inability to scale during demand spikes due to manual, fragmented container security scanning processes that do not scale.

Solution Overview

The proposed system applies MITRE ATT&CK; Mapping to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Wildlife Conservation stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1016 — Privacy-Preserving Credential-Leak Detection using Deception Technology (Honeypots) for Automobile

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Automobile | Est. Dev Time: 6-8 weeks

Problem Statement

Existing credential-leak detection workflows in Automobile are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by Deception Technology (Honeypots), giving Automobile teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1017 — Autonomous Phishing Detection Agent Built with SOC Automation (SOAR) for Insurance

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Insurance lack a unified, intelligent way to handle phishing detection, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Insurance decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1018 — XDR Threat Correlation Enabled Ransomware Behavior Analysis Dashboard for Sports Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Sports institutions frequently face inability to scale during demand spikes because current ransomware behavior analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Sports operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1019 — Federated Insider Threat Monitoring Network using SIEM Analytics (Splunk/ELK/Wazuh-style) for Banking

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable insider threat monitoring solution tailored for Banking, causing delayed decision-making for smaller players in the sector.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1020 — ML-based Threat Detection-Powered Cloud Workload Protection System for E-commerce

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the E-commerce sector struggle with increased fraud and security exposure due to manual, fragmented cloud workload protection processes that do not scale.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by ML-based Threat Detection, giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1021 — Smart Soc Alert Triage Platform using MITRE ATT&CK; Mapping for Healthcare

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

Existing SOC alert triage workflows in Healthcare are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Healthcare decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1022 — Deception Technology (Honeypots)-Based Malware Sandboxing Solution for the Logistics & Supply Chain Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Logistics & Supply Chain lack a unified, intelligent way to handle malware sandboxing, resulting in delayed decision-making and inefficiency.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Logistics & Supply Chain operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1023 — An Intelligent IoT Device Security Framework Leveraging Zero Trust Architecture in Government & Public Sector

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Government & Public Sector | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Government & Public Sector institutions frequently face increased fraud and security exposure because current IoT device security tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze IoT device security-related data and deliver actionable, real-time insights to Government & Public Sector stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1024 — NGO & Nonprofit-Focused Api Security Scanning Assistant Powered by SOC Automation (SOAR)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API security scanning solution tailored for NGO & Nonprofit, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by SOC Automation (SOAR), giving NGO & Nonprofit teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1025 — Real-Time Dark-Web Threat Intelligence Detection using XDR Threat Correlation for Telecommunications Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Telecommunications sector struggle with delayed decision-making due to manual, fragmented dark-web threat intelligence processes that do not scale.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Telecommunications decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1026 — SIEM Analytics (Splunk/ELK/Wazuh-style)-Driven Supply-Chain Risk Monitoring Optimization Platform for Defense

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 4-5 months

Problem Statement

Existing supply-chain risk monitoring workflows in Defense are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Defense operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1027 — Next-Gen Deepfake Detection System with ML-based Threat Detection Integration for Environment & Climate

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Environment & Climate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Environment & Climate lack a unified, intelligent way to handle deepfake detection, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Environment & Climate stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1028 — Privacy-Preserving Ddos Mitigation using MITRE ATT&CK; Mapping for Marine & Maritime

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Marine & Maritime | Est. Dev Time: 6-8 weeks

Problem Statement

Marine & Maritime institutions frequently face delayed decision-making because current DDoS mitigation tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by MITRE ATT&CK; Mapping, giving Marine & Maritime teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1029 — Autonomous Container Security Scanning Agent Built with Deception Technology (Honeypots) for Legal & Compliance

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Legal & Compliance | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable container security scanning solution tailored for Legal & Compliance, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for Legal & Compliance decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1030 — Zero Trust Architecture Enabled Credential-Leak Detection Dashboard for Aviation Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Aviation | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Aviation sector struggle with inability to scale during demand spikes due to manual, fragmented credential-leak detection processes that do not scale.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from credential-leak detection patterns, proactively flagging issues before they impact Aviation operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1031 — Federated Phishing Detection Network using XDR Threat Correlation for Retail

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Retail | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing phishing detection workflows in Retail are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The proposed system applies XDR Threat Correlation to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Retail stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1032 — SIEM Analytics (Splunk/ELK/Wazuh-style)-Powered Ransomware Behavior Analysis System for Gaming

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Gaming | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Gaming lack a unified, intelligent way to handle ransomware behavior analysis, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by SIEM Analytics (Splunk/ELK/Wazuh-style), giving Gaming teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1033 — Smart Insider Threat Monitoring Platform using ML-based Threat Detection for Construction

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Construction | Est. Dev Time: 10-14 weeks

Problem Statement

Construction institutions frequently face inability to scale during demand spikes because current insider threat monitoring tools are siloed, outdated, or not data-driven.

Solution Overview

By combining ML-based Threat Detection with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for Construction decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1034 — MITRE ATT&CK; Mapping-Based Cloud Workload Protection Solution for the Real Estate Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Real Estate | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable cloud workload protection solution tailored for Real Estate, causing delayed decision-making for smaller players in the sector.

Solution Overview

The solution uses MITRE ATT&CK; Mapping to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Real Estate operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1035 — An Intelligent Soc Alert Triage Framework Leveraging Deception Technology (Honeypots) in Education

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Education | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Education sector struggle with increased fraud and security exposure due to manual, fragmented SOC alert triage processes that do not scale.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Education stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1036 — Manufacturing-Focused Malware Sandboxing Assistant Powered by Zero Trust Architecture

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Manufacturing | Est. Dev Time: 6-8 weeks

Problem Statement

Existing malware sandboxing workflows in Manufacturing are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by Zero Trust Architecture, giving Manufacturing teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1037 — Real-Time IoT Device Security Detection using SOC Automation (SOAR) for Smart Cities Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Smart Cities | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Smart Cities lack a unified, intelligent way to handle IoT device security, resulting in delayed decision-making and inefficiency.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Smart Cities decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1038 — XDR Threat Correlation-Driven Api Security Scanning Optimization Platform for Social Welfare

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Social Welfare | Est. Dev Time: 4-5 months

Problem Statement

Social Welfare institutions frequently face increased fraud and security exposure because current API security scanning tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from API security scanning patterns, proactively flagging issues before they impact Social Welfare operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1039 — Next-Gen Dark-Web Threat Intelligence System with SIEM Analytics (Splunk/ELK/Wazuh-style) Integration for Mining

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Mining | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable dark-web threat intelligence solution tailored for Mining, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Mining stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1040 — Privacy-Preserving Supply-Chain Risk Monitoring using ML-based Threat Detection for Finance

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Finance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Finance sector struggle with delayed decision-making due to manual, fragmented supply-chain risk monitoring processes that do not scale.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by ML-based Threat Detection, giving Finance teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1041 — Autonomous Deepfake Detection Agent Built with MITRE ATT&CK; Mapping for Transportation

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Transportation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing deepfake detection workflows in Transportation are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Transportation decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1042 — Deception Technology (Honeypots) Enabled Ddos Mitigation Dashboard for Hospitals & Clinics Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Hospitals & Clinics | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitals & Clinics lack a unified, intelligent way to handle DDoS mitigation, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact Hospitals & Clinics operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1043 — Federated Container Security Scanning Network using Zero Trust Architecture for Human Resources

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Human Resources | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Human Resources institutions frequently face delayed decision-making because current container security scanning tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Human Resources stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1044 — SOC Automation (SOAR)-Powered Credential-Leak Detection System for Disaster Management

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Disaster Management | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable credential-leak detection solution tailored for Disaster Management, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by SOC Automation (SOAR), giving Disaster Management teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1045 — Smart Phishing Detection Platform using SIEM Analytics (Splunk/ELK/Wazuh-style) for Travel & Tourism

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Travel & Tourism sector struggle with inability to scale during demand spikes due to manual, fragmented phishing detection processes that do not scale.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Travel & Tourism decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1046 — ML-based Threat Detection-Based Ransomware Behavior Analysis Solution for the Entertainment & Media Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Entertainment & Media | Est. Dev Time: 4-5 months

Problem Statement

Existing ransomware behavior analysis workflows in Entertainment & Media are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Entertainment & Media operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1047 — An Intelligent Insider Threat Monitoring Framework Leveraging MITRE ATT&CK; Mapping in Food & Beverage

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Food & Beverage | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Food & Beverage lack a unified, intelligent way to handle insider threat monitoring, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

The proposed system applies MITRE ATT&CK; Mapping to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to Food & Beverage stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1048 — Hospitality-Focused Cloud Workload Protection Assistant Powered by Deception Technology (Honeypots)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Hospitality | Est. Dev Time: 6-8 weeks

Problem Statement

Hospitality institutions frequently face inability to scale during demand spikes because current cloud workload protection tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by Deception Technology (Honeypots), giving Hospitality teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1049 — Real-Time Soc Alert Triage Detection using Zero Trust Architecture for Agriculture Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Agriculture | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable SOC alert triage solution tailored for Agriculture, causing delayed decision-making for smaller players in the sector.

Solution Overview

By combining Zero Trust Architecture with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Agriculture decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1050 — SOC Automation (SOAR)-Driven Malware Sandboxing Optimization Platform for Energy & Utilities

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Energy & Utilities | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Energy & Utilities sector struggle with increased fraud and security exposure due to manual, fragmented malware sandboxing processes that do not scale.

Solution Overview

The solution uses SOC Automation (SOAR) to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Energy & Utilities operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1051 — Next-Gen IoT Device Security System with XDR Threat Correlation Integration for Space

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Space | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing IoT device security workflows in Space are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

The proposed system applies XDR Threat Correlation to automatically analyze IoT device security-related data and deliver actionable, real-time insights to Space stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1052 — Privacy-Preserving Api Security Scanning using SIEM Analytics (Splunk/ELK/Wazuh-style) for Wildlife Conservation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Wildlife Conservation lack a unified, intelligent way to handle API security scanning, resulting in delayed decision-making and inefficiency.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by SIEM Analytics (Splunk/ELK/Wazuh-style), giving Wildlife Conservation teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1053 — Autonomous Dark-Web Threat Intelligence Agent Built with ML-based Threat Detection for Automobile

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Automobile | Est. Dev Time: 10-14 weeks

Problem Statement

Automobile institutions frequently face increased fraud and security exposure because current dark-web threat intelligence tools are siloed, outdated, or not data-driven.

Solution Overview

By combining ML-based Threat Detection with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Automobile decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1054 — MITRE ATT&CK; Mapping Enabled Supply-Chain Risk Monitoring Dashboard for Insurance Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable supply-chain risk monitoring solution tailored for Insurance, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

The solution uses MITRE ATT&CK; Mapping to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Insurance operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1055 — Federated Deepfake Detection Network using Deception Technology (Honeypots) for Sports

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Sports | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Sports sector struggle with delayed decision-making due to manual, fragmented deepfake detection processes that do not scale.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Sports stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1056 — Zero Trust Architecture-Powered Ddos Mitigation System for Banking

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Banking | Est. Dev Time: 6-8 weeks

Problem Statement

Existing DDoS mitigation workflows in Banking are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by Zero Trust Architecture, giving Banking teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1057 — Smart Container Security Scanning Platform using SOC Automation (SOAR) for E-commerce

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: E-commerce | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in E-commerce lack a unified, intelligent way to handle container security scanning, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for E-commerce decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1058 — XDR Threat Correlation-Based Credential-Leak Detection Solution for the Healthcare Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 4-5 months

Problem Statement

Healthcare institutions frequently face delayed decision-making because current credential-leak detection tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from credential-leak detection patterns, proactively flagging issues before they impact Healthcare operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1059 — An Intelligent Phishing Detection Framework Leveraging ML-based Threat Detection in Logistics & Supply Chain

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable phishing detection solution tailored for Logistics & Supply Chain, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Logistics & Supply Chain stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1060 — Government & Public Sector-Focused Ransomware Behavior Analysis Assistant Powered by MITRE ATT&CK; Mapping

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Government & Public Sector | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Government & Public Sector struggle with inability to scale during demand spikes due to manual, fragmented ransomware behavior analysis processes that do not scale.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by MITRE ATT&CK; Mapping, giving Government & Public Sector teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1061 — Real-Time Insider Threat Monitoring Detection using Deception Technology (Honeypots) for NGO & Nonprofit Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: NGO & Nonprofit | Est. Dev Time: 10-14 weeks

Problem Statement

Existing insider threat monitoring workflows in NGO & Nonprofit are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for NGO & Nonprofit decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1062 — Zero Trust Architecture-Driven Cloud Workload Protection Optimization Platform for Telecommunications

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Telecommunications | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Telecommunications lack a unified, intelligent way to handle cloud workload protection, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Telecommunications operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1063 — Next-Gen Soc Alert Triage System with SOC Automation (SOAR) Integration for Defense

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Defense institutions frequently face inability to scale during demand spikes because current SOC alert triage tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Defense stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1064 — Privacy-Preserving Malware Sandboxing using XDR Threat Correlation for Environment & Climate

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Environment & Climate | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable malware sandboxing solution tailored for Environment & Climate, causing delayed decision-making for smaller players in the sector.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by XDR Threat Correlation, giving Environment & Climate teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1065 — Autonomous IoT Device Security Agent Built with SIEM Analytics (Splunk/ELK/Wazuh-style) for Marine & Maritime

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Marine & Maritime | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Marine & Maritime sector struggle with increased fraud and security exposure due to manual, fragmented IoT device security processes that do not scale.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Marine & Maritime decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1066 — ML-based Threat Detection Enabled Api Security Scanning Dashboard for Legal & Compliance Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Legal & Compliance | Est. Dev Time: 4-5 months

Problem Statement

Existing API security scanning workflows in Legal & Compliance are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from API security scanning patterns, proactively flagging issues before they impact Legal & Compliance operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1067 — Federated Dark-Web Threat Intelligence Network using MITRE ATT&CK; Mapping for Aviation

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Aviation lack a unified, intelligent way to handle dark-web threat intelligence, resulting in delayed decision-making and inefficiency.

Solution Overview

The proposed system applies MITRE ATT&CK; Mapping to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Aviation stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1068 — Deception Technology (Honeypots)-Powered Supply-Chain Risk Monitoring System for Retail

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Retail | Est. Dev Time: 6-8 weeks

Problem Statement

Retail institutions frequently face increased fraud and security exposure because current supply-chain risk monitoring tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by Deception Technology (Honeypots), giving Retail teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1069 — Smart Deepfake Detection Platform using Zero Trust Architecture for Gaming

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Gaming | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deepfake detection solution tailored for Gaming, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

By combining Zero Trust Architecture with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Gaming decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1070 — SOC Automation (SOAR)-Based Ddos Mitigation Solution for the Construction Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Construction | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Construction sector struggle with delayed decision-making due to manual, fragmented DDoS mitigation processes that do not scale.

Solution Overview

The solution uses SOC Automation (SOAR) to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact Construction operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1071 — An Intelligent Container Security Scanning Framework Leveraging XDR Threat Correlation in Real Estate

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Real Estate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing container security scanning workflows in Real Estate are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The proposed system applies XDR Threat Correlation to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Real Estate stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1072 — Education-Focused Credential-Leak Detection Assistant Powered by SIEM Analytics (Splunk/ELK/Wazuh-style)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Education | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Education lack a unified, intelligent way to handle credential-leak detection, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by SIEM Analytics (Splunk/ELK/Wazuh-style), giving Education teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1073 — Real-Time Phishing Detection Detection using MITRE ATT&CK; Mapping for Manufacturing Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Manufacturing | Est. Dev Time: 10-14 weeks

Problem Statement

Manufacturing institutions frequently face delayed decision-making because current phishing detection tools are siloed, outdated, or not data-driven.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Manufacturing decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1074 — Deception Technology (Honeypots)-Driven Ransomware Behavior Analysis Optimization Platform for Smart Cities

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Smart Cities | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable ransomware behavior analysis solution tailored for Smart Cities, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Smart Cities operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1075 — Next-Gen Insider Threat Monitoring System with Zero Trust Architecture Integration for Social Welfare

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Social Welfare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Social Welfare sector struggle with inability to scale during demand spikes due to manual, fragmented insider threat monitoring processes that do not scale.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to Social Welfare stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1076 — Privacy-Preserving Cloud Workload Protection using SOC Automation (SOAR) for Mining

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Mining | Est. Dev Time: 6-8 weeks

Problem Statement

Existing cloud workload protection workflows in Mining are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by SOC Automation (SOAR), giving Mining teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1077 — Autonomous Soc Alert Triage Agent Built with XDR Threat Correlation for Finance

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Finance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Finance lack a unified, intelligent way to handle SOC alert triage, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Finance decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1078 — SIEM Analytics (Splunk/ELK/Wazuh-style) Enabled Malware Sandboxing Dashboard for Transportation Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Transportation | Est. Dev Time: 4-5 months

Problem Statement

Transportation institutions frequently face inability to scale during demand spikes because current malware sandboxing tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Transportation operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1079 — Federated IoT Device Security Network using ML-based Threat Detection for Hospitals & Clinics

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Hospitals & Clinics | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT device security solution tailored for Hospitals & Clinics, causing delayed decision-making for smaller players in the sector.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze IoT device security-related data and deliver actionable, real-time insights to Hospitals & Clinics stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1080 — MITRE ATT&CK; Mapping-Powered Api Security Scanning System for Human Resources

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Human Resources | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Human Resources sector struggle with increased fraud and security exposure due to manual, fragmented API security scanning processes that do not scale.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by MITRE ATT&CK; Mapping, giving Human Resources teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1081 — Smart Dark-Web Threat Intelligence Platform using Deception Technology (Honeypots) for Disaster Management

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Disaster Management | Est. Dev Time: 10-14 weeks

Problem Statement

Existing dark-web threat intelligence workflows in Disaster Management are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Disaster Management decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1082 — Zero Trust Architecture-Based Supply-Chain Risk Monitoring Solution for the Travel & Tourism Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Travel & Tourism | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Travel & Tourism lack a unified, intelligent way to handle supply-chain risk monitoring, resulting in delayed decision-making and inefficiency.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Travel & Tourism operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1083 — An Intelligent Deepfake Detection Framework Leveraging SOC Automation (SOAR) in Entertainment & Media

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Entertainment & Media | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Entertainment & Media institutions frequently face increased fraud and security exposure because current deepfake detection tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Entertainment & Media stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1084 — Food & Beverage-Focused Ddos Mitigation Assistant Powered by XDR Threat Correlation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable DDoS mitigation solution tailored for Food & Beverage, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by XDR Threat Correlation, giving Food & Beverage teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1085 — Real-Time Container Security Scanning Detection using SIEM Analytics (Splunk/ELK/Wazuh-style) for Hospitality Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Hospitality | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Hospitality sector struggle with delayed decision-making due to manual, fragmented container security scanning processes that do not scale.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for Hospitality decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1086 — ML-based Threat Detection-Driven Credential-Leak Detection Optimization Platform for Agriculture

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Agriculture | Est. Dev Time: 4-5 months

Problem Statement

Existing credential-leak detection workflows in Agriculture are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from credential-leak detection patterns, proactively flagging issues before they impact Agriculture operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1087 — Next-Gen Phishing Detection System with Deception Technology (Honeypots) Integration for Energy & Utilities

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Energy & Utilities | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Energy & Utilities lack a unified, intelligent way to handle phishing detection, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Energy & Utilities stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1088 — Privacy-Preserving Ransomware Behavior Analysis using Zero Trust Architecture for Space

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Space | Est. Dev Time: 6-8 weeks

Problem Statement

Space institutions frequently face delayed decision-making because current ransomware behavior analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by Zero Trust Architecture, giving Space teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1089 — Autonomous Insider Threat Monitoring Agent Built with SOC Automation (SOAR) for Wildlife Conservation

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Wildlife Conservation | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable insider threat monitoring solution tailored for Wildlife Conservation, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for Wildlife Conservation decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1090 — XDR Threat Correlation Enabled Cloud Workload Protection Dashboard for Automobile Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Automobile | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Automobile sector struggle with inability to scale during demand spikes due to manual, fragmented cloud workload protection processes that do not scale.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Automobile operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1091 — Federated Soc Alert Triage Network using SIEM Analytics (Splunk/ELK/Wazuh-style) for Insurance

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Insurance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing SOC alert triage workflows in Insurance are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Insurance stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1092 — ML-based Threat Detection-Powered Malware Sandboxing System for Sports

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Sports | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Sports lack a unified, intelligent way to handle malware sandboxing, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by ML-based Threat Detection, giving Sports teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1093 — Smart IoT Device Security Platform using MITRE ATT&CK; Mapping for Banking

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Banking | Est. Dev Time: 10-14 weeks

Problem Statement

Banking institutions frequently face inability to scale during demand spikes because current IoT device security tools are siloed, outdated, or not data-driven.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Banking decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1094 — Deception Technology (Honeypots)-Based Api Security Scanning Solution for the E-commerce Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: E-commerce | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API security scanning solution tailored for E-commerce, causing delayed decision-making for smaller players in the sector.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from API security scanning patterns, proactively flagging issues before they impact E-commerce operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1095 — An Intelligent Dark-Web Threat Intelligence Framework Leveraging Zero Trust Architecture in Healthcare

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Healthcare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Healthcare sector struggle with increased fraud and security exposure due to manual, fragmented dark-web threat intelligence processes that do not scale.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Healthcare stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1096 — Logistics & Supply Chain-Focused Supply-Chain Risk Monitoring Assistant Powered by SOC Automation (SOAR)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-8 weeks

Problem Statement

Existing supply-chain risk monitoring workflows in Logistics & Supply Chain are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by SOC Automation (SOAR), giving Logistics & Supply Chain teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1097 — Real-Time Deepfake Detection Detection using XDR Threat Correlation for Government & Public Sector Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Government & Public Sector | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Government & Public Sector lack a unified, intelligent way to handle deepfake detection, resulting in delayed decision-making and inefficiency.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Government & Public Sector decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1098 — SIEM Analytics (Splunk/ELK/Wazuh-style)-Driven Ddos Mitigation Optimization Platform for NGO & Nonprofit

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: NGO & Nonprofit | Est. Dev Time: 4-5 months

Problem Statement

NGO & Nonprofit institutions frequently face increased fraud and security exposure because current DDoS mitigation tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact NGO & Nonprofit operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1099 — Next-Gen Container Security Scanning System with ML-based Threat Detection Integration for Telecommunications

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Telecommunications | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable container security scanning solution tailored for Telecommunications, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Telecommunications stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1100 — Privacy-Preserving Credential-Leak Detection using MITRE ATT&CK; Mapping for Defense

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Defense | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Defense sector struggle with delayed decision-making due to manual, fragmented credential-leak detection processes that do not scale.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by MITRE ATT&CK; Mapping, giving Defense teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1101 — Autonomous Phishing Detection Agent Built with Zero Trust Architecture for Environment & Climate

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Environment & Climate | Est. Dev Time: 10-14 weeks

Problem Statement

Existing phishing detection workflows in Environment & Climate are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

By combining Zero Trust Architecture with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Environment & Climate decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1102 — SOC Automation (SOAR) Enabled Ransomware Behavior Analysis Dashboard for Marine & Maritime Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Marine & Maritime | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Marine & Maritime lack a unified, intelligent way to handle ransomware behavior analysis, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The solution uses SOC Automation (SOAR) to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Marine & Maritime operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1103 — Federated Insider Threat Monitoring Network using XDR Threat Correlation for Legal & Compliance

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Legal & Compliance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Legal & Compliance institutions frequently face delayed decision-making because current insider threat monitoring tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies XDR Threat Correlation to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to Legal & Compliance stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1104 — SIEM Analytics (Splunk/ELK/Wazuh-style)-Powered Cloud Workload Protection System for Aviation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Aviation | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable cloud workload protection solution tailored for Aviation, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by SIEM Analytics (Splunk/ELK/Wazuh-style), giving Aviation teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1105 — Smart Soc Alert Triage Platform using ML-based Threat Detection for Retail

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Retail | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Retail sector struggle with inability to scale during demand spikes due to manual, fragmented SOC alert triage processes that do not scale.

Solution Overview

By combining ML-based Threat Detection with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Retail decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1106 — MITRE ATT&CK; Mapping-Based Malware Sandboxing Solution for the Gaming Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Gaming | Est. Dev Time: 4-5 months

Problem Statement

Existing malware sandboxing workflows in Gaming are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The solution uses MITRE ATT&CK; Mapping to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Gaming operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1107 — An Intelligent IoT Device Security Framework Leveraging Deception Technology (Honeypots) in Construction

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Construction | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Construction lack a unified, intelligent way to handle IoT device security, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze IoT device security-related data and deliver actionable, real-time insights to Construction stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1108 — Real Estate-Focused Api Security Scanning Assistant Powered by Zero Trust Architecture

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Real Estate | Est. Dev Time: 6-8 weeks

Problem Statement

Real Estate institutions frequently face inability to scale during demand spikes because current API security scanning tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by Zero Trust Architecture, giving Real Estate teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1109 — Real-Time Dark-Web Threat Intelligence Detection using SOC Automation (SOAR) for Education Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Education | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable dark-web threat intelligence solution tailored for Education, causing delayed decision-making for smaller players in the sector.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Education decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1110 — XDR Threat Correlation-Driven Supply-Chain Risk Monitoring Optimization Platform for Manufacturing

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Manufacturing | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Manufacturing sector struggle with increased fraud and security exposure due to manual, fragmented supply-chain risk monitoring processes that do not scale.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Manufacturing operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1111 — Next-Gen Deepfake Detection System with SIEM Analytics (Splunk/ELK/Wazuh-style) Integration for Smart Cities

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Smart Cities | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing deepfake detection workflows in Smart Cities are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Smart Cities stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1112 — Privacy-Preserving Ddos Mitigation using ML-based Threat Detection for Social Welfare

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Social Welfare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Social Welfare lack a unified, intelligent way to handle DDoS mitigation, resulting in delayed decision-making and inefficiency.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by ML-based Threat Detection, giving Social Welfare teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1113 — Autonomous Container Security Scanning Agent Built with MITRE ATT&CK; Mapping for Mining

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Mining | Est. Dev Time: 10-14 weeks

Problem Statement

Mining institutions frequently face increased fraud and security exposure because current container security scanning tools are siloed, outdated, or not data-driven.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for Mining decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1114 — Deception Technology (Honeypots) Enabled Credential-Leak Detection Dashboard for Finance Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Finance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable credential-leak detection solution tailored for Finance, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from credential-leak detection patterns, proactively flagging issues before they impact Finance operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1115 — Federated Phishing Detection Network using SOC Automation (SOAR) for Transportation

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Transportation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Transportation sector struggle with delayed decision-making due to manual, fragmented phishing detection processes that do not scale.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Transportation stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1116 — XDR Threat Correlation-Powered Ransomware Behavior Analysis System for Hospitals & Clinics

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Hospitals & Clinics | Est. Dev Time: 6-8 weeks

Problem Statement

Existing ransomware behavior analysis workflows in Hospitals & Clinics are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by XDR Threat Correlation, giving Hospitals & Clinics teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1117 — Smart Insider Threat Monitoring Platform using SIEM Analytics (Splunk/ELK/Wazuh-style) for Human Resources

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Human Resources | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Human Resources lack a unified, intelligent way to handle insider threat monitoring, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for Human Resources decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1118 — ML-based Threat Detection-Based Cloud Workload Protection Solution for the Disaster Management Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Disaster Management | Est. Dev Time: 4-5 months

Problem Statement

Disaster Management institutions frequently face delayed decision-making because current cloud workload protection tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Disaster Management operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1119 — An Intelligent Soc Alert Triage Framework Leveraging MITRE ATT&CK; Mapping in Travel & Tourism

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Travel & Tourism | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable SOC alert triage solution tailored for Travel & Tourism, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

The proposed system applies MITRE ATT&CK; Mapping to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Travel & Tourism stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1120 — Entertainment & Media-Focused Malware Sandboxing Assistant Powered by Deception Technology (Honeypots)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Entertainment & Media | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Entertainment & Media sector struggle with inability to scale during demand spikes due to manual, fragmented malware sandboxing processes that do not scale.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by Deception Technology (Honeypots), giving Entertainment & Media teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1121 — Real-Time IoT Device Security Detection using Zero Trust Architecture for Food & Beverage Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 10-14 weeks

Problem Statement

Existing IoT device security workflows in Food & Beverage are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

By combining Zero Trust Architecture with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Food & Beverage decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1122 — SOC Automation (SOAR)-Driven Api Security Scanning Optimization Platform for Hospitality

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Hospitality | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitality lack a unified, intelligent way to handle API security scanning, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

The solution uses SOC Automation (SOAR) to continuously learn from API security scanning patterns, proactively flagging issues before they impact Hospitality operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1123 — Next-Gen Dark-Web Threat Intelligence System with XDR Threat Correlation Integration for Agriculture

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Agriculture | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Agriculture institutions frequently face inability to scale during demand spikes because current dark-web threat intelligence tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies XDR Threat Correlation to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Agriculture stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1124 — Privacy-Preserving Supply-Chain Risk Monitoring using SIEM Analytics (Splunk/ELK/Wazuh-style) for Energy & Utilities

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Energy & Utilities | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable supply-chain risk monitoring solution tailored for Energy & Utilities, causing delayed decision-making for smaller players in the sector.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by SIEM Analytics (Splunk/ELK/Wazuh-style), giving Energy & Utilities teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1125 — Autonomous Deepfake Detection Agent Built with ML-based Threat Detection for Space

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Space | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Space sector struggle with increased fraud and security exposure due to manual, fragmented deepfake detection processes that do not scale.

Solution Overview

By combining ML-based Threat Detection with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Space decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1126 — MITRE ATT&CK; Mapping Enabled Ddos Mitigation Dashboard for Wildlife Conservation Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Wildlife Conservation | Est. Dev Time: 4-5 months

Problem Statement

Existing DDoS mitigation workflows in Wildlife Conservation are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

The solution uses MITRE ATT&CK; Mapping to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact Wildlife Conservation operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1127 — Federated Container Security Scanning Network using Deception Technology (Honeypots) for Automobile

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Automobile | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Automobile lack a unified, intelligent way to handle container security scanning, resulting in delayed decision-making and inefficiency.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Automobile stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1128 — Zero Trust Architecture-Powered Credential-Leak Detection System for Insurance

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Insurance | Est. Dev Time: 6-8 weeks

Problem Statement

Insurance institutions frequently face increased fraud and security exposure because current credential-leak detection tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by Zero Trust Architecture, giving Insurance teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1129 — Smart Phishing Detection Platform using XDR Threat Correlation for Sports

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Sports | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable phishing detection solution tailored for Sports, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Sports decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1130 — SIEM Analytics (Splunk/ELK/Wazuh-style)-Based Ransomware Behavior Analysis Solution for the Banking Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Banking | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Banking sector struggle with delayed decision-making due to manual, fragmented ransomware behavior analysis processes that do not scale.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Banking operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1131 — An Intelligent Insider Threat Monitoring Framework Leveraging ML-based Threat Detection in E-commerce

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: E-commerce | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing insider threat monitoring workflows in E-commerce are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to E-commerce stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1132 — Healthcare-Focused Cloud Workload Protection Assistant Powered by MITRE ATT&CK; Mapping

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Healthcare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Healthcare lack a unified, intelligent way to handle cloud workload protection, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by MITRE ATT&CK; Mapping, giving Healthcare teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1133 — Real-Time Soc Alert Triage Detection using Deception Technology (Honeypots) for Logistics & Supply Chain Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 10-14 weeks

Problem Statement

Logistics & Supply Chain institutions frequently face delayed decision-making because current SOC alert triage tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Logistics & Supply Chain decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1134 — Zero Trust Architecture-Driven Malware Sandboxing Optimization Platform for Government & Public Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Government & Public Sector | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable malware sandboxing solution tailored for Government & Public Sector, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Government & Public Sector operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1135 — Next-Gen IoT Device Security System with SOC Automation (SOAR) Integration for NGO & Nonprofit

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the NGO & Nonprofit sector struggle with inability to scale during demand spikes due to manual, fragmented IoT device security processes that do not scale.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze IoT device security-related data and deliver actionable, real-time insights to NGO & Nonprofit stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1136 — Privacy-Preserving Api Security Scanning using XDR Threat Correlation for Telecommunications

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Telecommunications | Est. Dev Time: 6-8 weeks

Problem Statement

Existing API security scanning workflows in Telecommunications are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by XDR Threat Correlation, giving Telecommunications teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1137 — Autonomous Dark-Web Threat Intelligence Agent Built with SIEM Analytics (Splunk/ELK/Wazuh-style) for Defense

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Defense | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Defense lack a unified, intelligent way to handle dark-web threat intelligence, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

By combining SIEM Analytics (Splunk/ELK/Wazuh-style) with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Defense decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1138 — ML-based Threat Detection Enabled Supply-Chain Risk Monitoring Dashboard for Environment & Climate Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Environment & Climate | Est. Dev Time: 4-5 months

Problem Statement

Environment & Climate institutions frequently face inability to scale during demand spikes because current supply-chain risk monitoring tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses ML-based Threat Detection to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Environment & Climate operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1139 — Federated Deepfake Detection Network using MITRE ATT&CK; Mapping for Marine & Maritime

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Marine & Maritime | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deepfake detection solution tailored for Marine & Maritime, causing delayed decision-making for smaller players in the sector.

Solution Overview

The proposed system applies MITRE ATT&CK; Mapping to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Marine & Maritime stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1140 — Deception Technology (Honeypots)-Powered Ddos Mitigation System for Legal & Compliance

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Legal & Compliance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Legal & Compliance sector struggle with increased fraud and security exposure due to manual, fragmented DDoS mitigation processes that do not scale.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by Deception Technology (Honeypots), giving Legal & Compliance teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1141 — Smart Container Security Scanning Platform using Zero Trust Architecture for Aviation

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing container security scanning workflows in Aviation are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

By combining Zero Trust Architecture with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for Aviation decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1142 — SOC Automation (SOAR)-Based Credential-Leak Detection Solution for the Retail Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Retail | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Retail lack a unified, intelligent way to handle credential-leak detection, resulting in delayed decision-making and inefficiency.

Solution Overview

The solution uses SOC Automation (SOAR) to continuously learn from credential-leak detection patterns, proactively flagging issues before they impact Retail operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1143 — An Intelligent Phishing Detection Framework Leveraging SIEM Analytics (Splunk/ELK/Wazuh-style) in Gaming

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Gaming | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Gaming institutions frequently face increased fraud and security exposure because current phishing detection tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze phishing detection-related data and deliver actionable, real-time insights to Gaming stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1144 — Construction-Focused Ransomware Behavior Analysis Assistant Powered by ML-based Threat Detection

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Construction | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable ransomware behavior analysis solution tailored for Construction, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

This project builds an end-to-end ransomware behavior analysis pipeline powered by ML-based Threat Detection, giving Construction teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1145 — Real-Time Insider Threat Monitoring Detection using MITRE ATT&CK; Mapping for Real Estate Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Real Estate | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Real Estate sector struggle with delayed decision-making due to manual, fragmented insider threat monitoring processes that do not scale.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw insider threat monitoring signals into clear recommendations for Real Estate decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1146 — Deception Technology (Honeypots)-Driven Cloud Workload Protection Optimization Platform for Education

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Education | Est. Dev Time: 4-5 months

Problem Statement

Existing cloud workload protection workflows in Education are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from cloud workload protection patterns, proactively flagging issues before they impact Education operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1147 — Next-Gen Soc Alert Triage System with Zero Trust Architecture Integration for Manufacturing

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Manufacturing | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Manufacturing lack a unified, intelligent way to handle SOC alert triage, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze SOC alert triage-related data and deliver actionable, real-time insights to Manufacturing stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1148 — Privacy-Preserving Malware Sandboxing using SOC Automation (SOAR) for Smart Cities

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Smart Cities | Est. Dev Time: 6-8 weeks

Problem Statement

Smart Cities institutions frequently face delayed decision-making because current malware sandboxing tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end malware sandboxing pipeline powered by SOC Automation (SOAR), giving Smart Cities teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1149 — Autonomous IoT Device Security Agent Built with XDR Threat Correlation for Social Welfare

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Social Welfare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT device security solution tailored for Social Welfare, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw IoT device security signals into clear recommendations for Social Welfare decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1150 — SIEM Analytics (Splunk/ELK/Wazuh-style) Enabled Api Security Scanning Dashboard for Mining Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Mining | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Mining sector struggle with inability to scale during demand spikes due to manual, fragmented API security scanning processes that do not scale.

Solution Overview

The solution uses SIEM Analytics (Splunk/ELK/Wazuh-style) to continuously learn from API security scanning patterns, proactively flagging issues before they impact Mining operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1151 — Federated Dark-Web Threat Intelligence Network using ML-based Threat Detection for Finance

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Finance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing dark-web threat intelligence workflows in Finance are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The proposed system applies ML-based Threat Detection to automatically analyze dark-web threat intelligence-related data and deliver actionable, real-time insights to Finance stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1152 — MITRE ATT&CK; Mapping-Powered Supply-Chain Risk Monitoring System for Transportation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Transportation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Transportation lack a unified, intelligent way to handle supply-chain risk monitoring, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

This project builds an end-to-end supply-chain risk monitoring pipeline powered by MITRE ATT&CK; Mapping, giving Transportation teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1153 — Smart Deepfake Detection Platform using Deception Technology (Honeypots) for Hospitals & Clinics

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Hospitals & Clinics | Est. Dev Time: 10-14 weeks

Problem Statement

Hospitals & Clinics institutions frequently face inability to scale during demand spikes because current deepfake detection tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Deception Technology (Honeypots) with a usability-first interface, the platform turns raw deepfake detection signals into clear recommendations for Hospitals & Clinics decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1154 — Zero Trust Architecture-Based Ddos Mitigation Solution for the Human Resources Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Human Resources | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable DDoS mitigation solution tailored for Human Resources, causing delayed decision-making for smaller players in the sector.

Solution Overview

The solution uses Zero Trust Architecture to continuously learn from DDoS mitigation patterns, proactively flagging issues before they impact Human Resources operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1155 — An Intelligent Container Security Scanning Framework Leveraging SOC Automation (SOAR) in Disaster Management

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Disaster Management sector struggle with increased fraud and security exposure due to manual, fragmented container security scanning processes that do not scale.

Solution Overview

The proposed system applies SOC Automation (SOAR) to automatically analyze container security scanning-related data and deliver actionable, real-time insights to Disaster Management stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1156 — Travel & Tourism-Focused Credential-Leak Detection Assistant Powered by XDR Threat Correlation

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Travel & Tourism | Est. Dev Time: 6-8 weeks

Problem Statement

Existing credential-leak detection workflows in Travel & Tourism are reactive rather than predictive, leading to inability to scale during demand spikes and lost opportunities.

Solution Overview

This project builds an end-to-end credential-leak detection pipeline powered by XDR Threat Correlation, giving Travel & Tourism teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1157 — Real-Time Phishing Detection Detection using ML-based Threat Detection for Entertainment & Media Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Entertainment & Media | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Entertainment & Media lack a unified, intelligent way to handle phishing detection, resulting in delayed decision-making and inefficiency.

Solution Overview

By combining ML-based Threat Detection with a usability-first interface, the platform turns raw phishing detection signals into clear recommendations for Entertainment & Media decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1158 — MITRE ATT&CK; Mapping-Driven Ransomware Behavior Analysis Optimization Platform for Food & Beverage

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 4-5 months

Problem Statement

Food & Beverage institutions frequently face increased fraud and security exposure because current ransomware behavior analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses MITRE ATT&CK; Mapping to continuously learn from ransomware behavior analysis patterns, proactively flagging issues before they impact Food & Beverage operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1159 — Next-Gen Insider Threat Monitoring System with Deception Technology (Honeypots) Integration for Hospitality

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Hospitality | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable insider threat monitoring solution tailored for Hospitality, causing inability to scale during demand spikes for smaller players in the sector.

Solution Overview

The proposed system applies Deception Technology (Honeypots) to automatically analyze insider threat monitoring-related data and deliver actionable, real-time insights to Hospitality stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1160 — Privacy-Preserving Cloud Workload Protection using Zero Trust Architecture for Agriculture

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Agriculture | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Agriculture sector struggle with delayed decision-making due to manual, fragmented cloud workload protection processes that do not scale.

Solution Overview

This project builds an end-to-end cloud workload protection pipeline powered by Zero Trust Architecture, giving Agriculture teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1161 — Autonomous Soc Alert Triage Agent Built with SOC Automation (SOAR) for Energy & Utilities

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Energy & Utilities | Est. Dev Time: 10-14 weeks

Problem Statement

Existing SOC alert triage workflows in Energy & Utilities are reactive rather than predictive, leading to increased fraud and security exposure and lost opportunities.

Solution Overview

By combining SOC Automation (SOAR) with a usability-first interface, the platform turns raw SOC alert triage signals into clear recommendations for Energy & Utilities decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1162 — XDR Threat Correlation Enabled Malware Sandboxing Dashboard for Space Decision-Making

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Space | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Space lack a unified, intelligent way to handle malware sandboxing, resulting in inability to scale during demand spikes and inefficiency.

Solution Overview

The solution uses XDR Threat Correlation to continuously learn from malware sandboxing patterns, proactively flagging issues before they impact Space operations.

Core Features

- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1163 — Federated IoT Device Security Network using SIEM Analytics (Splunk/ELK/Wazuh-style) for Wildlife Conservation

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Wildlife Conservation institutions frequently face delayed decision-making because current IoT device security tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies SIEM Analytics (Splunk/ELK/Wazuh-style) to automatically analyze IoT device security-related data and deliver actionable, real-time insights to Wildlife Conservation stakeholders.

Core Features

- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: SIEM Analytics (Splunk/ELK/Wazuh-style) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this cybersecurity system with deeper SIEM Analytics (Splunk/ELK/Wazuh-style) capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1164 — ML-based Threat Detection-Powered Api Security Scanning System for Automobile

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Automobile | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API security scanning solution tailored for Automobile, causing increased fraud and security exposure for smaller players in the sector.

Solution Overview

This project builds an end-to-end API security scanning pipeline powered by ML-based Threat Detection, giving Automobile teams a single intelligent interface to monitor and act on findings.

Core Features

- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: ML-based Threat Detection module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this cybersecurity system with deeper ML-based Threat Detection capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1165 — Smart Dark-Web Threat Intelligence Platform using MITRE ATT&CK; Mapping for Insurance

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Insurance sector struggle with inability to scale during demand spikes due to manual, fragmented dark-web threat intelligence processes that do not scale.

Solution Overview

By combining MITRE ATT&CK; Mapping with a usability-first interface, the platform turns raw dark-web threat intelligence signals into clear recommendations for Insurance decision-makers.

Core Features

- Role-based SOC analyst dashboard
- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: MITRE ATT&CK; Mapping module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this cybersecurity system with deeper MITRE ATT&CK; Mapping capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1166 — Deception Technology (Honeypots)-Based Supply-Chain Risk Monitoring Solution for the Sports Sector

Category: Cybersecurity | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Existing supply-chain risk monitoring workflows in Sports are reactive rather than predictive, leading to delayed decision-making and lost opportunities.

Solution Overview

The solution uses Deception Technology (Honeypots) to continuously learn from supply-chain risk monitoring patterns, proactively flagging issues before they impact Sports operations.

Core Features

- Automated phishing email sandboxing
- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Deception Technology (Honeypots) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this cybersecurity system with deeper Deception Technology (Honeypots) capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1167 — An Intelligent Deepfake Detection Framework Leveraging Zero Trust Architecture in Banking

Category: Cybersecurity | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Banking lack a unified, intelligent way to handle deepfake detection, resulting in increased fraud and security exposure and inefficiency.

Solution Overview

The proposed system applies Zero Trust Architecture to automatically analyze deepfake detection-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Compliance reporting (ISO 27001 / PCI-DSS style)
- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Zero Trust Architecture module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this cybersecurity system with deeper Zero Trust Architecture capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1168 — E-commerce-Focused Ddos Mitigation Assistant Powered by SOC Automation (SOAR)

Category: Cybersecurity | Difficulty: Beginner | Innovation Score: 6/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

E-commerce institutions frequently face inability to scale during demand spikes because current DDoS mitigation tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end DDoS mitigation pipeline powered by SOC Automation (SOAR), giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Real-time alert correlation and severity scoring
- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: SOC Automation (SOAR) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this cybersecurity system with deeper SOC Automation (SOAR) capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1169 — Real-Time Container Security Scanning Detection using XDR Threat Correlation for Healthcare Applications

Category: Cybersecurity | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable container security scanning solution tailored for Healthcare, causing delayed decision-making for smaller players in the sector.

Solution Overview

By combining XDR Threat Correlation with a usability-first interface, the platform turns raw container security scanning signals into clear recommendations for Healthcare decision-makers.

Core Features

- Automated playbook-driven incident response
- MITRE ATT&CK; technique tagging on detections
- Threat-intel feed integration
- Visual attack-chain timeline reconstruction
- Role-based SOC analyst dashboard

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: XDR Threat Correlation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this cybersecurity system with deeper XDR Threat Correlation capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Ethical Hacking & Pentesting

Project #1170 — Automated Red-Teaming Frameworks-Driven Web Application Vulnerability Scanning Optimization Platform for Food & Beverage

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Food & Beverage sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Food & Beverage operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1171 — Next-Gen Network Penetration Automation System with AI-assisted Fuzzing Integration for Hospitality

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Hospitality | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Hospitality are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Hospitality stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1172 — Privacy-Preserving Wireless Security Auditing using Breach & Attack Simulation for Agriculture

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Agriculture | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Agriculture lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Breach & Attack Simulation, giving Agriculture teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1173 — Autonomous Social-Engineering Simulation Agent Built with Cloud Security Posture Management (CSPM) for Energy & Utilities

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Energy & Utilities | Est. Dev Time: 10-14 weeks

Problem Statement

Energy & Utilities institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Energy & Utilities decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1174 — Attack-path Graph Analysis Enabled Api Endpoint Fuzzing Dashboard for Space Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Space | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Space, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Space operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1175 — Federated Cloud Misconfiguration Scanning Network using Automated Red-Teaming Frameworks for Wildlife Conservation

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Wildlife Conservation sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Wildlife Conservation stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1176 — AI-assisted Fuzzing-Powered Mobile App Security Testing System for Automobile

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Automobile | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Automobile are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by AI-assisted Fuzzing, giving Automobile teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1177 — Smart Red-Team Attack Simulation Platform using Breach & Attack Simulation for Insurance

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Insurance lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Insurance decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1178 — Cloud Security Posture Management (CSPM)-Based Active Directory Attack-Path Mapping Solution for the Sports Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Sports institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Sports operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1179 — An Intelligent IoT Firmware Exploitation Testing Framework Leveraging Attack-path Graph Analysis in Banking

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Banking, causing slow incident response times for smaller players in the sector.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1180 — E-commerce-Focused Web Application Vulnerability Scanning Assistant Powered by AI-assisted Fuzzing

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the E-commerce sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by AI-assisted Fuzzing, giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1181 — Real-Time Network Penetration Automation Detection using Breach & Attack Simulation for Healthcare Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Healthcare are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Healthcare decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1182 — Cloud Security Posture Management (CSPM)-Driven Wireless Security Auditing Optimization Platform for Logistics & Supply Chain

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Logistics & Supply Chain
| Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Logistics & Supply Chain lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Logistics & Supply Chain operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1183 — Next-Gen Social-Engineering Simulation System with Attack-path Graph Analysis Integration for Government & Public Sector

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Government & Public Sector | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Government & Public Sector institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Government & Public Sector stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1184 — Privacy-Preserving Api Endpoint Fuzzing using Automated Red-Teaming Frameworks for NGO & Nonprofit

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for NGO & Nonprofit, causing data privacy risks for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Automated Red-Teaming Frameworks, giving NGO & Nonprofit teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1185 — Autonomous Cloud Misconfiguration Scanning Agent Built with AI-assisted Fuzzing for Telecommunications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Telecommunications | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Telecommunications sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Telecommunications decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1186 — Breach & Attack Simulation Enabled Mobile App Security Testing Dashboard for Defense Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Defense are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Defense operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1187 — Federated Red-Team Attack Simulation Network using Cloud Security Posture Management (CSPM) for Environment & Climate

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Environment & Climate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Environment & Climate lack a unified, intelligent way to handle red-team attack simulation, resulting in data privacy risks and inefficiency.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Environment & Climate stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1188 — Attack-path Graph Analysis-Powered Active Directory Attack-Path Mapping System for Marine & Maritime

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Marine & Maritime | Est. Dev Time: 6-8 weeks

Problem Statement

Marine & Maritime institutions frequently face slow incident response times because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Attack-path Graph Analysis, giving Marine & Maritime teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1189 — Smart IoT Firmware Exploitation Testing Platform using Automated Red-Teaming Frameworks for Legal & Compliance

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Legal & Compliance | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Legal & Compliance, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Legal & Compliance decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1190 — Breach & Attack Simulation-Based Web Application Vulnerability Scanning Solution for the Aviation Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Aviation | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Aviation sector struggle with data privacy risks due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Aviation operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1191 — An Intelligent Network Penetration Automation Framework Leveraging Cloud Security Posture Management (CSPM) in Retail

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Retail | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Retail are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Retail stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1192 — Gaming-Focused Wireless Security Auditing Assistant Powered by Attack-path Graph Analysis

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Gaming | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Gaming lack a unified, intelligent way to handle wireless security auditing, resulting in lack of real-time visibility and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Attack-path Graph Analysis, giving Gaming teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1193 — Real-Time Social-Engineering Simulation Detection using Automated Red-Teaming Frameworks for Construction Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Construction | Est. Dev Time: 10-14 weeks

Problem Statement

Construction institutions frequently face data privacy risks because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Construction decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1194 — AI-assisted Fuzzing-Driven Api Endpoint Fuzzing Optimization Platform for Real Estate

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Real Estate | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Real Estate, causing slow incident response times for smaller players in the sector.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Real Estate operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1195 — Next-Gen Cloud Misconfiguration Scanning System with Breach & Attack Simulation Integration for Education

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Education | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Education sector struggle with lack of real-time visibility due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Education stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1196 — Privacy-Preserving Mobile App Security Testing using Cloud Security Posture Management (CSPM) for Manufacturing

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Manufacturing | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Manufacturing are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Cloud Security Posture Management (CSPM), giving Manufacturing teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1197 — Autonomous Red-Team Attack Simulation Agent Built with Attack-path Graph Analysis for Smart Cities

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Smart Cities | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Smart Cities lack a unified, intelligent way to handle red-team attack simulation, resulting in slow incident response times and inefficiency.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Smart Cities decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1198 — Automated Red-Teaming Frameworks Enabled Active Directory Attack-Path Mapping Dashboard for Social Welfare Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Social Welfare | Est. Dev Time: 4-5 months

Problem Statement

Social Welfare institutions frequently face lack of real-time visibility because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Social Welfare operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1199 — Federated IoT Firmware Exploitation Testing Network using AI-assisted Fuzzing for Mining

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Mining | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Mining, causing data privacy risks for smaller players in the sector.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Mining stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1200 — Cloud Security Posture Management (CSPM)-Powered Web Application Vulnerability Scanning System for Finance

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Finance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Finance sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Cloud Security Posture Management (CSPM), giving Finance teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1201 — Smart Network Penetration Automation Platform using Attack-path Graph Analysis for Transportation

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Transportation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Transportation are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Transportation decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1202 — Automated Red-Teaming Frameworks-Based Wireless Security Auditing Solution for the Hospitals & Clinics Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Hospitals & Clinics | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitals & Clinics lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Hospitals & Clinics operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1203 — An Intelligent Social-Engineering Simulation Framework Leveraging AI-assisted Fuzzing in Human Resources

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Human Resources
| Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Human Resources institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Human Resources stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1204 — Disaster Management-Focused Api Endpoint Fuzzing Assistant Powered by Breach & Attack Simulation

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Disaster Management |
Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Disaster Management, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Breach & Attack Simulation, giving Disaster Management teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1205 — Real-Time Cloud Misconfiguration Scanning Detection using Cloud Security Posture Management (CSPM) for Travel & Tourism Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Travel & Tourism sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Travel & Tourism decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1206 — Attack-path Graph Analysis-Driven Mobile App Security Testing Optimization Platform for Entertainment & Media

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Entertainment & Media | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Entertainment & Media are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Entertainment & Media operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1207 — Next-Gen Red-Team Attack Simulation System with Automated Red-Teaming Frameworks Integration for Food & Beverage

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Food & Beverage | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Food & Beverage lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Food & Beverage stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1208 — Privacy-Preserving Active Directory Attack-Path Mapping using AI-assisted Fuzzing for Hospitality

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Hospitality | Est. Dev Time: 6-8 weeks

Problem Statement

Hospitality institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by AI-assisted Fuzzing, giving Hospitality teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1209 — Autonomous IoT Firmware Exploitation Testing Agent Built with Breach & Attack Simulation for Agriculture

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Agriculture | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Agriculture, causing slow incident response times for smaller players in the sector.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Agriculture decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1210 — Attack-path Graph Analysis Enabled Web Application Vulnerability Scanning Dashboard for Energy & Utilities Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Energy & Utilities | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Energy & Utilities sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Energy & Utilities operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1211 — Federated Network Penetration Automation Network using Automated Red-Teaming Frameworks for Space

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Space | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Space are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Space stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1212 — AI-assisted Fuzzing-Powered Wireless Security Auditing System for Wildlife Conservation

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Wildlife Conservation lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by AI-assisted Fuzzing, giving Wildlife Conservation teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1213 — Smart Social-Engineering Simulation Platform using Breach & Attack Simulation for Automobile

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Automobile | Est. Dev Time: 10-14 weeks

Problem Statement

Automobile institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Automobile decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1214 — Cloud Security Posture Management (CSPM)-Based Api Endpoint Fuzzing Solution for the Insurance Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Insurance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Insurance, causing data privacy risks for smaller players in the sector.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Insurance operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1215 — An Intelligent Cloud Misconfiguration Scanning Framework Leveraging Attack-path Graph Analysis in Sports

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Sports | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Sports sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Sports stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1216 — Banking-Focused Mobile App Security Testing Assistant Powered by Automated Red-Teaming Frameworks

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Banking | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Banking are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Automated Red-Teaming Frameworks, giving Banking teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1217 — Real-Time Red-Team Attack Simulation Detection using AI-assisted Fuzzing for E-commerce Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: E-commerce | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in E-commerce lack a unified, intelligent way to handle red-team attack simulation, resulting in data privacy risks and inefficiency.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for E-commerce decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1218 — Breach & Attack Simulation-Driven Active Directory Attack-Path Mapping Optimization Platform for Healthcare

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 4-5 months

Problem Statement

Healthcare institutions frequently face slow incident response times because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Healthcare operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1219 — Next-Gen IoT Firmware Exploitation Testing System with Cloud Security Posture Management (CSPM) Integration for Logistics & Supply Chain

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Logistics & Supply Chain, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Logistics & Supply Chain stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1220 — Privacy-Preserving Web Application Vulnerability Scanning using Automated Red-Teaming Frameworks for Government & Public Sector

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Government & Public Sector | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Government & Public Sector struggle with data privacy risks due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Automated Red-Teaming Frameworks, giving Government & Public Sector teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1221 — Autonomous Network Penetration Automation Agent Built with AI-assisted Fuzzing for NGO & Nonprofit

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: NGO & Nonprofit | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in NGO & Nonprofit are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for NGO & Nonprofit decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1222 — Breach & Attack Simulation Enabled Wireless Security Auditing Dashboard for Telecommunications Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Telecommunications | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Telecommunications lack a unified, intelligent way to handle wireless security auditing, resulting in lack of real-time visibility and inefficiency.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Telecommunications operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1223 — Federated Social-Engineering Simulation Network using Cloud Security Posture Management (CSPM) for Defense

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Defense | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Defense institutions frequently face data privacy risks because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Defense stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1224 — Attack-path Graph Analysis-Powered Api Endpoint Fuzzing System for Environment & Climate

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Environment & Climate | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Environment & Climate, causing slow incident response times for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Attack-path Graph Analysis, giving Environment & Climate teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1225 — Smart Cloud Misconfiguration Scanning Platform using Automated Red-Teaming Frameworks for Marine & Maritime

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Marine & Maritime | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Marine & Maritime sector struggle with lack of real-time visibility due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Marine & Maritime decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1226 — AI-assisted Fuzzing-Based Mobile App Security Testing Solution for the Legal & Compliance Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Legal & Compliance | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Legal & Compliance are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Legal & Compliance operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1227 — An Intelligent Red-Team Attack Simulation Framework Leveraging Breach & Attack Simulation in Aviation

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Aviation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Aviation lack a unified, intelligent way to handle red-team attack simulation, resulting in slow incident response times and inefficiency.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Aviation stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1228 — Retail-Focused Active Directory Attack-Path Mapping Assistant Powered by Cloud Security Posture Management (CSPM)

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Retail | Est. Dev Time: 6-8 weeks

Problem Statement

Retail institutions frequently face lack of real-time visibility because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Cloud Security Posture Management (CSPM), giving Retail teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1229 — Real-Time IoT Firmware Exploitation Testing Detection using Attack-path Graph Analysis for Gaming Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Gaming | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Gaming, causing data privacy risks for smaller players in the sector.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Gaming decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1230 — AI-assisted Fuzzing-Driven Web Application Vulnerability Scanning Optimization Platform for Construction

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Construction | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Construction sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Construction operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1231 — Next-Gen Network Penetration Automation System with Breach & Attack Simulation Integration for Real Estate

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Real Estate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Real Estate are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Real Estate stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1232 — Privacy-Preserving Wireless Security Auditing using Cloud Security Posture Management (CSPM) for Education

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Education | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Education lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Cloud Security Posture Management (CSPM), giving Education teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1233 — Autonomous Social-Engineering Simulation Agent Built with Attack-path Graph Analysis for Manufacturing

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Manufacturing | Est. Dev Time: 10-14 weeks

Problem Statement

Manufacturing institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Manufacturing decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1234 — Automated Red-Teaming Frameworks Enabled Api Endpoint Fuzzing Dashboard for Smart Cities Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Smart Cities | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Smart Cities, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Smart Cities operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1235 — Federated Cloud Misconfiguration Scanning Network using AI-assisted Fuzzing for Social Welfare

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Social Welfare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Social Welfare sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Social Welfare stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1236 — Breach & Attack Simulation-Powered Mobile App Security Testing System for Mining

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Mining | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Mining are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Breach & Attack Simulation, giving Mining teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1237 — Smart Red-Team Attack Simulation Platform using Cloud Security Posture Management (CSPM) for Finance

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Finance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Finance lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Finance decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1238 — Attack-path Graph Analysis-Based Active Directory Attack-Path Mapping Solution for the Transportation Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Transportation | Est. Dev Time: 4-5 months

Problem Statement

Transportation institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Transportation operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1239 — An Intelligent IoT Firmware Exploitation Testing Framework Leveraging Automated Red-Teaming Frameworks in Hospitals & Clinics

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Hospitals & Clinics
| Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Hospitals & Clinics, causing slow incident response times for smaller players in the sector.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Hospitals & Clinics stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1240 — Human Resources-Focused Web Application Vulnerability Scanning Assistant Powered by Breach & Attack Simulation

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Human Resources | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Human Resources sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Breach & Attack Simulation, giving Human Resources teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1241 — Real-Time Network Penetration Automation Detection using Cloud Security Posture Management (CSPM) for Disaster Management Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Disaster Management
| Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Disaster Management are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Disaster Management decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1242 — Attack-path Graph Analysis-Driven Wireless Security Auditing Optimization Platform for Travel & Tourism

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Travel & Tourism lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Travel & Tourism operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1243 — Next-Gen Social-Engineering Simulation System with Automated Red-Teaming Frameworks Integration for Entertainment & Media

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Entertainment & Media | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Entertainment & Media institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Entertainment & Media stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1244 — Privacy-Preserving Api Endpoint Fuzzing using AI-assisted Fuzzing for Food & Beverage

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Food & Beverage, causing data privacy risks for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by AI-assisted Fuzzing, giving Food & Beverage teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1245 — Autonomous Cloud Misconfiguration Scanning Agent Built with Breach & Attack Simulation for Hospitality

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Hospitality | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Hospitality sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Hospitality decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1246 — Cloud Security Posture Management (CSPM) Enabled Mobile App Security Testing Dashboard for Agriculture Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Agriculture | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Agriculture are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Agriculture operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1247 — Federated Red-Team Attack Simulation Network using Attack-path Graph Analysis for Energy & Utilities

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Energy & Utilities
| Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Energy & Utilities lack a unified, intelligent way to handle red-team attack simulation, resulting in data privacy risks and inefficiency.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Energy & Utilities stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1248 — Automated Red-Teaming Frameworks-Powered Active Directory Attack-Path Mapping System for Space

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Space | Est. Dev Time: 6-8 weeks

Problem Statement

Space institutions frequently face slow incident response times because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Automated Red-Teaming Frameworks, giving Space teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1249 — Smart IoT Firmware Exploitation Testing Platform using AI-assisted Fuzzing for Wildlife Conservation

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Wildlife Conservation | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Wildlife Conservation, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Wildlife Conservation decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1250 — Cloud Security Posture Management (CSPM)-Based Web Application Vulnerability Scanning Solution for the Automobile Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Automobile | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Automobile sector struggle with data privacy risks due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Automobile operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1251 — An Intelligent Network Penetration Automation Framework Leveraging Attack-path Graph Analysis in Insurance

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Insurance are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Insurance stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1252 — Sports-Focused Wireless Security Auditing Assistant Powered by Automated Red-Teaming Frameworks

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Sports | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Sports lack a unified, intelligent way to handle wireless security auditing, resulting in lack of real-time visibility and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Automated Red-Teaming Frameworks, giving Sports teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1253 — Real-Time Social-Engineering Simulation Detection using AI-assisted Fuzzing for Banking Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Banking | Est. Dev Time: 10-14 weeks

Problem Statement

Banking institutions frequently face data privacy risks because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Banking decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1254 — Breach & Attack Simulation-Driven Api Endpoint Fuzzing Optimization Platform for E-commerce

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: E-commerce | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for E-commerce, causing slow incident response times for smaller players in the sector.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact E-commerce operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1255 — Next-Gen Cloud Misconfiguration Scanning System with Cloud Security Posture Management (CSPM) Integration for Healthcare

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Healthcare sector struggle with lack of real-time visibility due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Healthcare stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1256 — Privacy-Preserving Mobile App Security Testing using Attack-path Graph Analysis for Logistics & Supply Chain

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Logistics & Supply Chain are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Attack-path Graph Analysis, giving Logistics & Supply Chain teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1257 — Autonomous Red-Team Attack Simulation Agent Built with Automated Red-Teaming Frameworks for Government & Public Sector

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Government & Public Sector | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Government & Public Sector lack a unified, intelligent way to handle red-team attack simulation, resulting in slow incident response times and inefficiency.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Government & Public Sector decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1258 — AI-assisted Fuzzing Enabled Active Directory Attack-Path Mapping Dashboard for NGO & Nonprofit Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: NGO & Nonprofit | Est. Dev Time: 4-5 months

Problem Statement

NGO & Nonprofit institutions frequently face lack of real-time visibility because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact NGO & Nonprofit operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1259 — Federated IoT Firmware Exploitation Testing Network using Breach & Attack Simulation for Telecommunications

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Telecommunications
| Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Telecommunications, causing data privacy risks for smaller players in the sector.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Telecommunications stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1260 — Attack-path Graph Analysis-Powered Web Application Vulnerability Scanning System for Defense

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Defense | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Defense sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Attack-path Graph Analysis, giving Defense teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1261 — Smart Network Penetration Automation Platform using Automated Red-Teaming Frameworks for Environment & Climate

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Environment & Climate
| Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Environment & Climate are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Environment & Climate decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1262 — AI-assisted Fuzzing-Based Wireless Security Auditing Solution for the Marine & Maritime Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Marine & Maritime | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Marine & Maritime lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Marine & Maritime operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1263 — An Intelligent Social-Engineering Simulation Framework Leveraging Breach & Attack Simulation in Legal & Compliance

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Legal & Compliance
| Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Legal & Compliance institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Legal & Compliance stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1264 — Aviation-Focused Api Endpoint Fuzzing Assistant Powered by Cloud Security Posture Management (CSPM)

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Aviation | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Aviation, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Cloud Security Posture Management (CSPM), giving Aviation teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1265 — Real-Time Cloud Misconfiguration Scanning Detection using Attack-path Graph Analysis for Retail Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Retail | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Retail sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Retail decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1266 — Automated Red-Teaming Frameworks-Driven Mobile App Security Testing Optimization Platform for Gaming

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Gaming | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Gaming are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Gaming operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1267 — Next-Gen Red-Team Attack Simulation System with AI-assisted Fuzzing Integration for Construction

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Construction | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Construction lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Construction stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1268 — Privacy-Preserving Active Directory Attack-Path Mapping using Breach & Attack Simulation for Real Estate

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Real Estate | Est. Dev Time: 6-8 weeks

Problem Statement

Real Estate institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Breach & Attack Simulation, giving Real Estate teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1269 — Autonomous IoT Firmware Exploitation Testing Agent Built with Cloud Security Posture Management (CSPM) for Education

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Education | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Education, causing slow incident response times for smaller players in the sector.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Education decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1270 — Automated Red-Teaming Frameworks Enabled Web Application Vulnerability Scanning Dashboard for Manufacturing Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Manufacturing | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Manufacturing sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Manufacturing operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1271 — Federated Network Penetration Automation Network using AI-assisted Fuzzing for Smart Cities

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Smart Cities | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Smart Cities are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Smart Cities stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1272 — Breach & Attack Simulation-Powered Wireless Security Auditing System for Social Welfare

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Social Welfare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Social Welfare lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Breach & Attack Simulation, giving Social Welfare teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1273 — Smart Social-Engineering Simulation Platform using Cloud Security Posture Management (CSPM) for Mining

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Mining | Est. Dev Time: 10-14 weeks

Problem Statement

Mining institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Mining decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1274 — Attack-path Graph Analysis-Based Api Endpoint Fuzzing Solution for the Finance Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Finance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Finance, causing data privacy risks for smaller players in the sector.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Finance operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1275 — An Intelligent Cloud Misconfiguration Scanning Framework Leveraging Automated Red-Teaming Frameworks in Transportation

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Transportation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Transportation sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Transportation stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1276 — Hospitals & Clinics-Focused Mobile App Security Testing Assistant Powered by AI-assisted Fuzzing

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Hospitals & Clinics | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Hospitals & Clinics are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by AI-assisted Fuzzing, giving Hospitals & Clinics teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1277 — Real-Time Red-Team Attack Simulation Detection using Breach & Attack Simulation for Human Resources Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Human Resources | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Human Resources lack a unified, intelligent way to handle red-team attack simulation, resulting in data privacy risks and inefficiency.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Human Resources decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1278 — Cloud Security Posture Management (CSPM)-Driven Active Directory Attack-Path Mapping Optimization Platform for Disaster Management

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 4-5 months

Problem Statement

Disaster Management institutions frequently face slow incident response times because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Disaster Management operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1279 — Next-Gen IoT Firmware Exploitation Testing System with Attack-path Graph Analysis Integration for Travel & Tourism

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Travel & Tourism, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Travel & Tourism stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1280 — Privacy-Preserving Web Application Vulnerability Scanning using AI-assisted Fuzzing for Entertainment & Media

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Entertainment & Media | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Entertainment & Media sector struggle with data privacy risks due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by AI-assisted Fuzzing, giving Entertainment & Media teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1281 — Autonomous Network Penetration Automation Agent Built with Breach & Attack Simulation for Food & Beverage

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Food & Beverage | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Food & Beverage are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Food & Beverage decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1282 — Cloud Security Posture Management (CSPM) Enabled Wireless Security Auditing Dashboard for Hospitality Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Hospitality | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitality lack a unified, intelligent way to handle wireless security auditing, resulting in lack of real-time visibility and inefficiency.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Hospitality operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1283 — Federated Social-Engineering Simulation Network using Attack-path Graph Analysis for Agriculture

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Agriculture | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Agriculture institutions frequently face data privacy risks because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Agriculture stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1284 — Automated Red-Teaming Frameworks-Powered Api Endpoint Fuzzing System for Energy & Utilities

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Energy & Utilities | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Energy & Utilities, causing slow incident response times for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Automated Red-Teaming Frameworks, giving Energy & Utilities teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1285 — Smart Cloud Misconfiguration Scanning Platform using AI-assisted Fuzzing for Space

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Space | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Space sector struggle with lack of real-time visibility due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Space decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1286 — Breach & Attack Simulation-Based Mobile App Security Testing Solution for the Wildlife Conservation Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Wildlife Conservation | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Wildlife Conservation are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Wildlife Conservation operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1287 — An Intelligent Red-Team Attack Simulation Framework Leveraging Cloud Security Posture Management (CSPM) in Automobile

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Automobile | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Automobile lack a unified, intelligent way to handle red-team attack simulation, resulting in slow incident response times and inefficiency.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Automobile stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1288 — Insurance-Focused Active Directory Attack-Path Mapping Assistant Powered by Attack-path Graph Analysis

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Insurance | Est. Dev Time: 6-8 weeks

Problem Statement

Insurance institutions frequently face lack of real-time visibility because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Attack-path Graph Analysis, giving Insurance teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1289 — Real-Time IoT Firmware Exploitation Testing Detection using Automated Red-Teaming Frameworks for Sports Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Sports | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Sports, causing data privacy risks for smaller players in the sector.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Sports decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1290 — Breach & Attack Simulation-Driven Web Application Vulnerability Scanning Optimization Platform for Banking

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Banking | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Banking sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Banking operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1291 — Next-Gen Network Penetration Automation System with Cloud Security Posture Management (CSPM) Integration for E-commerce

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: E-commerce | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in E-commerce are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to E-commerce stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1292 — Privacy-Preserving Wireless Security Auditing using Attack-path Graph Analysis for Healthcare

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Healthcare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Healthcare lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Attack-path Graph Analysis, giving Healthcare teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1293 — Autonomous Social-Engineering Simulation Agent Built with Automated Red-Teaming Frameworks for Logistics & Supply Chain

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 10-14 weeks

Problem Statement

Logistics & Supply Chain institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Logistics & Supply Chain decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1294 — AI-assisted Fuzzing Enabled Api Endpoint Fuzzing Dashboard for Government & Public Sector Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Government & Public Sector | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Government & Public Sector, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Government & Public Sector operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1295 — Federated Cloud Misconfiguration Scanning Network using Breach & Attack Simulation for NGO & Nonprofit

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the NGO & Nonprofit sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to NGO & Nonprofit stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1296 — Cloud Security Posture Management (CSPM)-Powered Mobile App Security Testing System for Telecommunications

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Telecommunications are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Cloud Security Posture Management (CSPM), giving Telecommunications teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1297 — Smart Red-Team Attack Simulation Platform using Attack-path Graph Analysis for Defense

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Defense lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Defense decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1298 — Automated Red-Teaming Frameworks-Based Active Directory Attack-Path Mapping Solution for the Environment & Climate Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Environment & Climate | Est. Dev Time: 4-5 months

Problem Statement

Environment & Climate institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Environment & Climate operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1299 — An Intelligent IoT Firmware Exploitation Testing Framework Leveraging AI-assisted Fuzzing in Marine & Maritime

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Marine & Maritime | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Marine & Maritime, causing slow incident response times for smaller players in the sector.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Marine & Maritime stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1300 — Legal & Compliance-Focused Web Application Vulnerability Scanning Assistant Powered by Cloud Security Posture Management (CSPM)

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Legal & Compliance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Legal & Compliance sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Cloud Security Posture Management (CSPM), giving Legal & Compliance teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1301 — Real-Time Network Penetration Automation Detection using Attack-path Graph Analysis for Aviation Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Aviation are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Aviation decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1302 — Automated Red-Teaming Frameworks-Driven Wireless Security Auditing Optimization Platform for Retail

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Retail | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Retail lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Retail operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1303 — Next-Gen Social-Engineering Simulation System with AI-assisted Fuzzing Integration for Gaming

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Gaming | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Gaming institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Gaming stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1304 — Privacy-Preserving Api Endpoint Fuzzing using Breach & Attack Simulation for Construction

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Construction | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Construction, causing data privacy risks for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Breach & Attack Simulation, giving Construction teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1305 — Autonomous Cloud Misconfiguration Scanning Agent Built with Cloud Security Posture Management (CSPM) for Real Estate

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Real Estate | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Real Estate sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Cloud Security Posture Management (CSPM) with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Real Estate decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1306 — Attack-path Graph Analysis Enabled Mobile App Security Testing Dashboard for Education Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Education | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Education are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Education operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1307 — Federated Red-Team Attack Simulation Network using Automated Red-Teaming Frameworks for Manufacturing

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Manufacturing | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Manufacturing lack a unified, intelligent way to handle red-team attack simulation, resulting in data privacy risks and inefficiency.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Manufacturing stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1308 — AI-assisted Fuzzing-Powered Active Directory Attack-Path Mapping System for Smart Cities

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Smart Cities | Est. Dev Time: 6-8 weeks

Problem Statement

Smart Cities institutions frequently face slow incident response times because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by AI-assisted Fuzzing, giving Smart Cities teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1309 — Smart IoT Firmware Exploitation Testing Platform using Breach & Attack Simulation for Social Welfare

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Social Welfare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Social Welfare, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Social Welfare decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1310 — Attack-path Graph Analysis-Based Web Application Vulnerability Scanning Solution for the Mining Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Mining | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Mining sector struggle with data privacy risks due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses Attack-path Graph Analysis to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Mining operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1311 — An Intelligent Network Penetration Automation Framework Leveraging Automated Red-Teaming Frameworks in Finance

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Finance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Finance are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The proposed system applies Automated Red-Teaming Frameworks to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Finance stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1312 — Transportation-Focused Wireless Security Auditing Assistant Powered by AI-assisted Fuzzing

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Transportation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Transportation lack a unified, intelligent way to handle wireless security auditing, resulting in lack of real-time visibility and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by AI-assisted Fuzzing, giving Transportation teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1313 — Real-Time Social-Engineering Simulation Detection using Breach & Attack Simulation for Hospitals & Clinics Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Hospitals & Clinics | Est. Dev Time: 10-14 weeks

Problem Statement

Hospitals & Clinics institutions frequently face data privacy risks because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Breach & Attack Simulation with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Hospitals & Clinics decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1314 — Cloud Security Posture Management (CSPM)-Driven Api Endpoint Fuzzing Optimization Platform for Human Resources

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Human Resources | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Human Resources, causing slow incident response times for smaller players in the sector.

Solution Overview

The solution uses Cloud Security Posture Management (CSPM) to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Human Resources operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1315 — Next-Gen Cloud Misconfiguration Scanning System with Attack-path Graph Analysis Integration for Disaster Management

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Disaster Management sector struggle with lack of real-time visibility due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies Attack-path Graph Analysis to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Disaster Management stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1316 — Privacy-Preserving Mobile App Security Testing using Automated Red-Teaming Frameworks for Travel & Tourism

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Travel & Tourism | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Travel & Tourism are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Automated Red-Teaming Frameworks, giving Travel & Tourism teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1317 — Autonomous Red-Team Attack Simulation Agent Built with AI-assisted Fuzzing for Entertainment & Media

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Entertainment & Media
| Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Entertainment & Media lack a unified, intelligent way to handle red-team attack simulation, resulting in slow incident response times and inefficiency.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw red-team attack simulation signals into clear recommendations for Entertainment & Media decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1318 — Breach & Attack Simulation Enabled Active Directory Attack-Path Mapping Dashboard for Food & Beverage Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Food & Beverage | Est. Dev Time: 4-5 months

Problem Statement

Food & Beverage institutions frequently face lack of real-time visibility because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from active directory attack-path mapping patterns, proactively flagging issues before they impact Food & Beverage operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1319 — Federated IoT Firmware Exploitation Testing Network using Cloud Security Posture Management (CSPM) for Hospitality

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Hospitality | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Hospitality, causing data privacy risks for smaller players in the sector.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze IoT firmware exploitation testing-related data and deliver actionable, real-time insights to Hospitality stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1320 — Automated Red-Teaming Frameworks-Powered Web Application Vulnerability Scanning System for Agriculture

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Agriculture | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Agriculture sector struggle with slow incident response times due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

This project builds an end-to-end web application vulnerability scanning pipeline powered by Automated Red-Teaming Frameworks, giving Agriculture teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1321 — Smart Network Penetration Automation Platform using AI-assisted Fuzzing for Energy & Utilities

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Energy & Utilities | Est. Dev Time: 10-14 weeks

Problem Statement

Existing network penetration automation workflows in Energy & Utilities are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

By combining AI-assisted Fuzzing with a usability-first interface, the platform turns raw network penetration automation signals into clear recommendations for Energy & Utilities decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1322 — Breach & Attack Simulation-Based Wireless Security Auditing Solution for the Space Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Space | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Space lack a unified, intelligent way to handle wireless security auditing, resulting in data privacy risks and inefficiency.

Solution Overview

The solution uses Breach & Attack Simulation to continuously learn from wireless security auditing patterns, proactively flagging issues before they impact Space operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1323 — An Intelligent Social-Engineering Simulation Framework Leveraging Cloud Security Posture Management (CSPM) in Wildlife Conservation

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Wildlife Conservation institutions frequently face slow incident response times because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Cloud Security Posture Management (CSPM) to automatically analyze social-engineering simulation-related data and deliver actionable, real-time insights to Wildlife Conservation stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1324 — Automobile-Focused Api Endpoint Fuzzing Assistant Powered by Attack-path Graph Analysis

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Automobile | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Automobile, causing lack of real-time visibility for smaller players in the sector.

Solution Overview

This project builds an end-to-end API endpoint fuzzing pipeline powered by Attack-path Graph Analysis, giving Automobile teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1325 — Real-Time Cloud Misconfiguration Scanning Detection using Automated Red-Teaming Frameworks for Insurance Applications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Insurance sector struggle with data privacy risks due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

By combining Automated Red-Teaming Frameworks with a usability-first interface, the platform turns raw cloud misconfiguration scanning signals into clear recommendations for Insurance decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1326 — AI-assisted Fuzzing-Driven Mobile App Security Testing Optimization Platform for Sports

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Existing mobile app security testing workflows in Sports are reactive rather than predictive, leading to slow incident response times and lost opportunities.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from mobile app security testing patterns, proactively flagging issues before they impact Sports operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1327 — Next-Gen Red-Team Attack Simulation System with Breach & Attack Simulation Integration for Banking

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Banking lack a unified, intelligent way to handle red-team attack simulation, resulting in lack of real-time visibility and inefficiency.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze red-team attack simulation-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1328 — Privacy-Preserving Active Directory Attack-Path Mapping using Cloud Security Posture Management (CSPM) for E-commerce

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

E-commerce institutions frequently face data privacy risks because current active directory attack-path mapping tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end active directory attack-path mapping pipeline powered by Cloud Security Posture Management (CSPM), giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1329 — Autonomous IoT Firmware Exploitation Testing Agent Built with Attack-path Graph Analysis for Healthcare

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable IoT firmware exploitation testing solution tailored for Healthcare, causing slow incident response times for smaller players in the sector.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw IoT firmware exploitation testing signals into clear recommendations for Healthcare decision-makers.

Core Features

- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1330 — AI-assisted Fuzzing Enabled Web Application Vulnerability Scanning Dashboard for Logistics & Supply Chain Decision-Making

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Logistics & Supply Chain
| Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Logistics & Supply Chain sector struggle with lack of real-time visibility due to manual, fragmented web application vulnerability scanning processes that do not scale.

Solution Overview

The solution uses AI-assisted Fuzzing to continuously learn from web application vulnerability scanning patterns, proactively flagging issues before they impact Logistics & Supply Chain operations.

Core Features

- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1331 — Federated Network Penetration Automation Network using Breach & Attack Simulation for Government & Public Sector

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Government & Public Sector | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing network penetration automation workflows in Government & Public Sector are reactive rather than predictive, leading to data privacy risks and lost opportunities.

Solution Overview

The proposed system applies Breach & Attack Simulation to automatically analyze network penetration automation-related data and deliver actionable, real-time insights to Government & Public Sector stakeholders.

Core Features

- Safe sandboxed exploitation environment
- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1332 — Cloud Security Posture Management (CSPM)-Powered Wireless Security Auditing System for NGO & Nonprofit

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 5/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in NGO & Nonprofit lack a unified, intelligent way to handle wireless security auditing, resulting in slow incident response times and inefficiency.

Solution Overview

This project builds an end-to-end wireless security auditing pipeline powered by Cloud Security Posture Management (CSPM), giving NGO & Nonprofit teams a single intelligent interface to monitor and act on findings.

Core Features

- Remediation guidance generator
- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Cloud Security Posture Management (CSPM) module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Cloud Security Posture Management (CSPM) capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1333 — Smart Social-Engineering Simulation Platform using Attack-path Graph Analysis for Telecommunications

Category: Ethical Hacking & Pentesting | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 10-14 weeks

Problem Statement

Telecommunications institutions frequently face lack of real-time visibility because current social-engineering simulation tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Attack-path Graph Analysis with a usability-first interface, the platform turns raw social-engineering simulation signals into clear recommendations for Telecommunications decision-makers.

Core Features

- Compliance-mapped findings (OWASP/CIS)
- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Attack-path Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Attack-path Graph Analysis capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1334 — Automated Red-Teaming Frameworks-Based Api Endpoint Fuzzing Solution for the Defense Sector

Category: Ethical Hacking & Pentesting | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable API endpoint fuzzing solution tailored for Defense, causing data privacy risks for smaller players in the sector.

Solution Overview

The solution uses Automated Red-Teaming Frameworks to continuously learn from API endpoint fuzzing patterns, proactively flagging issues before they impact Defense operations.

Core Features

- Scheduled re-scan and regression tracking
- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Automated Red-Teaming Frameworks module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Automated Red-Teaming Frameworks capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1335 — An Intelligent Cloud Misconfiguration Scanning Framework Leveraging AI-assisted Fuzzing in Environment & Climate

Category: Ethical Hacking & Pentesting | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Environment & Climate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Environment & Climate sector struggle with slow incident response times due to manual, fragmented cloud misconfiguration scanning processes that do not scale.

Solution Overview

The proposed system applies AI-assisted Fuzzing to automatically analyze cloud misconfiguration scanning-related data and deliver actionable, real-time insights to Environment & Climate stakeholders.

Core Features

- Executive-summary report export
- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Fuzzing module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper AI-assisted Fuzzing capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1336 — Marine & Maritime-Focused Mobile App Security Testing Assistant Powered by Breach & Attack Simulation

Category: Ethical Hacking & Pentesting | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Marine & Maritime | Est. Dev Time: 6-8 weeks

Problem Statement

Existing mobile app security testing workflows in Marine & Maritime are reactive rather than predictive, leading to lack of real-time visibility and lost opportunities.

Solution Overview

This project builds an end-to-end mobile app security testing pipeline powered by Breach & Attack Simulation, giving Marine & Maritime teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated vulnerability scan scheduling and reporting
- CVSS-based risk prioritization
- Exploit-chain visualization graph
- Safe sandboxed exploitation environment
- Remediation guidance generator

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Breach & Attack Simulation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this ethical hacking & pentesting system with deeper Breach & Attack Simulation capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Digital Forensics

Project #1337 — Real-Time Disk Image Triage Automation Detection using AI-assisted Evidence Triage for Insurance Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Insurance lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Insurance decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1338 — Timeline Correlation Engines-Driven Memory Forensics Analysis Optimization Platform for Sports

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Sports institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Sports operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1339 — Next-Gen Deleted-File Recovery System with Hash-based File Matching Integration for Banking

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Banking, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1340 — Privacy-Preserving Mobile Device Forensics using Blockchain Transaction Graph Analysis for E-commerce

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the E-commerce sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Blockchain Transaction Graph Analysis, giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1341 — Autonomous Log Timeline Reconstruction Agent Built with Memory Forensics Automation for Healthcare

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Healthcare are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Healthcare decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1342 — AI-assisted Evidence Triage Enabled Cryptocurrency Transaction Tracing Dashboard for Logistics & Supply Chain Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Logistics & Supply Chain lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Logistics & Supply Chain operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1343 — Federated Deepfake Media Verification Network using Timeline Correlation Engines for Government & Public Sector

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Government & Public Sector | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Government & Public Sector institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Government & Public Sector stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1344 — Hash-based File Matching-Powered Email Header Forensics System for NGO & Nonprofit

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for NGO & Nonprofit, causing low transparency and trust for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Hash-based File Matching, giving NGO & Nonprofit teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1345 — Smart Cloud Storage Forensics Platform using Blockchain Transaction Graph Analysis for Telecommunications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Telecommunications sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Telecommunications decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1346 — Memory Forensics Automation-Based Chain-Of-Custody Automation Solution for the Defense Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Defense are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Defense operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1347 — An Intelligent Disk Image Triage Automation Framework Leveraging Timeline Correlation Engines in Environment & Climate

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Environment & Climate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Environment & Climate lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Environment & Climate stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1348 — Marine & Maritime-Focused Memory Forensics Analysis Assistant Powered by Hash-based File Matching

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Marine & Maritime | Est. Dev Time: 6-8 weeks

Problem Statement

Marine & Maritime institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Hash-based File Matching, giving Marine & Maritime teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1349 — Real-Time Deleted-File Recovery Detection using Blockchain Transaction Graph Analysis for Legal & Compliance Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Legal & Compliance | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Legal & Compliance, causing poor resource utilization for smaller players in the sector.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Legal & Compliance decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1350 — Memory Forensics Automation-Driven Mobile Device Forensics Optimization Platform for Aviation

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Aviation sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Aviation operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1351 — Next-Gen Log Timeline Reconstruction System with AI-assisted Evidence Triage Integration for Retail

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Retail | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Retail are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Retail stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1352 — Privacy-Preserving Cryptocurrency Transaction Tracing using Timeline Correlation Engines for Gaming

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Gaming | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Gaming lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Timeline Correlation Engines, giving Gaming teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1353 — Autonomous Deepfake Media Verification Agent Built with Hash-based File Matching for Construction

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Construction | Est. Dev Time: 10-14 weeks

Problem Statement

Construction institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Construction decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1354 — Blockchain Transaction Graph Analysis Enabled Email Header Forensics Dashboard for Real Estate Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Real Estate | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Real Estate, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from email header forensics patterns, proactively flagging issues before they impact Real Estate operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1355 — Federated Cloud Storage Forensics Network using Memory Forensics Automation for Education

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Education | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Education sector struggle with poor resource utilization due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Education stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1356 — AI-assisted Evidence Triage-Powered Chain-Of-Custody Automation System for Manufacturing

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Manufacturing | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Manufacturing are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by AI-assisted Evidence Triage, giving Manufacturing teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1357 — Smart Disk Image Triage Automation Platform using Hash-based File Matching for Smart Cities

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Smart Cities | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Smart Cities lack a unified, intelligent way to handle disk image triage automation, resulting in missed early-warning signals and inefficiency.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Smart Cities decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1358 — Blockchain Transaction Graph Analysis-Based Memory Forensics Analysis Solution for the Social Welfare Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Social Welfare | Est. Dev Time: 4-5 months

Problem Statement

Social Welfare institutions frequently face poor resource utilization because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Social Welfare operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1359 — An Intelligent Deleted-File Recovery Framework Leveraging Memory Forensics Automation in Mining

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Mining | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Mining, causing low transparency and trust for smaller players in the sector.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Mining stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1360 — Finance-Focused Mobile Device Forensics Assistant Powered by AI-assisted Evidence Triage

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Finance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Finance sector struggle with missed early-warning signals due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by AI-assisted Evidence Triage, giving Finance teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1361 — Real-Time Log Timeline Reconstruction Detection using Timeline Correlation Engines for Transportation Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Transportation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Transportation are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Transportation decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1362 — Hash-based File Matching-Driven Cryptocurrency Transaction Tracing Optimization Platform for Hospitals & Clinics

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Hospitals & Clinics | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitals & Clinics lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in low transparency and trust and inefficiency.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Hospitals & Clinics operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1363 — Next-Gen Deepfake Media Verification System with Blockchain Transaction Graph Analysis Integration for Human Resources

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Human Resources | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Human Resources institutions frequently face missed early-warning signals because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Human Resources stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design

Project #1364 — Privacy-Preserving Email Header Forensics using Memory Forensics Automation for Disaster Management

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Disaster Management | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Disaster Management, causing poor resource utilization for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Memory Forensics Automation, giving Disaster Management teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1365 — Autonomous Cloud Storage Forensics Agent Built with AI-assisted Evidence Triage for Travel & Tourism

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Travel & Tourism sector struggle with low transparency and trust due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Travel & Tourism decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1366 — Timeline Correlation Engines Enabled Chain-Of-Custody Automation Dashboard for Entertainment & Media Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Entertainment & Media | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Entertainment & Media are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Entertainment & Media operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1367 — Federated Disk Image Triage Automation Network using Blockchain Transaction Graph Analysis for Food & Beverage

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Food & Beverage | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Food & Beverage lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Food & Beverage stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1368 — Memory Forensics Automation-Powered Memory Forensics Analysis System for Hospitality

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Hospitality | Est. Dev Time: 6-8 weeks

Problem Statement

Hospitality institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Memory Forensics Automation, giving Hospitality teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1369 — Smart Deleted-File Recovery Platform using AI-assisted Evidence Triage for Agriculture

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Agriculture | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Agriculture, causing missed early-warning signals for smaller players in the sector.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Agriculture decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1370 — Timeline Correlation Engines-Based Mobile Device Forensics Solution for the Energy & Utilities Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Energy & Utilities | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Energy & Utilities sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Energy & Utilities operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1371 — An Intelligent Log Timeline Reconstruction Framework Leveraging Hash-based File Matching in Space

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Space | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Space are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Space stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1372 — Wildlife Conservation-Focused Cryptocurrency Transaction Tracing Assistant Powered by Blockchain Transaction Graph Analysis

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Wildlife Conservation lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Blockchain Transaction Graph Analysis, giving Wildlife Conservation teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1373 — Real-Time Deepfake Media Verification Detection using Memory Forensics Automation for Automobile Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Automobile | Est. Dev Time: 10-14 weeks

Problem Statement

Automobile institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Automobile decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1374 — AI-assisted Evidence Triage-Driven Email Header Forensics Optimization Platform for Insurance

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Insurance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Insurance, causing low transparency and trust for smaller players in the sector.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from email header forensics patterns, proactively flagging issues before they impact Insurance operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1375 — Next-Gen Cloud Storage Forensics System with Timeline Correlation Engines Integration for Sports

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Sports | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Sports sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Sports stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1376 — Privacy-Preserving Chain-Of-Custody Automation using Hash-based File Matching for Banking

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Banking | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Banking are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Hash-based File Matching, giving Banking teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1377 — Autonomous Disk Image Triage Automation Agent Built with Memory Forensics Automation for E-commerce

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: E-commerce | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in E-commerce lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for E-commerce decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1378 — AI-assisted Evidence Triage Enabled Memory Forensics Analysis Dashboard for Healthcare Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Healthcare | Est. Dev Time: 4-5 months

Problem Statement

Healthcare institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Healthcare operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1379 — Federated Deleted-File Recovery Network using Timeline Correlation Engines for Logistics & Supply Chain

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Logistics & Supply Chain, causing poor resource utilization for smaller players in the sector.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Logistics & Supply Chain stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1380 — Hash-based File Matching-Powered Mobile Device Forensics System for Government & Public Sector

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Government & Public Sector | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Government & Public Sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Hash-based File Matching, giving Government & Public Sector teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1381 — Smart Log Timeline Reconstruction Platform using Blockchain Transaction Graph Analysis for NGO & Nonprofit

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: NGO & Nonprofit | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in NGO & Nonprofit are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for NGO & Nonprofit decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1382 — Memory Forensics Automation-Based Cryptocurrency Transaction Tracing Solution for the Telecommunications Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Telecommunications | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Telecommunications lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Telecommunications operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1383 — An Intelligent Deepfake Media Verification Framework Leveraging AI-assisted Evidence Triage in Defense

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Defense | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Defense institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Defense stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1384 — Environment & Climate-Focused Email Header Forensics Assistant Powered by Timeline Correlation Engines

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Environment & Climate | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Environment & Climate, causing missed early-warning signals for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Timeline Correlation Engines, giving Environment & Climate teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1385 — Real-Time Cloud Storage Forensics Detection using Hash-based File Matching for Marine & Maritime Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Marine & Maritime | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Marine & Maritime sector struggle with poor resource utilization due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Marine & Maritime decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1386 — Blockchain Transaction Graph Analysis-Driven Chain-Of-Custody Automation Optimization Platform for Legal & Compliance

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Legal & Compliance | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Legal & Compliance are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Legal & Compliance operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1387 — Next-Gen Disk Image Triage Automation System with AI-assisted Evidence Triage Integration for Aviation

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Aviation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Aviation lack a unified, intelligent way to handle disk image triage automation, resulting in missed early-warning signals and inefficiency.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Aviation stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1388 — Privacy-Preserving Memory Forensics Analysis using Timeline Correlation Engines for Retail

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Retail | Est. Dev Time: 6-8 weeks

Problem Statement

Retail institutions frequently face poor resource utilization because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Timeline Correlation Engines, giving Retail teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1389 — Autonomous Deleted-File Recovery Agent Built with Hash-based File Matching for Gaming

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Gaming | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Gaming, causing low transparency and trust for smaller players in the sector.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Gaming decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1390 — Blockchain Transaction Graph Analysis Enabled Mobile Device Forensics Dashboard for Construction Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Construction | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Construction sector struggle with missed early-warning signals due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Construction operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1391 — Federated Log Timeline Reconstruction Network using Memory Forensics Automation for Real Estate

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Real Estate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Real Estate are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Real Estate stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1392 — AI-assisted Evidence Triage-Powered Cryptocurrency Transaction Tracing System for Education

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Education | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Education lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in low transparency and trust and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by AI-assisted Evidence Triage, giving Education teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1393 — Smart Deepfake Media Verification Platform using Timeline Correlation Engines for Manufacturing

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Manufacturing | Est. Dev Time: 10-14 weeks

Problem Statement

Manufacturing institutions frequently face missed early-warning signals because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Manufacturing decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1394 — Hash-based File Matching-Based Email Header Forensics Solution for the Smart Cities Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Smart Cities | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Smart Cities, causing poor resource utilization for smaller players in the sector.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from email header forensics patterns, proactively flagging issues before they impact Smart Cities operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1395 — An Intelligent Cloud Storage Forensics Framework Leveraging Blockchain Transaction Graph Analysis in Social Welfare

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Social Welfare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Social Welfare sector struggle with low transparency and trust due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Social Welfare stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1396 — Mining-Focused Chain-Of-Custody Automation Assistant Powered by Memory Forensics Automation

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Mining | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Mining are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Memory Forensics Automation, giving Mining teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1397 — Real-Time Disk Image Triage Automation Detection using Timeline Correlation Engines for Finance Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Finance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Finance lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Finance decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1398 — Hash-based File Matching-Driven Memory Forensics Analysis Optimization Platform for Transportation

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Transportation | Est. Dev Time: 4-5 months

Problem Statement

Transportation institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Transportation operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1399 — Next-Gen Deleted-File Recovery System with Blockchain Transaction Graph Analysis Integration for Hospitals & Clinics

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Hospitals & Clinics | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Hospitals & Clinics, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Hospitals & Clinics stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1400 — Privacy-Preserving Mobile Device Forensics using Memory Forensics Automation for Human Resources

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Human Resources | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Human Resources sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Memory Forensics Automation, giving Human Resources teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1401 — Autonomous Log Timeline Reconstruction Agent Built with AI-assisted Evidence Triage for Disaster Management

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Disaster Management | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Disaster Management are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Disaster Management decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1402 — Timeline Correlation Engines Enabled Cryptocurrency Transaction Tracing Dashboard for Travel & Tourism Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Travel & Tourism | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Travel & Tourism lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Travel & Tourism operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1403 — Federated Deepfake Media Verification Network using Hash-based File Matching for Entertainment & Media

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Entertainment & Media | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Entertainment & Media institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Entertainment & Media stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1404 — Blockchain Transaction Graph Analysis-Powered Email Header Forensics System for Food & Beverage

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Food & Beverage | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Food & Beverage, causing low transparency and trust for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Blockchain Transaction Graph Analysis, giving Food & Beverage teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1405 — Smart Cloud Storage Forensics Platform using Memory Forensics Automation for Hospitality

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Hospitality | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Hospitality sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Hospitality decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1406 — AI-assisted Evidence Triage-Based Chain-Of-Custody Automation Solution for the Agriculture Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Agriculture | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Agriculture are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Agriculture operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1407 — An Intelligent Disk Image Triage Automation Framework Leveraging Hash-based File Matching in Energy & Utilities

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Energy & Utilities | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Energy & Utilities lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Energy & Utilities stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1408 — Space-Focused Memory Forensics Analysis Assistant Powered by Blockchain Transaction Graph Analysis

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Space | Est. Dev Time: 6-8 weeks

Problem Statement

Space institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Blockchain Transaction Graph Analysis, giving Space teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1409 — Real-Time Deleted-File Recovery Detection using Memory Forensics Automation for Wildlife Conservation Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Wildlife Conservation | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Wildlife Conservation, causing poor resource utilization for smaller players in the sector.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Wildlife Conservation decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1410 — AI-assisted Evidence Triage-Driven Mobile Device Forensics Optimization Platform for Automobile

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Automobile | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Automobile sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Automobile operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1411 — Next-Gen Log Timeline Reconstruction System with Timeline Correlation Engines Integration for Insurance

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Insurance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Insurance are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Insurance stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1412 — Privacy-Preserving Cryptocurrency Transaction Tracing using Hash-based File Matching for Sports

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Sports | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Sports lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Hash-based File Matching, giving Sports teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1413 — Autonomous Deepfake Media Verification Agent Built with Blockchain Transaction Graph Analysis for Banking

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Banking | Est. Dev Time: 10-14 weeks

Problem Statement

Banking institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Banking decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1414 — Memory Forensics Automation Enabled Email Header Forensics Dashboard for E-commerce Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: E-commerce | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for E-commerce, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from email header forensics patterns, proactively flagging issues before they impact E-commerce operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1415 — Federated Cloud Storage Forensics Network using AI-assisted Evidence Triage for Healthcare

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Healthcare | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Healthcare sector struggle with poor resource utilization due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Healthcare stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1416 — Timeline Correlation Engines-Powered Chain-Of-Custody Automation System for Logistics & Supply Chain

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Logistics & Supply Chain are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Timeline Correlation Engines, giving Logistics & Supply Chain teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines

Project #1417 — Smart Disk Image Triage Automation Platform using Blockchain Transaction Graph Analysis for Government & Public Sector

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Government & Public Sector | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Government & Public Sector lack a unified, intelligent way to handle disk image triage automation, resulting in missed early-warning signals and inefficiency.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Government & Public Sector decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1418 — Memory Forensics Automation-Based Memory Forensics Analysis Solution for the NGO & Nonprofit Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: NGO & Nonprofit | Est. Dev Time: 4-5 months

Problem Statement

NGO & Nonprofit institutions frequently face poor resource utilization because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact NGO & Nonprofit operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1419 — An Intelligent Deleted-File Recovery Framework Leveraging AI-assisted Evidence Triage in Telecommunications

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Telecommunications | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Telecommunications, causing low transparency and trust for smaller players in the sector.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Telecommunications stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1420 — Defense-Focused Mobile Device Forensics Assistant Powered by Timeline Correlation Engines

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Defense | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Defense sector struggle with missed early-warning signals due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Timeline Correlation Engines, giving Defense teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1421 — Real-Time Log Timeline Reconstruction Detection using Hash-based File Matching for Environment & Climate Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Environment & Climate | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Environment & Climate are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Environment & Climate decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1422 — Blockchain Transaction Graph Analysis-Driven Cryptocurrency Transaction Tracing Optimization Platform for Marine & Maritime

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Marine & Maritime | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Marine & Maritime lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in low transparency and trust and inefficiency.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Marine & Maritime operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1423 — Next-Gen Deepfake Media Verification System with Memory Forensics Automation Integration for Legal & Compliance

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Legal & Compliance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Legal & Compliance institutions frequently face missed early-warning signals because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Legal & Compliance stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1424 — Privacy-Preserving Email Header Forensics using AI-assisted Evidence Triage for Aviation

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Aviation | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Aviation, causing poor resource utilization for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by AI-assisted Evidence Triage, giving Aviation teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1425 — Autonomous Cloud Storage Forensics Agent Built with Timeline Correlation Engines for Retail

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Retail | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Retail sector struggle with low transparency and trust due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Retail decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1426 — Hash-based File Matching Enabled Chain-Of-Custody Automation Dashboard for Gaming Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Gaming | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Gaming are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Gaming operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1427 — Federated Disk Image Triage Automation Network using Memory Forensics Automation for Construction

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Construction | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Construction lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Construction stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
-

Project #1428 — AI-assisted Evidence Triage-Powered Memory Forensics Analysis System for Real Estate

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Real Estate | Est. Dev Time: 6-8 weeks

Problem Statement

Real Estate institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by AI-assisted Evidence Triage, giving Real Estate teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1429 — Smart Deleted-File Recovery Platform using Timeline Correlation Engines for Education

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Education | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Education, causing missed early-warning signals for smaller players in the sector.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Education decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1430 — Hash-based File Matching-Based Mobile Device Forensics Solution for the Manufacturing Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Manufacturing | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Manufacturing sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Manufacturing operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1431 — An Intelligent Log Timeline Reconstruction Framework Leveraging Blockchain Transaction Graph Analysis in Smart Cities

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Smart Cities | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Smart Cities are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Smart Cities stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1432 — Social Welfare-Focused Cryptocurrency Transaction Tracing Assistant Powered by Memory Forensics Automation

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Social Welfare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Social Welfare lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Memory Forensics Automation, giving Social Welfare teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1433 — Real-Time Deepfake Media Verification Detection using AI-assisted Evidence Triage for Mining Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Mining | Est. Dev Time: 10-14 weeks

Problem Statement

Mining institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Mining decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1434 — Timeline Correlation Engines-Driven Email Header Forensics Optimization Platform for Finance

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Finance | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Finance, causing low transparency and trust for smaller players in the sector.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from email header forensics patterns, proactively flagging issues before they impact Finance operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1435 — Next-Gen Cloud Storage Forensics System with Hash-based File Matching Integration for Transportation

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Transportation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Transportation sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Transportation stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1436 — Privacy-Preserving Chain-Of-Custody Automation using Blockchain Transaction Graph Analysis for Hospitals & Clinics

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Hospitals & Clinics | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Hospitals & Clinics are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Blockchain Transaction Graph Analysis, giving Hospitals & Clinics teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1437 — Autonomous Disk Image Triage Automation Agent Built with AI-assisted Evidence Triage for Human Resources

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Human Resources | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Human Resources lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Human Resources decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1438 — Timeline Correlation Engines Enabled Memory Forensics Analysis Dashboard for Disaster Management Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 4-5 months

Problem Statement

Disaster Management institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Disaster Management operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1439 — Federated Deleted-File Recovery Network using Hash-based File Matching for Travel & Tourism

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Travel & Tourism | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Travel & Tourism, causing poor resource utilization for smaller players in the sector.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Travel & Tourism stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1440 — Blockchain Transaction Graph Analysis-Powered Mobile Device Forensics System for Entertainment & Media

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Entertainment & Media | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Entertainment & Media sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Blockchain Transaction Graph Analysis, giving Entertainment & Media teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1441 — Smart Log Timeline Reconstruction Platform using Memory Forensics Automation for Food & Beverage

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Food & Beverage | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Food & Beverage are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Food & Beverage decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1442 — AI-assisted Evidence Triage-Based Cryptocurrency Transaction Tracing Solution for the Hospitality Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Hospitality | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Hospitality lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Hospitality operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1443 — An Intelligent Deepfake Media Verification Framework Leveraging Timeline Correlation Engines in Agriculture

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Agriculture | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Agriculture institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Agriculture stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1444 — Energy & Utilities-Focused Email Header Forensics Assistant Powered by Hash-based File Matching

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Energy & Utilities | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Energy & Utilities, causing missed early-warning signals for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Hash-based File Matching, giving Energy & Utilities teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1445 — Real-Time Cloud Storage Forensics Detection using Blockchain Transaction Graph Analysis for Space Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Space | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Space sector struggle with poor resource utilization due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Space decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1446 — Memory Forensics Automation-Driven Chain-Of-Custody Automation Optimization Platform for Wildlife Conservation

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Wildlife Conservation | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Wildlife Conservation are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Wildlife Conservation operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1447 — Next-Gen Disk Image Triage Automation System with Timeline Correlation Engines Integration for Automobile

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Automobile | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Automobile lack a unified, intelligent way to handle disk image triage automation, resulting in missed early-warning signals and inefficiency.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Automobile stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1448 — Privacy-Preserving Memory Forensics Analysis using Hash-based File Matching for Insurance

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Insurance | Est. Dev Time: 6-8 weeks

Problem Statement

Insurance institutions frequently face poor resource utilization because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Hash-based File Matching, giving Insurance teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1449 — Autonomous Deleted-File Recovery Agent Built with Blockchain Transaction Graph Analysis for Sports

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Sports | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Sports, causing low transparency and trust for smaller players in the sector.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Sports decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1450 — Memory Forensics Automation Enabled Mobile Device Forensics Dashboard for Banking Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Banking | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Banking sector struggle with missed early-warning signals due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Banking operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1451 — Federated Log Timeline Reconstruction Network using AI-assisted Evidence Triage for E-commerce

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: E-commerce | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in E-commerce are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to E-commerce stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1452 — Timeline Correlation Engines-Powered Cryptocurrency Transaction Tracing System for Healthcare

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Healthcare | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Healthcare lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in low transparency and trust and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Timeline Correlation Engines, giving Healthcare teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1453 — Smart Deepfake Media Verification Platform using Hash-based File Matching for Logistics & Supply Chain

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 10-14 weeks

Problem Statement

Logistics & Supply Chain institutions frequently face missed early-warning signals because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Logistics & Supply Chain decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1454 — Blockchain Transaction Graph Analysis-Based Email Header Forensics Solution for the Government & Public Sector Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Government & Public Sector | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Government & Public Sector, causing poor resource utilization for smaller players in the sector.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from email header forensics patterns, proactively flagging issues before they impact Government & Public Sector operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1455 — An Intelligent Cloud Storage Forensics Framework Leveraging Memory Forensics Automation in NGO & Nonprofit

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the NGO & Nonprofit sector struggle with low transparency and trust due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to NGO & Nonprofit stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1456 — Telecommunications-Focused Chain-Of-Custody Automation Assistant Powered by AI-assisted Evidence Triage

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Telecommunications are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by AI-assisted Evidence Triage, giving Telecommunications teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders

Project #1457 — Real-Time Disk Image Triage Automation Detection using Hash-based File Matching for Defense Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Defense | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Defense lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Defense decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1458 — Blockchain Transaction Graph Analysis-Driven Memory Forensics Analysis Optimization Platform for Environment & Climate

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Environment & Climate | Est. Dev Time: 4-5 months

Problem Statement

Environment & Climate institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Environment & Climate operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools

Project #1459 — Next-Gen Deleted-File Recovery System with Memory Forensics Automation Integration for Marine & Maritime

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Marine & Maritime | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Marine & Maritime, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Marine & Maritime stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1460 — Privacy-Preserving Mobile Device Forensics using AI-assisted Evidence Triage for Legal & Compliance

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Legal & Compliance | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Legal & Compliance sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by AI-assisted Evidence Triage, giving Legal & Compliance teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1461 — Autonomous Log Timeline Reconstruction Agent Built with Timeline Correlation Engines for Aviation

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Aviation are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Aviation decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1462 — Hash-based File Matching Enabled Cryptocurrency Transaction Tracing Dashboard for Retail Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Retail | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Retail lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Retail operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1463 — Federated Deepfake Media Verification Network using Blockchain Transaction Graph Analysis for Gaming

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Gaming | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Gaming institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Gaming stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1464 — Memory Forensics Automation-Powered Email Header Forensics System for Construction

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Construction | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Construction, causing low transparency and trust for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Memory Forensics Automation, giving Construction teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1465 — Smart Cloud Storage Forensics Platform using AI-assisted Evidence Triage for Real Estate

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Real Estate | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Real Estate sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Real Estate decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1466 — Timeline Correlation Engines-Based Chain-Of-Custody Automation Solution for the Education Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Education | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Education are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Education operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1467 — An Intelligent Disk Image Triage Automation Framework Leveraging Blockchain Transaction Graph Analysis in Manufacturing

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Manufacturing | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Manufacturing lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Manufacturing stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional manufacturing use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1468 — Smart Cities-Focused Memory Forensics Analysis Assistant Powered by Memory Forensics Automation

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Smart Cities | Est. Dev Time: 6-8 weeks

Problem Statement

Smart Cities institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Memory Forensics Automation, giving Smart Cities teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional smart cities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1469 — Real-Time Deleted-File Recovery Detection using AI-assisted Evidence Triage for Social Welfare Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Social Welfare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Social Welfare, causing poor resource utilization for smaller players in the sector.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Social Welfare decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional social welfare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1470 — Timeline Correlation Engines-Driven Mobile Device Forensics Optimization Platform for Mining

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Mining | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Mining sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Mining operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional mining use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1471 — Next-Gen Log Timeline Reconstruction System with Hash-based File Matching Integration for Finance

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Finance | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Finance are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Finance stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional finance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1472 — Privacy-Preserving Cryptocurrency Transaction Tracing using Blockchain Transaction Graph Analysis for Transportation

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Transportation | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in Transportation lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by Blockchain Transaction Graph Analysis, giving Transportation teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional transportation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1473 — Autonomous Deepfake Media Verification Agent Built with Memory Forensics Automation for Hospitals & Clinics

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Hospitals & Clinics | Est. Dev Time: 10-14 weeks

Problem Statement

Hospitals & Clinics institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Hospitals & Clinics decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional hospitals & clinics use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1474 — AI-assisted Evidence Triage Enabled Email Header Forensics Dashboard for Human Resources Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Human Resources | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Human Resources, causing missed early-warning signals for smaller players in the sector.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from email header forensics patterns, proactively flagging issues before they impact Human Resources operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional human resources use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment

Project #1475 — Federated Cloud Storage Forensics Network using Timeline Correlation Engines for Disaster Management

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Disaster Management | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Disaster Management sector struggle with poor resource utilization due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Disaster Management stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional disaster management use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1476 — Hash-based File Matching-Powered Chain-Of-Custody Automation System for Travel & Tourism

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Travel & Tourism | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Travel & Tourism are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Hash-based File Matching, giving Travel & Tourism teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional travel & tourism use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1477 — Smart Disk Image Triage Automation Platform using Memory Forensics Automation for Entertainment & Media

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Entertainment & Media | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Entertainment & Media lack a unified, intelligent way to handle disk image triage automation, resulting in missed early-warning signals and inefficiency.

Solution Overview

By combining Memory Forensics Automation with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Entertainment & Media decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional entertainment & media use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1478 — AI-assisted Evidence Triage-Based Memory Forensics Analysis Solution for the Food & Beverage Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Food & Beverage | Est. Dev Time: 4-5 months

Problem Statement

Food & Beverage institutions frequently face poor resource utilization because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses AI-assisted Evidence Triage to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Food & Beverage operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional food & beverage use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
-

Project #1479 — An Intelligent Deleted-File Recovery Framework Leveraging Timeline Correlation Engines in Hospitality

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 9/10 | Industry: Hospitality | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Hospitality, causing low transparency and trust for smaller players in the sector.

Solution Overview

The proposed system applies Timeline Correlation Engines to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Hospitality stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional hospitality use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration

Project #1480 — Agriculture-Focused Mobile Device Forensics Assistant Powered by Hash-based File Matching

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: Agriculture | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Agriculture sector struggle with missed early-warning signals due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Hash-based File Matching, giving Agriculture teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional agriculture use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1481 — Real-Time Log Timeline Reconstruction Detection using Blockchain Transaction Graph Analysis for Energy & Utilities Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Energy & Utilities | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Energy & Utilities are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

By combining Blockchain Transaction Graph Analysis with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Energy & Utilities decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional energy & utilities use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
-

Project #1482 — Memory Forensics Automation-Driven Cryptocurrency Transaction Tracing Optimization Platform for Space

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Space | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Space lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in low transparency and trust and inefficiency.

Solution Overview

The solution uses Memory Forensics Automation to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Space operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional space use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1483 — Next-Gen Deepfake Media Verification System with AI-assisted Evidence Triage Integration for Wildlife Conservation

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Wildlife Conservation | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Wildlife Conservation institutions frequently face missed early-warning signals because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Wildlife Conservation stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional wildlife conservation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1484 — Privacy-Preserving Email Header Forensics using Timeline Correlation Engines for Automobile

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: Automobile | Est. Dev Time: 6-8 weeks

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Automobile, causing poor resource utilization for smaller players in the sector.

Solution Overview

This project builds an end-to-end email header forensics pipeline powered by Timeline Correlation Engines, giving Automobile teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional automobile use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
-

Project #1485 — Autonomous Cloud Storage Forensics Agent Built with Hash-based File Matching for Insurance

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Insurance | Est. Dev Time: 10-14 weeks

Problem Statement

Organizations in the Insurance sector struggle with low transparency and trust due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw cloud storage forensics signals into clear recommendations for Insurance decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional insurance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
-

Project #1486 — Blockchain Transaction Graph Analysis Enabled Chain-Of-Custody Automation Dashboard for Sports Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Sports | Est. Dev Time: 4-5 months

Problem Statement

Existing chain-of-custody automation workflows in Sports are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from chain-of-custody automation patterns, proactively flagging issues before they impact Sports operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional sports use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1487 — Federated Disk Image Triage Automation Network using AI-assisted Evidence Triage for Banking

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Banking | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Stakeholders in Banking lack a unified, intelligent way to handle disk image triage automation, resulting in poor resource utilization and inefficiency.

Solution Overview

The proposed system applies AI-assisted Evidence Triage to automatically analyze disk image triage automation-related data and deliver actionable, real-time insights to Banking stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional banking use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1488 — Timeline Correlation Engines-Powered Memory Forensics Analysis System for E-commerce

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 7/10 | Industry: E-commerce | Est. Dev Time: 6-8 weeks

Problem Statement

E-commerce institutions frequently face low transparency and trust because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

This project builds an end-to-end memory forensics analysis pipeline powered by Timeline Correlation Engines, giving E-commerce teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional e-commerce use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1489 — Smart Deleted-File Recovery Platform using Hash-based File Matching for Healthcare

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Healthcare | Est. Dev Time: 10-14 weeks

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Healthcare, causing missed early-warning signals for smaller players in the sector.

Solution Overview

By combining Hash-based File Matching with a usability-first interface, the platform turns raw deleted-file recovery signals into clear recommendations for Healthcare decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional healthcare use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
-

Project #1490 — Blockchain Transaction Graph Analysis-Based Mobile Device Forensics Solution for the Logistics & Supply Chain Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Logistics & Supply Chain | Est. Dev Time: 4-5 months

Problem Statement

Organizations in the Logistics & Supply Chain sector struggle with poor resource utilization due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

The solution uses Blockchain Transaction Graph Analysis to continuously learn from mobile device forensics patterns, proactively flagging issues before they impact Logistics & Supply Chain operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional logistics & supply chain use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1491 — An Intelligent Log Timeline Reconstruction Framework Leveraging Memory Forensics Automation in Government & Public Sector

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Government & Public Sector |
Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Existing log timeline reconstruction workflows in Government & Public Sector are reactive rather than predictive, leading to low transparency and trust and lost opportunities.

Solution Overview

The proposed system applies Memory Forensics Automation to automatically analyze log timeline reconstruction-related data and deliver actionable, real-time insights to Government & Public Sector stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional government & public sector use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-

Project #1492 — NGO & Nonprofit-Focused Cryptocurrency Transaction Tracing Assistant Powered by AI-assisted Evidence Triage

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 6/10 | Industry: NGO & Nonprofit | Est. Dev Time: 6-8 weeks

Problem Statement

Stakeholders in NGO & Nonprofit lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in missed early-warning signals and inefficiency.

Solution Overview

This project builds an end-to-end cryptocurrency transaction tracing pipeline powered by AI-assisted Evidence Triage, giving NGO & Nonprofit teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional ngo & nonprofit use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
-

Project #1493 — Real-Time Deepfake Media Verification Detection using Timeline Correlation Engines for Telecommunications Applications

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 7/10 | Industry: Telecommunications | Est. Dev Time: 10-14 weeks

Problem Statement

Telecommunications institutions frequently face poor resource utilization because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw deepfake media verification signals into clear recommendations for Telecommunications decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional telecommunications use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to data modeling and database optimization
- Skill in API design and third-party service integration
- Experience presenting technical work to non-technical stakeholders
- Understanding of cost-performance trade-offs in cloud architecture

Project #1494 — Hash-based File Matching-Driven Email Header Forensics Optimization Platform for Defense

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 7/10 | Industry: Defense | Est. Dev Time: 4-5 months

Problem Statement

There is no accessible, affordable email header forensics solution tailored for Defense, causing low transparency and trust for smaller players in the sector.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from email header forensics patterns, proactively flagging issues before they impact Defense operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: React Native | Backend: Flask | Database: SQLite (edge/local) | Cloud: DigitalOcean + Docker Swarm

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional defense use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Skill in API design and third-party service integration
 - Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
-

Project #1495 — Next-Gen Cloud Storage Forensics System with Blockchain Transaction Graph Analysis Integration for Environment & Climate

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Environment & Climate | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Organizations in the Environment & Climate sector struggle with missed early-warning signals due to manual, fragmented cloud storage forensics processes that do not scale.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze cloud storage forensics-related data and deliver actionable, real-time insights to Environment & Climate stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Flutter | Backend: Ruby on Rails | Database: PostgreSQL | Cloud: Render / Railway (student-friendly deploy)

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional environment & climate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience presenting technical work to non-technical stakeholders
 - Understanding of cost-performance trade-offs in cloud architecture
 - Practical knowledge of testing, monitoring and observability tools
 - Exposure to UI/UX principles for usability-driven design
-

Project #1496 — Privacy-Preserving Chain-Of-Custody Automation using Memory Forensics Automation for Marine & Maritime

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Marine & Maritime | Est. Dev Time: 6-8 weeks

Problem Statement

Existing chain-of-custody automation workflows in Marine & Maritime are reactive rather than predictive, leading to poor resource utilization and lost opportunities.

Solution Overview

This project builds an end-to-end chain-of-custody automation pipeline powered by Memory Forensics Automation, giving Marine & Maritime teams a single intelligent interface to monitor and act on findings.

Core Features

- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail

Technology Stack

Frontend: SvelteKit | Backend: GraphQL + Apollo Server | Database: MongoDB | Cloud: Oracle Cloud Free Tier

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- JWT-based authentication with role-based access control
- Zero Trust network access policies with continuous verification

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional marine & maritime use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of cost-performance trade-offs in cloud architecture
- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets

Project #1497 — Autonomous Disk Image Triage Automation Agent Built with Timeline Correlation Engines for Legal & Compliance

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 8/10 | Industry: Legal & Compliance | Est. Dev Time: 10-14 weeks

Problem Statement

Stakeholders in Legal & Compliance lack a unified, intelligent way to handle disk image triage automation, resulting in low transparency and trust and inefficiency.

Solution Overview

By combining Timeline Correlation Engines with a usability-first interface, the platform turns raw disk image triage automation signals into clear recommendations for Legal & Compliance decision-makers.

Core Features

- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities

Technology Stack

Frontend: Vanilla JS + Tailwind CSS | Backend: Node.js + Express | Database: MySQL | Cloud: IBM Cloud

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Zero Trust network access policies with continuous verification
- End-to-end AES-256 encryption for data at rest and in transit

Deployment: Edge deployment on Raspberry Pi / NVIDIA Jetson Nano

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional legal & compliance use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical knowledge of testing, monitoring and observability tools
- Exposure to UI/UX principles for usability-driven design
- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture

Project #1498 — Hash-based File Matching Enabled Memory Forensics Analysis Dashboard for Aviation Decision-Making

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 8/10 | Industry: Aviation | Est. Dev Time: 4-5 months

Problem Statement

Aviation institutions frequently face missed early-warning signals because current memory forensics analysis tools are siloed, outdated, or not data-driven.

Solution Overview

The solution uses Hash-based File Matching to continuously learn from memory forensics analysis patterns, proactively flagging issues before they impact Aviation operations.

Core Features

- Keyword and metadata search across evidence
- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification

Technology Stack

Frontend: Jetpack Compose (Android) | Backend: Python FastAPI | Database: Firebase Firestore | Cloud: AWS (EC2, S3, Lambda)

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- End-to-end AES-256 encryption for data at rest and in transit
- OAuth 2.0 with multi-factor authentication

Deployment: Progressive Web App (PWA) for offline-first access

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional aviation use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Exposure to UI/UX principles for usability-driven design
 - Experience working with real or simulated industry datasets
 - Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
-

Project #1499 — Federated Deleted-File Recovery Network using Blockchain Transaction Graph Analysis for Retail

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 10/10 | Industry: Retail | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

There is no accessible, affordable deleted-file recovery solution tailored for Retail, causing poor resource utilization for smaller players in the sector.

Solution Overview

The proposed system applies Blockchain Transaction Graph Analysis to automatically analyze deleted-file recovery-related data and deliver actionable, real-time insights to Retail stakeholders.

Core Features

- Court-ready automated report generation
- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators

Technology Stack

Frontend: SwiftUI | Backend: Django REST Framework | Database: Redis + PostgreSQL | Cloud: Google Cloud Platform

AI/Core Components: Blockchain Transaction Graph Analysis module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- OAuth 2.0 with multi-factor authentication
- Automated vulnerability scanning aligned with OWASP Top 10

Deployment: Hybrid cloud-edge deployment for low-latency inference

Future Scope

Future iterations could extend this digital forensics system with deeper Blockchain Transaction Graph Analysis capabilities, expand to additional retail use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience working with real or simulated industry datasets
- Hands-on experience designing scalable system architecture
- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)

Project #1500 — Memory Forensics Automation-Powered Mobile Device Forensics System for Gaming

Category: Digital Forensics | Difficulty: Beginner | Innovation Score: 5/10 | Industry: Gaming | Est. Dev Time: 6-8 weeks

Problem Statement

Organizations in the Gaming sector struggle with low transparency and trust due to manual, fragmented mobile device forensics processes that do not scale.

Solution Overview

This project builds an end-to-end mobile device forensics pipeline powered by Memory Forensics Automation, giving Gaming teams a single intelligent interface to monitor and act on findings.

Core Features

- Tamper-evident audit trail
- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging

Technology Stack

Frontend: React.js | Backend: Spring Boot | Database: Supabase | Cloud: Microsoft Azure

AI/Core Components: Memory Forensics Automation module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Automated vulnerability scanning aligned with OWASP Top 10
- Data anonymization and GDPR/DPDP-style privacy controls

Deployment: Containerized deployment with Helm charts on a managed K8s cluster

Future Scope

Future iterations could extend this digital forensics system with deeper Memory Forensics Automation capabilities, expand to additional gaming use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Hands-on experience designing scalable system architecture
 - Practical exposure to applied AI/ML model deployment
 - Understanding of secure software development lifecycle (SSDLC)
 - Experience with cloud-native deployment and DevOps pipelines
-

Project #1501 — Smart Log Timeline Reconstruction Platform using AI-assisted Evidence Triage for Construction

Category: Digital Forensics | Difficulty: Intermediate | Innovation Score: 6/10 | Industry: Construction | Est. Dev Time: 10-14 weeks

Problem Statement

Existing log timeline reconstruction workflows in Construction are reactive rather than predictive, leading to missed early-warning signals and lost opportunities.

Solution Overview

By combining AI-assisted Evidence Triage with a usability-first interface, the platform turns raw log timeline reconstruction signals into clear recommendations for Construction decision-makers.

Core Features

- Visual relationship graph between entities
- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view

Technology Stack

Frontend: Next.js | Backend: Go (Gin) | Database: Cassandra | Cloud: AWS + Kubernetes (EKS)

AI/Core Components: AI-assisted Evidence Triage module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Data anonymization and GDPR/DPDP-style privacy controls
- API rate limiting and Web Application Firewall (WAF) rules

Deployment: Dockerized microservices orchestrated on Kubernetes

Future Scope

Future iterations could extend this digital forensics system with deeper AI-assisted Evidence Triage capabilities, expand to additional construction use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Practical exposure to applied AI/ML model deployment
- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification

Project #1502 — Timeline Correlation Engines-Based Cryptocurrency Transaction Tracing Solution for the Real Estate Sector

Category: Digital Forensics | Difficulty: Advanced | Innovation Score: 9/10 | Industry: Real Estate | Est. Dev Time: 4-5 months

Problem Statement

Stakeholders in Real Estate lack a unified, intelligent way to handle cryptocurrency transaction tracing, resulting in poor resource utilization and inefficiency.

Solution Overview

The solution uses Timeline Correlation Engines to continuously learn from cryptocurrency transaction tracing patterns, proactively flagging issues before they impact Real Estate operations.

Core Features

- Bulk artifact extraction and classification
- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence

Technology Stack

Frontend: Vue.js | Backend: NestJS | Database: TimescaleDB | Cloud: GCP Cloud Run (Serverless)

AI/Core Components: Timeline Correlation Engines module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- API rate limiting and Web Application Firewall (WAF) rules
- Blockchain-based tamper-proof audit logging

Deployment: Serverless deployment via AWS Lambda / API Gateway

Future Scope

Future iterations could extend this digital forensics system with deeper Timeline Correlation Engines capabilities, expand to additional real estate use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Understanding of secure software development lifecycle (SSDLC)
- Experience with cloud-native deployment and DevOps pipelines
- Ability to translate a real-world problem into a technical specification
- Exposure to data modeling and database optimization

Project #1503 — An Intelligent Deepfake Media Verification Framework Leveraging Hash-based File Matching in Education

Category: Digital Forensics | Difficulty: Research Level | Innovation Score: 8/10 | Industry: Education | Est. Dev Time: 6-9 months (publication-suitable)

Problem Statement

Education institutions frequently face low transparency and trust because current deepfake media verification tools are siloed, outdated, or not data-driven.

Solution Overview

The proposed system applies Hash-based File Matching to automatically analyze deepfake media verification-related data and deliver actionable, real-time insights to Education stakeholders.

Core Features

- Role-based access for investigators
- Automated evidence hashing and chain-of-custody logging
- Cross-source timeline reconstruction view
- Keyword and metadata search across evidence
- Court-ready automated report generation

Technology Stack

Frontend: Angular | Backend: .NET Core | Database: Neo4j (Graph DB) | Cloud: Azure Functions

AI/Core Components: Hash-based File Matching module integrated via a Python microservice exposing inference over a REST/gRPC API

Security Features

- Blockchain-based tamper-proof audit logging
- JWT-based authentication with role-based access control

Deployment: CI/CD pipeline using GitHub Actions with automated testing

Future Scope

Future iterations could extend this digital forensics system with deeper Hash-based File Matching capabilities, expand to additional education use-cases, and integrate continuous-learning feedback loops to keep improving accuracy as more real-world data is collected.

Learning Outcomes

- Experience with cloud-native deployment and DevOps pipelines
 - Ability to translate a real-world problem into a technical specification
 - Exposure to data modeling and database optimization
 - Skill in API design and third-party service integration
-