
T-SQL 1

T-SQL Enhancements



Overview

- Row constructors
- Output clause
- Large datatypes
- Covering indexes



Table Row Constructor

Cleaner syntax for multi-row insert

insert into Accounts (1, 50)



Output

- OUTPUT clause accesses inserted and deleted rows
 - acts like select embedded in an insert, update, or delete
 - single statement

```
begin tran
select * into #deleted from Accounts where balance < 100</pre>
```

commit tran



Large Data Types

- T-SQL supports large tcharacter and binary data types
 - □ no 8000 byte li**neit**urns text
 - first class scalar data type entity primary key,
- Text, ntext, and image are determined to the mage

 Text, ntext, and image are determined to the mage
- Max sizes large data type
 - varchar(max)
 - nvarchar(max)
 - varbinary(max)
- .WRITE modifies large data type
 - can insert data
 - can delete data



Covering Index

An index may cover a query

```
create indox contains value being queried
         improves performance by avoiding table lookup
     intlude adds covered columns to index
 length int,
                                        index
                                                              clustered index
 width int
                                     12;24->12
                                                                 05;19:50
                                     12;30->31
                                                                 07;15;09
                                     15;09->07
                                                                 08;19;14
select width from sizes
                                     15;11->15
                                                                 12;12;24
where length = 15
                                     19;14->08
                                                                 15;15;11
                                     19;17->21
                                                                 21;19;17
                                     19:50->05
                                                                 31;12;30
                                    length; width
                                                               id;length;width
```



Summary

- Row constructors make for less typing
- Output clause useful for identity columns and seeing what changed
- Large datatypes to store/manipulate binary data and text
- Covering index idiom has been improved



References

Directory Opus from GP Software http://www.gpsoft.com.au/

