

Introduction to Business Intelligence Development Studio


Working with Report Projects



Overview




- Report Development
- Report Projects in BIDS
- Project Commands
- Project Properties

Report Development





Report Projects in BIDS

- Project types


-  Report Server Project Wizard
-  Report Model Project
-  Report Server Project

- Report Server Project Items


-  Data Source *RDS file*
-  Dataset *RSD file*
-  Report *RDL file*

Project Commands

- Project Menu



- Build Menu



Project Properties – Native Mode

Reports Property Pages [?] [X]

Configuration: **Active(Debug)** Platform: **N/A** Configuration Manager...

Configuration Properties
General

Build	
ErrorLevel	2
OutputPath	bin\Debug
Debug	
StartItem	
Deployment	
OverwriteDatasets	False
OverwriteDataSources	False
TargetDatasetFolder	Datasets
TargetDataSourceFolder	Data Sources
TargetReportFolder	Reports
TargetReportPartFolder	Report Parts
TargetServerURL	http://localhost/Report Server
TargetServerVersion	SQL Server 2008 R2

TargetServerURL
For a report server running in native mode, enter the path to the report server where the project is deployed, for example, http://<servename>/reportserver. F...

OK Cancel Apply

Project Properties – SharePoint Integrated Mode

Configuration: **Active(Debug)** Platform: **N/A** Configuration Manager...

Configuration Properties
General

Build	
ErrorLevel	2
OutputPath	bin\Debug
Debug	
StartItem	
Deployment	
OverwriteDatasets	False
OverwriteDataSources	False
TargetDatasetFolder	http://server/sites/bi/Documents/Datasets
TargetDataSourceFolder	http://server/sites/bi/Data Connections for Pe
TargetReportFolder	http://server/sites/bi/Documents/Reports
TargetReportPartFolder	http://server/sites/bi/Documents/Report Parts
TargetServerURL	http://server/sites/bi
TargetServerVersion	SQL Server 2008 R2

TargetServerURL
For a report server running in native mode, enter the path to the report server where the project is deployed, for example, http://<servername>/reportserver. F...

OK Cancel Apply

Summary

- **Report Development**
 - Select tool, acquire data, design layout, preview report, deploy
- **Report Projects in BIDS**
 - Project types, project items
- **Project Commands**
 - Project menu, Build menu
- **Project Properties**
 - Target folders, Target server URL

References

- Reporting Services in Business Intelligence Development Studio
 - <http://msdn.microsoft.com/en-us/library/ms173745.aspx>