


Q1-

1) Create a Database called music.






Q2- Create a collection called songdetails.




Q3-Cr


```
arunya@arunya-HP-Pavilion-Laptop-15-cuixxx:-/Desktop/node.jsmongodb$ nodemon nm3.js
[nodemon] 1.19.1
[nodemon] trestart at any time, enter 'rs'
[nodemon] watching: *.*
[nodemon] starting node nm3.js
(node:8030) DeprecationWarning: current URL string parser is deprecated, and will be removed in a future version. To use the new parser, pass option { useNewUrlParse rure } to MongoCilent.connect.
Number of documents inserted: 5
[nodemon] clean exit waiting for changes before restart
```

eate the above 5 song documents.




4) List all documents created.







5) List A.R.Rahman's songs.



6) List A.R.Rahman's songs sung by Unnikrishnan.



7) Delete the song which you don't like.




8) Add new song which is your favourite.

```
1 document inserted
Industry clear cuts witting for changes before restart


(armya@armya-HP-Pavition-Laptop-15-cutxxx:-/Desktop/node.jsmongodb$ nodemon nm8.js
[nodemon] to restart at any time, enter 'rs'
[nodemon] watching: *.*
Indemon] watching: *.*
Indemon] watching: *.*
Indemon] starting 'node nm8.js
(node:9683) DeprecationWarning: current URL string parser is deprecated, and will be removed in a future version. To use the new parser, pass option { useNewUrlParse r: true } to MongoClient.connect.

1 document inserted


1 document inserted
```



9) List Songs sung by Hariharan from Minsara kanavu film.



10)List out the singers' names in your document.



4) List all documents created.	
5) List A.R.Rahman's songs.	
6) List A.R.Rahman's songs sung by Unnikrishnan.	

7) 🗅	Delete the song which you don't like.
8) A	Add new song which is your favourite.
9) L	ist Songs sung by Hariharan from Minsara kanavu film.
10)l	List out the singers' names in your document.