

JavaScript Object Methods Complete Guide

Definition + Syntax + Pseudo code + Working + Output

Object.keys()

Definition: Returns all object keys

Syntax: Object.keys(obj)

Pseudo Code: Take object → get keys

Code: let obj={name:'Sahil',age:20}; console.log(Object.keys(obj))

Output: ["name","age"]

Object.values()

Definition: Returns all values

Syntax: Object.values(obj)

Pseudo Code: Take object → get values

Code: let obj={name:'Sahil',age:20}; console.log(Object.values(obj))

Output: ["Sahil",20]

Object.entries()

Definition: Returns key-value pairs

Syntax: Object.entries(obj)

Pseudo Code: Convert object into nested array

Code: let obj={name:'Sahil',age:20}; console.log(Object.entries(obj))

Output: [["name","Sahil"],["age",20]]

Object.assign()

Definition: Copies/merges objects

Syntax: Object.assign({},obj1,obj2)

Pseudo Code: Take objects → merge

Code: let a={x:1};let b={y:2};console.log(Object.assign({},a,b))

Output: {x:1,y:2}

Object.freeze()

Definition: Stops modifications

Syntax: Object.freeze(obj)

Pseudo Code: Lock object

Code: let obj={name:'A'};Object.freeze(obj);obj.name='B';console.log(obj)

Output: {name:"A"}

Object.seal()

Definition: Allow update only

Syntax: Object.seal(obj)

Pseudo Code: Prevent add/remove

Code: let obj={a:1};Object.seal(obj)

Output: Only update

Object.hasOwn()

Definition: Checks property exists

Syntax: Object.hasOwn(obj,'name')

Pseudo Code: Search key

Code: console.log(Object.hasOwn({name:'A'},'name'))

Output: true

hasOwnProperty()

Definition: Checks own property

Syntax: obj.hasOwnProperty('name')

Pseudo Code: Check property

Code: console.log({name:'A'}.hasOwnProperty('name'))

Output: true

Object.create()

Definition: Creates object

Syntax: Object.create(proto)

Pseudo Code: Create from prototype

Code: let obj=Object.create({x:1});console.log(obj.x)

Output: 1

delete

Definition: Deletes property

Syntax: delete obj.key

Pseudo Code: Find property → remove

Code: let obj={a:1,b:2};delete obj.b;console.log(obj)

Output: {a:1}

Object.fromEntries()

Definition: Array to object

Syntax: Object.fromEntries(arr)

Pseudo Code: Convert nested array

Code: console.log(Object.fromEntries([['a',1]]))

Output: {a:1}

Object.is()

Definition: Compare values

Syntax: Object.is(a,b)

Pseudo Code: Compare values

Code: console.log(Object.is(5,5))

Output: true