

JavaScript String Methods + Filter() Complete Guide

Includes Definition + Syntax + Pseudo code + Working code + Output

length

Definition: Counts total characters

Syntax: str.length

Pseudo Code: Take string -> count chars -> return total

Code: let str='Hello'; console.log(str.length)

Output: 5

includes()

Definition: Checks text exists or not

Syntax: str.includes('World')

Pseudo Code: Take string -> search text -> return true/false

Code: let str='Hello World'; console.log(str.includes('World'))

Output: true

slice()

Definition: Extract part of string

Syntax: str.slice(start,end)

Pseudo Code: Take start and end -> cut string -> return

Code: console.log('Hello'.slice(0,3))

Output: Hel

replace()

Definition: Replace old value

Syntax: str.replace(old,new)

Pseudo Code: Find old -> replace new -> return

Code: console.log('Hello World'.replace('World','JS'))

Output: Hello JS

split()

Definition: Convert string to array

Syntax: str.split(' ')

Pseudo Code: Break string -> create array

Code: `console.log('Hello World'.split(' '))`

Output: `['Hello','World']`

trim()

Definition: Remove extra spaces

Syntax: `str.trim()`

Pseudo Code: Remove start/end spaces

Code: `console.log(' Hello '.trim())`

Output: Hello

toLowerCase()

Definition: Convert lowercase

Syntax: `str.toLowerCase()`

Pseudo Code: Convert all letters small

Code: `console.log('HELLO'.toLowerCase())`

Output: hello

toUpperCase()

Definition: Convert uppercase

Syntax: `str.toUpperCase()`

Pseudo Code: Convert all letters capital

Code: `console.log('hello'.toUpperCase())`

Output: HELLO

charAt()

Definition: Returns char at index

Syntax: `str.charAt(index)`

Pseudo Code: Take index -> return char

Code: `console.log('Hello'.charAt(1))`

Output: e

at()

Definition: Returns value at index

Syntax: `str.at(index)`

Pseudo Code: Take index -> return value

Code: `console.log('Hello'.at(-1))`

Output: o

indexOf()

Definition: Returns first position

Syntax: `str.indexOf('o')`

Pseudo Code: Search first position

Code: `console.log('Hello'.indexOf('o'))`

Output: 4

lastIndexOf()

Definition: Returns last position

Syntax: `str.lastIndexOf('o')`

Pseudo Code: Search last position

Code: `console.log('Hello World'.lastIndexOf('o'))`

Output: 7

startsWith()

Definition: Checks starting value

Syntax: `str.startsWith('H')`

Pseudo Code: Check first text

Code: `console.log('Hello'.startsWith('H'))`

Output: true

endsWith()

Definition: Checks ending value

Syntax: `str.endsWith('o')`

Pseudo Code: Check ending text

Code: `console.log('Hello'.endsWith('o'))`

Output: true

substring()

Definition: Gets part of string

Syntax: `str.substring(0,5)`

Pseudo Code: Take indexes -> return text

Code: `console.log('Hello'.substring(0,4))`

Output: Hell

replaceAll()

Definition: Replace all values

Syntax: `str.replaceAll(old,new)`

Pseudo Code: Find all -> replace

Code: `console.log('Hello'.replaceAll('l','x'))`

Output: Hexxo

concat()

Definition: Join strings

Syntax: `str.concat(' JS')`

Pseudo Code: Join multiple strings

Code: `console.log('Hello'.concat(' JS'))`

Output: Hello JS

repeat()

Definition: Repeat string

Syntax: `str.repeat(3)`

Pseudo Code: Repeat given times

Code: `console.log('Hi'.repeat(3))`

Output: HiHiHi

padStart()

Definition: Add chars at start

Syntax: `str.padStart(3,'0')`

Pseudo Code: Fill start

Code: `console.log('5'.padStart(3,'0'))`

Output: 005

padEnd()

Definition: Add chars at end

Syntax: `str.padEnd(3,'0')`

Pseudo Code: Fill end

Code: `console.log('5'.padEnd(3,'0'))`

Output: 500

match()

Definition: Matches text

Syntax: `str.match('World')`

Pseudo Code: Search match

Code: `console.log('Hello World'.match('World'))`

Output: `['World']`

search()

Definition: Search position

Syntax: `str.search('World')`

Pseudo Code: Find text position

Code: `console.log('Hello World'.search('World'))`

Output: 6

valueOf()

Definition: Returns primitive string

Syntax: `str.valueOf()`

Pseudo Code: Get primitive value

Code: `console.log('Hello'.valueOf())`

Output: Hello

toString()

Definition: Convert into string

Syntax: `str.toString()`

Pseudo Code: Convert value

Code: `console.log('Hello'.toString())`

Output: Hello

filter() Array

Definition: Returns condition true values

Syntax: `array.filter(callback)`

Pseudo Code: Loop array -> check condition -> store true

Code: `let a=[10,20,30];console.log(a.filter(x=>x>15))`

Output: `[20,30]`