An example on using the Fonetik LATEX2e class

Author Name¹, Author Name²

¹KTH Royal Institute of Technology,

²Department, University, Country
author@kth.se, author@dept.uni.co

Abstract

This is an example on how to use the LATEX2e class fonetik.cls for writing articles in the style adopted by the Fonetik conference in Sweden. This example will describe some of the standard features of LATEX2e and the additional commands provided by the class. The style file and the examples can be downloaded from https://github.com/giampierosalvi/FonetikLaTeXStyle. Please use the forum at GitHub to report issues.

Introduction

Provided that you have the fonetik.cls file in the same directory as the .tex file, or somewhere in the LATEX search path, the document class is specified by the command:

\documentclass{fonetik}

A number of packages can then be included depending of the special needs of the author. This is done with the \usepackage command (look at the .tex file in the distribution for examples).

The class disables headers, footers and page numbers, as defined by the Fonetik recommendations. Please do not use footnotes in your test.

Title and author are defined as usual by the \title and \author commands. A new command \affil from the package affil—it is provided for affiliation. The abstract is defined using the environment abstract after the \begin{document} command.

Sections, subsections..., are started with the usual \section, \subsection... commands. Section numbering is disabled according to Fonetik recommendations.

For the rest, normal LATEX commands can be used to produce cross references (\label and \ref), tables and figures, with the corresponding environments, mathematical formulas, citations (using the natbib package that is automatically loaded by the class). Note that setting labels to sections and subsections is useless as there is no numbering in the Fonetik style (unfortunately). Examples of this and more can be found in the rest of this document. In case you are reading a PDF version of it you are referred to the example.tex file that was used to generate them.

One of the best ways to produce a bibliography is to create a BIBTEX file (see example.bib in the distribution). The citations can be obtained by using one of the following commands. If the citation comes in the end of a phrase, the \citep command should be used, e.g.

...the first attempts to simulate the flow-induced oscillations were based on a lumped-element model (Smart and Smarter, 1968).

If the author is cited directly in the text, then the \citet command should be used instead, e.g.

An essential improvement to the one-mass model was proposed by Dull et al. (1998), with their two-mass model.




Figure 1: A single column figure.

Because we are using unicode, you can write accented letters directly in your bib file as in (Kellström, 2016). For more information, refer to the BIBT_EX and natbib documentation (e.g. Goossens et al., 1994, ch. 13). Another good reference for LaTeX in general is (Oetiker et al., 2004) (just google on the net).

Inserting Figures and Tables

Also the figures and tables can be inserted with standard LATEX commands. This is an example:

The above code is used to produce Figure 1. Note that I used the command \ref{fig:single} to generate the figure number in the previous sentence.

If you want to include figures that span two columns, use the "starred" version of the figure environment, i.e.

```
\begin{figure*}
...
\end{figure*}
```

An example will be given later.

Inserting tables is as easy, just remember to put the caption above the table, i.e

```
\begin{table}[b]
\centering
\caption{This is the table
   caption (above the table) }
\label{tab:example}
\begin{tabular}{cc}
  \hline \hline
 Parameter & Value \\
  \hline
  //
 $m$ & $0.00017$ $kg$
                          //
  $L$ & $0.014$ $m$ \\
 x_0 & $0.005-0.1$ $mm$ \\
  \hline \hline
\end{tabular}
\end{table}
```

The above code is used to generate Table 1. Note that in this case I added the option [b] that indicates I wish the table to be at the bottom of the page, if possible. Other options for floating object placement are: [h] for "here", i.e. the insertion point in the text, [t] for "top" that is the default, and [p] to put it in a special page that collects all floating objects. These options are just an indication of preference, and they are overridden by other type-setting rules. If you want to strengthen your determination against the evil computerised type-setter, put an exclamation mark in front of the option ([!h]), but note that the typesetter is still setting the rules, to some extent.

Table 1: This is the table caption (above the table)

Parameter	Value
m	$0.00017 \ kg$
L	0.014~m
x_0	$0.005 - 0.1 \ mm$




Figure 2: A two-column figure.

Lots of meaningful words

This section is just a filler to come to the next page.

Filler filler

Filler filler

Filler filler

It's never enough!

Filler filler

Filler fi

filler filler filler filler filler filler

Filler filler

A last example

As promised in a previous section an example of a two-column figure is Figure 2

Acknowledgement

The author is grateful to all the contributors to the LATEX project and all LATEX users.

References

Dull E, Mean R and Insipid J (1998). Kind of boring discussion on a totally irrelevant subject. *Se & Hör*, 3(2):20–3450.

Goossens M, Mittelbach F and Samarin A (1994). *The Latex Companion*. Series on Tools and Techniques for Computer T. Addison-Wesley.

Kellström B (2016). An example of accented letter in bibliogrphy. $\ddot{A}\ddot{O}\mathring{A}\varnothing$.

Oetiker T, Partl H, Hyna I and Schlegl E (2004). *The Not to Short Introduction to ETFX2e*.

Smart J and Smarter A (1968). Very interesting study on a very interesting

subject. Novella 2000, 3(2):5-6.