

The future of energy is here

Innovative and climate-friendly solutions for hot water, heating, cooling, ventilation and water purification.



Futureproof your home with the comfort of technology.

Since 1924, STIEBEL ELTRON has been dedicated to producing environmentally-friendly, high-performance, and user-friendly heating, ventilation, and hot water solutions. With nine global production sites maintaining the highest quality standards, our products serve customers in over 120 countries.

With a team of over 5,000 employees worldwide, we design energy-efficient technologies that are built to last. From design to maintenance, our focus is on making your home comfortable today while being futureproof. With over two million appliances sold each year, we're committed to quality, innovation, and sustainability, so you can enjoy smarter, more comfortable and greener living.

The company – Facts and figures

Employees worldwide	approx. 5,000
German production facilities	5
International production facilities	4
Subsidiaries	26
Representatives worldwide	120+







Table of content

1. Instantaneous Water Heaters	08
a. Three-phase tankless water heaters	10
b. Single-phase tankless water heaters	11
c. Technical Specifications	13
2. Air-to-Water Heat Pumps	16
a. For everyday living comfort	17
b. For large-scale needs	21
3. Heat Recovery Ventilation Systems	29
a. Centralized ventilation systems	32
b. Decentralized ventilation systems	35
c. Decentralized bathroom dehumidifiers	37
4. Underfloor Heating	38
5. Drinking Water Filters	41
7. STIEBEL ELTRON Warranty	45



100YRS
1924-2024


The graphic features a solid red background. In the center, there are two large, overlapping circles. The larger circle is a lighter shade of red, while the smaller circle overlapping its left side is a darker shade. The text "100YRS" is prominently displayed in the center, with "100" in white and "YRS" in black. Below it, the years "1924-2024" are written in white.

Pioneering progress in sustainable technology

To this day, we uphold the standards set by our founder, Dr. Theodor Stiebel: a commitment to crafting innovative products of unparalleled quality. Dr Stiebel's pioneering spirit was evident when he created the coil immersion heater in his Berlin backyard workshop in 1924, marking the inception of STIEBEL ELTRON's storied legacy. After celebrating 100 years of excellence in 2024, we are excited to shape an even brighter, warmer and cleaner future for the next century.

The logo features a large, light gray '100' on the left. To its right is a large, light gray circle. Inside this circle, the text '100YRS' is displayed in a bold, sans-serif font, with '100' in red and 'YRS' in black. Below '100YRS', the years '1924-2024' are written in a smaller, red, sans-serif font.

100YRS
1924-2024



Instantaneous water heaters


for the comfort of endless hot water.




Our instantaneous water heaters provide a reliable and efficient hot water supply for multiple draw-off points in your home. With a compact, pressure-tested design, these unvented water heaters deliver hot water on demand, ensuring consistent performance even for high-demand areas like kitchens and bathrooms. Their powerful heating output ensures a steady supply, making them an ideal solution for centralized hot water needs.

- › Fully electronic control
- › Uninterrupted hot water
- › Precise temperature regulation
- › Energy and water saving up to 30%
- › Compact and space-saving
- › Advanced safety and convenience features
- › German-engineered

Hot water solutions for every need



Refreshing showers with consistent hot water supply.



Cosy baths with perfectly heated bathtubs and jacuzzis.



Essential hot water for utility area cleaning and hygiene.



Hand Basin



Wash Basin



Shower




Bath Tub




Kitchen Sink



Three-phase tankless water heater



- › Made in Germany
- › Instantaneous water heater with full electronic control
- › Precise hot temperature from 20°C to 60°C with 4i technology



- › Made in Germany
- › Instantaneous water heater with electronic control
- › Accurate hot temperature from 20°C to 60°C with 3i technology

Model	DHE 18/21/24 DHE 27	DHB-E 11/13 LCD DHB-E 18/21/24 LCD DHB-E 27 LCD
Article Code	202656 202657	236743 236745 236746
Dimensions (W x H x D)	225 x 466 x 116 mm	225 x 466 x 116 mm
Price	₹ 77,990 ₹ 78,990	₹ 61,490 ₹ 67,490 ₹ 73,990

*ErP certified

Single-phase tankless water heater



- › Made in Germany
- › Instantaneous water heater with full electronic control
- › Precise hot temperature up to 60°C with 4i technology



- › Electronic controlled
- › 3-step temperature selection (40°C, 50°C, 60°C) with 3i technology
- › Compact, space-saving design



- › Temperature adjustment via stepless power control
- › Ideal for low flow application
- › Extra slimline design



- › Compact, space-saving design
- › Automatic on/off control with flow switch
- › Anti-scalding and overheating protection with thermal cut-out
- › High-pressure, heat-resistant copper tank
- › ELCB for enhanced safety

Model	DCE-X 6/8 Premium DCE X 10/12 Premium	DHC 6 EC (IN) DHC 8 EC (IN)	DHC 6 XG (IN) DHC 8 XG (IN)	DDP 6 EC (IN)
Article Code	238158 238159	235091 235092	236217 236218	207632
Dimensions (W x H x D)	217 x 372 x 109 mm	200 x 360 x 110 mm	216 x 342 x 73 mm	204 x 177 x 93 mm
Price	₹ 46,990 ₹ 55,990	₹ 38,990 ₹ 39,990	₹ 25,990 ₹ 27,990	₹ 26,990



Tankless water heater

Technical specifications

Product Range	Wiring	Power Supply	Fuse Protection
DHE 27	10 sq. mm.	3 P+E	40 A (4P)
DHE 18/21/24	6 sq. mm.	3 P+E	32 A (4P)
DHB-E 27 LCD	10 sq. mm.	3 P+E	40 A (4P)
DHB-E 18/21/24 LCD	6 sq. mm.	3 P+E	32 A (4P)
DHB-E 11/13 LCD	4 sq. mm.	3 P+E	20 A (4P)
DCE X 10/12 Premium	10 sq. mm.	1 P+N+E	63 A (2P)
DCE X 6/8 Premium	6 sq. mm.	1 P+N+E	40 A (2P)
DHC 8 EC	6 sq. mm.	1 P+N+E	40 A (2P)
DHC 6 EC	6 sq. mm.	1 P+N+E	32 A (2P)
DHC 8 XG	6 sq. mm.	1 P+N+E	40 A (2P)
DHC 6 XG	6 sq. mm.	1 P+N+E	32 A (2P)
DDP 6 EC	6 sq. mm.	1 P+N+E	32 A (2P)

Note:

3 P+E* - 3 Phase (R Y B) + Earth; 1 P+N+E* - Single Phase + Neutral + Earth

4P* - 4 Pole; 2P* - 2 Pole



The future of energy
is in the air.



Air-to-water heat pumps

for everyday living comfort and wellbeing.



A⁺

Our heat pumps use renewable air energy to deliver efficient heating and hot water. Ideal for both new builds and renovations, they offer flexible indoor and outdoor installation. With lower energy costs and reduced CO₂ emissions, these systems ensure a sustainable and comfortable home. Futureproof your living space with our advanced, energy-efficient technology that's built to last.

- › German-engineered centralized hot water solution
- › Innovative roll bond heat exchanger technology
- › Energy savings up to 75%
- › Electronic controller with LCD screen
- › High discharge capacity
- › Active anti-defrost function
- › Long durability
- › Quiet and safe operation
- › Available in 220 L and 300 L capacities

Water capacity: 220 L - 300 L

*ErP certified and CEL



Hot water



Outdoor
installation



Indoor
installation



Air source



Accessories necessarily



Versatile applications of heat pumps


Centralised hot water solution for small bungalows and villas, row houses and individual apartments.





Heat pumps

A⁺



- › Engineered by Germany's market leader
- › Spring loaded roll-bond heat exchanger for maximum efficiency up to 98%
- › Quiet operation due to encased compressor
- › 220 L and 300 L Monoblock Heat Pump

A⁺



- › Engineered by Germany's market leader
- › Spring loaded roll-bond heat exchanger for maximum efficiency up to 98%
- › Quiet operation due to encased compressor
- › 220 L and 300 L Monoblock Heat Pump
- › Designed for Indian applications

Model

WWK 302 H

Article Code

232905

Dimensions (H x D)

1905 x 690 mm

Price

₹ 5,29,990

WWK 223 electronic WWK 303 electronic

234406

234405

1501 x 690 mm

1905 x 690 mm

₹ 4,39,990


₹ 5,39,990

Engineered for efficiency



German engineering for maximum efficiency & durability

- › Durable, water & corrosion-resistant.
- › 40% thicker insulation – 17% less heat loss, max efficiency.
- › Roll-bond condenser – Superior heat transfer, long-term performance.




Stay future-ready with SMART GRID

Optimized for solar PV with a PV-ready connection for increased energy storage.

- › Save more than 75% electricity with solar PV integration
- › Connect easily via an external signal transmitter cable
- › Increase solar energy use by raising tank temperature
- › Maximize natural energy for smarter efficiency



Roll Bond Safety Condenser



Conventional Coil Condenser

Smart innovation for long-lasting efficiency: Spring-loaded roll bond heat exchanger

- › Ensures maximum heat transfer with minimal losses
- › Maintains top efficiency throughout its lifespan
- › Reliable, high-quality technology from the industry leader



Air-to-water heat pumps

for large-scale needs and enhanced output.



*ErP certified

- › German-engineered centralized hot water solution
- › Patented heat exchanger technology
- › Energy savings up to 75%
- › Outdoor installation, supports multiple draw-off points
- › One system for hot water, pool heating, and space heating
- › Low power consumption with high efficiency (COP)
- › Active anti-defrost function
- › Long durability
- › Quiet and safe operation



Indoor
installation



Outdoor
installation



Air source



One heat pump for multiple needs

Flexible, durable, reliable, and sustainable.



Domestic hot water



Room comfort heating




Pool heating



Underfloor heating


Excellence in every detail



Solar PV ready




Genuine COP




Robust quality




Made and engineered in Germany



Energy efficient




Global certification




Indoor & cascade installation




Outdoor & cascade installation



Hydraulic & System Planning



Charts & diagrams



- › German-engineered air-to-water heat pump with Energy Class A+
- › High heating output and excellent COP with plate heat exchanger
- › Suitable for large-volume hot water applications

- › German-engineered air-to-water heat pump with Energy Class A++
- › High heating output and excellent COP with plate heat exchanger
- › Suitable for large-volume hot water applications

Model	WPL 57	WPL 13 E
		WPL 18 E
Article Code	228837	WPL 23 E
		227756
Dimensions (W x H x D)	1860 x 1485 x 2040 mm	227757
		227758
Price	₹ 35,99,990	₹ 12,99,990
		₹ 13,99,990
		₹ 14,99,990

Essential WPL accessories



Model	WPL 13/18/23 A (Outdoor Casing)	ZVK - WPL 13/18/23 I (Indoor Casing)
Article Code	74413	74412
Price	₹ 2,44,990	₹ 1,95,990



Model	WPM International	SD 32-1 G (WPL 18/23 E*) SD 25-1 G (WPL 13 E*)
Article Code	236000	232977 232976
Price	₹ 1,11,990	₹ 22,990 ₹ 19,990

*Recommended quantity - 2

Optional WPL accessories




Internet Service Gateway ISG web

- › ISG connects the heat pump to the home network
- › Appliance data is transferred to the STIEBEL ELTRON Internet Service Portal



Control unit extension WPE

- › Function extension module for the WPM heat pump manager
- › Management of 4 additional heat pump stages
- › Swimming pool management




FET

- › Room-based remote control with thermostat function for heat pump management
- › Simple, intuitive operation via Touch-Wheel with matrix display
- › Displays room temperature and relative humidity
- › Easy comfort temperature adjustment

Model	ISG web	WPE	FET
Article Code	229336	234725	234723
Price	₹ 94,990	₹ 64,990	₹ 27,990

Internet Service Gateway set up



Note: It is recommended to install ISG with a WPL Heat Pump*





STIEBEL ELTRON

Heat recovery ventilation systems

for fresh, filtered air and a healthier, more comfortable home.



Let STIEBEL ELTRON's ventilation systems handle your indoor air while you relax in fresh, filtered comfort. Our quiet, automatic units prevent draughts, wasted energy, and heat loss – ensuring a healthier indoor environment. Stale air can leave you feeling sluggish, but our ventilations solutions keep your space fresh and comfortable.

By enhancing Indoor Air Quality (IAQ), our systems effectively remove allergens and pollutants, promoting better health, energy efficiency, and building longevity.

- › Energy-efficient ventilation with up to 93% heat recovery
- › Suitable for outside temperatures ranging from -20°C to +50°C
- › Innovative preheater for balanced incoming air temperatures during winter
- › Rapid, hygienic cleaning with aluminium heat exchanger
- › Fine dust and pollen filters for optimal air quality
- › Optional humidity and CO₂ sensor for precise control
- › WiFi connectivity for convenient, intelligent operation
- › EC fan for efficient, quiet performance
- › Maintains air quality, temperature, humidity, and CO₂ levels
- › Reduces the risk of mould formation, ideal for allergy sufferers



Ventilation



Indoor
installation




Heat recovery

The role of ventilation in healthy living



Advanced ventilation systems save over 50% of heating energy lost through window ventilation.

- › Refreshes air by replacing stale indoor air with fresh outdoor air.
- › Prevents moisture buildup to avoid mold and structural damage.
- › Reduces energy waste as efficient ventilation prevents heat loss from open windows.
- › Enhances indoor air quality while reducing harmful emissions.
- › Supports health by creating a better environment for allergy sufferers.
- › Protects buildings from moisture damage and mold with energy-efficient heat recovery.



Ventilation system filters reduce indoor pollen by up to 95%.



Ventilation solutions for every space

- › New homes and energy-efficient renovations
- › Upgraded older homes with airtight windows and insulation
- › Warehouses, garages, and non-residential spaces
- › Offices, co-working spaces, and meeting rooms
- › Schools, nurseries, and educational facilities

Central ventilation units keep your indoor air fresh, consistent, and comfortable.



- › Centralised ventilation unit for optimum indoor air quality
- › Automatic ventilation eliminates the need for manual window opening
- › Quiet operation with excellent sound insulation
- › High-quality filters, including pollen and fine dust filter options
- › Easy cleaning and filter replacement for improved hygiene
- › Up to 94% heat recovery from extract air
- › Balanced airflow rate of up to 350 m³/h for efficient ventilation operation
- › Seamless integration with central ventilation units for easy control
- › Adjust airflow settings with precision
- › Intuitive matrix display for effortless operation
- › Convenient control from the living space
- › Easy mode switching with Touch-Wheel

Model	LWZ 280	FEB 2.0 (Optional Accessory)
Article Code	232362	205018
Dimensions (W x H x D)	690 x 997 x 534 mm	145 x 96 x 31 mm
Price	₹ 7,39,990	₹ 29,990



Ventilation



Indoor installation




Heat recovery



*Passive House Certified Component

This appliance has been independently tested and certified by the Passive House Institute.

The Passive House standard is a world-leading building standard that is centred around energy-efficient construction. Passive House design and construction means the house will require minimal energy consumption to achieve a comfortable temperature year-round, this includes all aspects of heating and cooling. In addition to providing comfort with minimal heating and cooling, the Passive House construction standard is designed to protect the building structure for long-term occupancy.



- › Centralised wall-mounted ventilation unit for optimum indoor air quality
- › High-quality filters, including pollen and fine dust filter options
- › High-quality construction with an elegant, well-integrated design
- › Easy cleaning and filter replacement for improved hygiene
- › Up to 94% heat recovery from extract air
- › Programming unit with CO₂ and humidity sensor control, also usable as a remote control
- › Balanced airflow rate of up to 600 m³/h for efficient ventilation operation
- › Combined with central ventilation units for convenient control
- › Set key system parameters, such as the air flow rate supplied to rooms
- › Integral CO₂ air quality sensor for demand-dependent control
- › Automatic air flow adjustment based on indoor air quality
- › Plain text matrix display for intuitive operation
- › Choice of eleven languages

Model	VRC-W 600 E Premium	FEB 2.1 (Optional Accessory)
Article Code	204715	206612
Dimensions (W x H x D)	740 x 975 x 655 mm	145 x 96 x 31 mm
Price	₹ 9,99,990	₹ 31,990





Decentralized ventilation systems



- › Push pull ventilation
- › De-centralized ventilation unit for optimum air quality
- › Quiet operation thanks to very good sound insulation
- › Rapid, hygienic cleaning thanks to aluminium heat exchanger
- › Best air quality thanks to a choice of filters, including pollen and fine dust filters
- › For new build and modernization
- › Recovery of up to 92 % of the thermal energy in the extract air



- › Push pull ventilation
- › De-centralized ventilation unit for optimum air quality
- › Quiet operation thanks to very good sound insulation
- › Rapid, hygienic cleaning thanks to aluminium heat exchanger
- › Best air quality thanks to a choice of filters, including pollen and fine dust filters
- › For new build and modernization
- › Recovery of up to 92 % of the thermal energy in the extract air

Model	VLR 70 L Trend EN	VLR 70 S Trend EN
Article Code	201458	200002
Dimensions (W x H x D)	258 x 258 x 780 mm	258 x 258 x 590 mm
Price	₹ 52,990	₹ 52,990


VLR 70 accessories



- › Control set consisting of control unit, power supply unit and programming unit for controlling the ventilation units.
- › No. of fan control unit – 2



- › Control set consisting of control unit, power supply unit and programming unit for controlling the ventilation units.
- › No. of fan control unit – 4



- › Control set consisting of control unit, power supply unit and programming unit for controlling the ventilation units.
- › No. of fan control unit – 8

Model	VLR 70-2 CU	VLR 70-4 CU	VLR 70-8 CU
Article Code	239570	239571	239572
Price	₹ 39,990	₹ 41,990	₹ 43,990

Optional accessories



- › The time switch is suitable for time-dependent operation in two different stages.
- › Time control unit



- › Humidity sensor for humidity-controlled operation in two different stages.



- › The CO₂ sensor is used for demand-dependent, enhanced ventilation mode.
- › CO₂ sensor with adjustable switching threshold
- › Adjustable hysteresis

Model	ZLWE 40 CLOCK	ZLWE 40 HUMIDITY	ZLWE 40 CO 2
Article Code	236672	236674	236673
Price	₹ 15,990	₹ 29,490	₹ 54,490

Decentralized bathroom dehumidifiers

for an oasis of fresh air.



- › Ventilates rooms with or without external windows
- › Ideal for bathrooms, kitchens, and WCs
- › Energy-efficient EC fan
- › High airflow rates for effective air exchange
- › Quiet operation, highly responsive to stale air



- › Reliable ventilation, installable in false ceilings
- › Ideal for domestic bathrooms
- › Quiet operation
- › For flush mounted installation

Model	LA 100 A	LA 100 U
Article Code	205771	205772
Dimensions (W x H x D)	270 x 270 x 136 mm	295 x 290 x 74 mm
Price	₹ 59,990	₹ 59,990

LA 100 A accessories



- › Demand-regulated fan control based on air humidity
- › Humidity sensor for extractors LA 100 A

Model	ZLA 100-H
Article Code	205830
Price	₹ 16,990

Underfloor heating


for consistent, barefoot comfort in every corner of your home.



Step into warmth with Stiebel Eltron's underfloor heating. Quick to heat and easy to install, our thin-bed heating mats integrate seamlessly with any system, providing consistent warmth across all floor surfaces, even in bathrooms.


- › Self-adhesive thin heating mat for easy installation
- › Even temperature distribution across the entire floor
- › High heating output for optimal warmth and comfort
- › Compatible with all floor types, including thick tiles, natural stone, wood, carpet, and PVC
- › 7-day programmable controller with window open detection for energy efficiency
- › Ideal for living areas, bedrooms, kitchens, and bathrooms
- › Provides a pleasantly warm floor surface for enhanced comfort

FTM



Model	FTM 160/1 FTM 160/1.5 FTM 160/2	FTM 160/2.5 FTM 160/3 FTM 160/4	FTM 160/5 FTM 160/6 FTM 160/7 FTM 160/8
Article Code	205673 205674 205675	205676 205677 205678	205679 205680 205681 205682
Price	₹ 18,990 ₹ 25,490 ₹ 30,490	₹ 35,490 ₹ 36,990 ₹ 41,990	₹ 46,990 ₹ 55,490 ₹ 61,990 ₹ 69,490
Dimensions (L x W = A)	2 x 0.5m = 1 m ² 3 x 0.5m = 1.5 m ² 4 x 0.5m = 2 m ²	5 x 0.5m = 2.5 m ² 6 x 0.5m = 3 m ² 8 x 0.5m = 4 m ²	10 x 0.5m = 5 m ² 12 x 0.5m = 6 m ² 14 x 0.5m = 7 m ² 16 x 0.5m = 8 m ²

FTM accessories



- › Touch colour display for intuitive and easy operation
- › Programmable with self-learning function for optimal efficiency
- › Window-open detection to prevent energy waste



- › Sensor conduit with sensor pocket for easy floor temperature sensor installation
- › Compatible with sensors up to 5 mm in diameter

Model	RTF TC	Z-FH-FR
Article Code	236724	205776
Dimensions (L x W)	84 x 84 mm	■
Price	₹ 32,990	₹ 3,990



Drinking water filters


for effortless purity in every sip.



STIEBEL ELTRON's multi-stage filtration systems make tap water safe and drinkable with the advanced ultrafiltration technology. You can choose the setup that fits your space – a countertop unit for quick, hassle-free installation or an under-sink unit for a seamless, clutter-free look.

- › Uses 0.01-micron hollow fiber membranes for superior filtration
- › Ideal for homes with a municipal water supply for the drinking line
- › No electricity or storage tank required, ensuring efficient and hassle-free operation
- › No drain water, while preserving natural minerals for healthier drinking water
- › Provides clean and bacteria-free drinking water for you and your family

Ultrafiltration technology



Ideal for municipal corporation water up to 200 ppm*

Water filters



- › Control set consisting of control 7-in-1 ultrafiltration removes 100% of bacteria
- › NSF 42 & 53 certified for safe, high-quality drinking water
- › No electricity needed for reliable, energy-efficient operation.
- › Smart filter indicator
- › 360° flexible dispenser for greater reach and convenience
- › One-way nozzle prevents external contamination
- › Durable ceramic valve ensures smooth operation



- › 5-stage filtration with 0.01-micron UF membrane
- › 100% bacteria-free water
- › Antibacterial silver ions provide double protection of the water filter
- › Large carbon layers for great-tasting, purified water
- › No electricity, no storage tank, no water wastage
- › Push & Click encapsulated filters for quick, tool-free replacement
- › Compact, space-saving design for easy installation

Model	Fountain 7S
Article Code	239505
Dimensions (W x H x D)	220 x 370 x 185 mm
Price	₹ 41,990

Model	Stream 5S
Article Code	239501
Dimensions (W x H x D)	295 x 400 x 100 mm
Price	₹ 39,990



- › 5-stage filtration with encapsulated filters for enhanced safety and hygiene
- › Ultrafiltration technology removes 100% of bacteria with zero water wastage
- › Antibacterial silver ions ensure double protection against contamination
- › Multi-layer carbon filtration delivers fresh, great-tasting water

Model	Cloud (IN)
Article Code	207957
Dimensions (W x H x D)	360 x 385 x 110 mm
Price	₹ 24,990

Cartridges



Model	7 in 1 Filter cartridge
Article Code	202458
Price	₹ 9,990



Model	Sediment filter 13" (IN)
Article Code	201858
Price	₹ 1,420



Model	Activated carbon block 13" (IN)
Article Code	201859
Price	₹ 2,620



Model	Ultrafiltration 13" (IN)
Article Code	201860
Price	₹ 5,300



Model	Silver GAC & mineral balls 13" (IN)
Article Code	201861
Price	₹ 3,400



Model	Cloud sediment filter (IN)
Article Code	207956
Price	₹ 880



Model	Cloud pre carbon filter (IN)
Article Code	207955
Price	₹ 1,520



Model	Cloud carbon block filter (IN)
Article Code	207954
Price	₹ 1,520



Model	Cloud ultrafiltration filter (IN)
Article Code	207953
Price	₹ 1,870



Model	Cloud post carbon with silver ions (IN)
Article Code	207952
Price	₹ 1,670



Peace of mind, built into every detail

Our product warranty policy

Product Category	Domestic		Commercial	
	Warranty	Additional Warranty	Warranty	Additional Warranty
Tankless Water Heater	2 Year Comprehensive	NA	1 Year Comprehensive	NA
Heat Pump Water Heater (WWK)	1 Year Comprehensive	4 Years on Compressor & Tank	1 Year Comprehensive	NA
Heat Pump Water Heater (WPL and HPA)	1 Year Comprehensive	4 Years on Compressor	1 Year Comprehensive	4 Years on Compressor
Storage Water Heater	1 Year Comprehensive	NA	1 Year Comprehensive	NA
Space Heater	1 Year Comprehensive	NA	1 Year Comprehensive	NA
Underfloor Heating	1 Year Comprehensive	NA	1 Year Comprehensive	NA
Ventilation	1 Year Comprehensive	NA	1 Year Comprehensive	NA
Water Filter	1 Year Comprehensive	NA	1 Year Comprehensive	NA

*Terms & Conditions Apply

Warranty for STIEBEL ELTRON India PVT. LTD. products is limited to manufacturing defects only. The warranty period starts from the date of the customer invoice, as detailed in the table above.

Warranty is void or rejected if:

- › Product not installed by authorized company person or as per company specifications.
- › Connection to a specified water quality (e.g., TDS >200 PPM; conductivity should be above 100 mS/cm, >100 PPM calcium/magnesium, chloride >30 PPM, iron >0.3 PPM, hardness >55 PPM).
- › Unauthorized modifications or repairs are observed.

*Company reserves right to reject any claim. Company reserves all the rights to withdraw or change terms and conditions without prior notice.

Energy for today, sustainability for tomorrow

We need energy to live, and so we endeavour to ensure that energy will still be available in tomorrow's world. We deliver environmentally responsible, and efficient solutions that are futureproof, so that you can enjoy sustainable wellbeing.





100 years of
experience
in the development and production
of innovative building services

Nearly
50
years of
heat pump experience



Over
30 years of
ventilation expertise



STIEBEL ELTRON India Pvt. Ltd.

Ground Floor, Lunkad Sky Cruise,
B - Wing survey no. 210/3,
Viman Nagar, Pune 411014,
Maharashtra, India

Sales

Telephone: +91 20 67480909
Sales Hotline: +91 20 67480917
Email: info@stiebel-eltron.in
sales@stiebel-eltron.in
Website: www.stiebel-eltron.in

Service

Toll Free: 18002667155
WhatsApp: +91 92265 47400
Email: service@stiebel-eltron.in

For new and interesting information on our
products, visit www.stiebel-eltron.in/ or
consult your local trade partner.

STIEBEL ELTRON

Legal notice | Although we have tried to make this brochure as accurate as possible, we are not liable for any inaccuracies in its content. Product images are indicative. Information concerning equipment levels and specifications are subject to modification. The equipment characteristics described in this brochure are non-binding regarding the specification of the final product. Due to our policy of ongoing improvement, some features may have subsequently been changed or even removed. Please consult your local trade partner for information about the very latest equipment features. The images in this brochure are for reference only. The illustrations also contain installation components, accessories and special equipment, which do not form part of the standard delivery. Reprinting of all or part of this brochure only with the publisher's express permission.