



Philips WebberSlim

An architectural lighting range

06th June 2025

Philips **WebberSlim**


Slim surface magnetic track



Available in 1-meter and 2-meter lengths


Philips WebberSlim

True colors to eyes



Philips WebberSlim

Fixtures with wide and narrow beam angles
for perfect architectural lighting




Philips WebberSlim

Diffused blade



CRI > 95



Patterned diffuser
for anti-glare light


Available in 6W, 12W and 18W

Philips WebberSlim

Grill blade



CRI > 95



Narrow beam angle of 24 degrees
Available in 6W, 12W and 18W

Philips WebberSlim

Track Spot




CRI > 90




Narrow beam angle of 24 degrees
Available in 7W and 12W

Philips WebberSlim


Lay the track the way you want via multiple connector options



WebberSlim L-connector




WebberSlim I-connector



WebberSlim 4way connector



WebberSlim InOut connector
(for wall & ceiling movement)



WebberSlim T-connector

Philips **WebberSlim**

Powered by robust 100W 48V DC driver



Philips WebberSlim | Diffused blades

Tech specs

	Diffused blade	Diffused blade	Diffused blade
Input Voltage	48V DC	48V DC	48V DC
Wattage	6W	12W	18W
Lumen @Fixture	240 lm@4000K	465 lm@4000K	770 lm@4000K
Efficacy @Source	Max. 110 Lm/W	Max. 110 Lm/W	Max. 110 Lm/W
CRI	>95	>95	>95
CCT	WW and NW	WW and NW	WW and NW
Beam Angle	120°	120°	120°
Class of product	Class III	Class III	Class III
Material	Aluminium	Aluminium	Aluminium
Body Color	Black	Black	Black
Dimensions	L x W x H:-	L x W x H:-	L x W x H:-
	165x23.5x31.3 mm	280x23.5x31.3 mm	396x23.5x31.3 mm
Weight (gms)	90 gms	155 gms	210 gms

Philips WebberSlim | Grill blades

Tech specs

	Grill blade	Grill blade	Grill blade
Input Voltage	48V DC	48V DC	48V DC
Wattage	6W	12W	18W
Lumen @Fixture	440 lm@4000K	820 lm@4000K	1255 lm@4000K
Efficacy @Source	Max. 110 Lm/W	Max. 110 Lm/W	Max. 110 Lm/W
CRI	>95	>95	>95
CCT	WW and NW	WW and NW	WW and NW
Beam Angle	24°	24°	24°
Class of product	Class III	Class III	Class III
Material	Aluminium	Aluminium	Aluminium
Body Color	Black	Black	Black
Dimensions	L x W x H:-	L x W x H:-	L x W x H:-
	165x23.5x31.3 mm	280x23.5x31.3 mm	396x23.5x31.3 mm
Weight (gms)	100 gms	170 gms	240 gms

Philips WebberSlim | Track spots

Tech specs

	Track spot	Track spot
Input Voltage	48V DC	48V DC
Wattage	7W	12W
Lumen @Fixture	420 lm@4000K	885 lm@ 4000K
Efficacy @Source	Max. 105 Lm/W	Max. 105 Lm/W
CRI	>90	>90
CCT	WW and NW	WW and NW
Beam Angle	24°	24°
Class of product	Class III	Class III
Material	Aluminium	Aluminium
Body Color	Black	Black
Dimensions	Dia. x H:-	Dia. x H:-
	35x165.5 mm	45x175 mm
Weight (gms)	185 gms	235 gms
Tiltability	90 degree	90 degree
Rotatability	350 degree	350 degree

Philips WebberSlim

Pricing

12NC	Description	Lumen	Wattage	MRP
919215851470	800148 Philips WebberSlim Diffused 6W WW	240	6	2,549
919215851471	800148 Philips WebberSlim Diffused 6W NW	240	6	2,549
919215851472	800149 Philips WebberSlim Diffused12W WW	465	12	3,629
919215851473	800149 Philips WebberSlim Diffused12W NW	465	12	3,629
919215851474	800150 Philips WebberSlim Diffused18W WW	770	18	5,019
919215851475	800150 Philips WebberSlim Diffused18W NW	770	18	5,019
919215851476	800151 Philips WebberSlim Grill 6W WW	440	6	2,799
919215851477	800151 Philips WebberSlim Grill 6W NW	440	6	2,799
919215851478	800152 Philips WebberSlim Grill 12W WW	820	12	4,079
919215851479	800152 Philips WebberSlim Grill 12W NW	820	12	4,079
919215851480	800200 Philips WebberSlim Grill 18W WW	1255	18	6,099
919215851481	800200 Philips WebberSlim Grill 18W NW	1255	18	6,099
919215851482	800153 Philips WebberSlim TrackSpot7W WW	420	7	5,319
919215851483	800153 Philips WebberSlim TrackSpot7W NW	420	7	5,319
919215851484	800154 Philips WebberSlimTrackSpot12W WW	885	12	6,529
919215851485	800154 Philips WebberSlimTrackSpot12W NW	885	12	6,529
919215851486	800155 Philips WebberSlim Track 1M Black	Non-LED	Non-LED	1,869
919215851487	800156 Philips WebberSlim Track 2M Black	Non-LED	Non-LED	3,729
919215851488	800157 Philips WebberSlimInOut connector	Non-LED	Non-LED	1,869
919215851489	800158 Philips WebberSlim I-connector	Non-LED	Non-LED	979
919215851490	800159 Philips WebberSlim T-connector	Non-LED	Non-LED	1,919
919215851491	800160 Philips WebberSlim L-connector	Non-LED	Non-LED	1,079
919215851492	800161 Philips WebberSlim 4way connector	Non-LED	Non-LED	1,969
919215851493	800213 Philips WebberSlimDvr 100W 48V DC	NA	100	6,299

@signify