



EventBean.java ×

```
1 package com.accnture.lkm.business.bean;
2
3 public class EventBean {
4
5     private String eventId;
6     private String eventName;
7     private int minAge;
8     private int maxAge;
9
10    public String getEventId() {
11        return eventId;
12    }
13    public void setEventId(String eventId) {
14        this.eventId = eventId;
15    }
16    public String getEventName() {
17        return eventName;
18    }
19    public void setEventName(String eventName) {
20        this.eventName = eventName;
21    }
22    public int getMinAge() {
23        return minAge;
24    }
25    public void setMinAge(int minAge) {
26        this.minAge = minAge;
27    }
28    public int getMaxAge() {
29        return maxAge;
30    }
31    public void setMaxAge(int maxAge) {
32        this.maxAge = maxAge;
33    }
34 }
```

Writable

Smart Insert

1 : 1 : 0



```
1 package com.accnture.lkm.business.bean;
2
3 import javax.validation.constraints.Min;
4
5 public class RegisterBean {
6
7     @NotEmpty(message="Participant Name is mandatory")
8     @Length(max=10, message="Participant Name can have maximum 10 characters")
9     private String participantName;
10
11     private String eventId;
12
13     @NotNull(message="Participant Age is mandatory")
14     @Min(value=1, message="Age must be greater than 0")
15     private Integer age;
16
17     public String getParticipantName() {
18         return participantName;
19     }
20
21     public void setParticipantName(String participantName) {
22         this.participantName = participantName;
23     }
24
25     public String getEventId() {
26         return eventId;
27     }
28
29     public void setEventId(String eventId) {
30         this.eventId = eventId;
31     }
32
33     public Integer getAge() {
34         return age;
35     }
36
37     public void setAge(Integer age) {
38         this.age = age;
39     }
40 }
```

Writable

Smart Insert

1 : 1 : 0

ENG
IN09:34
11-04-2022

```
1 package com.accenture.lkm.dao;
2
3 import java.util.ArrayList;
4
5
6
7
8
9
10
11
12
13
14
15
16 @Repository
17 @Transactional
18 public class RegisterDAO {
19
20     @PersistenceContext
21     EntityManager em;
22
23     public List<EventBean> getEventDetails()
24     {
25         Query q = em.createQuery("select ee from EventEntity ee");
26         List<EventEntity> eelist = q.getResultList();
27
28         List<EventBean> eblist = new ArrayList<EventBean>();
29         for(EventEntity ee : eelist)
30         {
31             EventBean eb = new EventBean();
32             BeanUtils.copyProperties(ee, eb);
33             eblist.add(eb);
34         }
35
36         return eblist;
37     }
38
39     public EventBean getEventById(String eventId)
40     {
41         EventEntity ee = em.find(EventEntity.class, eventId);
42
43         EventBean eb = new EventBean();
44         BeanUtils.copyProperties(ee, eb);
45
46         return eb;
47     }
48
49     public List<EventBean> getEventByEventName(String eventName)
```

List<EventBean> com.accenture.lkm.dao.RegisterDAO.getEventDetails()

Press 'F2' for focus

Writable

Smart Insert

1 : 1 : 0



RegisterDAO.java ×

```
22
23 public List<EventBean> getEventDetails()
24 {
25     Query q = em.createQuery("select k from EventEntity k");
26     List<EventEntity> eelist = q.getResultList();
27
28     List<EventBean> eblast = new ArrayList<EventBean>();
29     for(EventEntity ee : eelist)
30     {
31         EventBean eb = new EventBean();
32         BeanUtils.copyProperties(ee, eb);
33         eblast.add(eb);
34     }
35
36     return eblast;
37 }
38
39 public EventBean getEventById(String eventId)
40 {
41     EventEntity ee = em.find(EventEntity.class, eventId);
42
43     EventBean eb = new EventBean();
44     BeanUtils.copyProperties(ee, eb);
45
46     return eb;
47 }
48
49 public int registerForEvent(RegisterBean bean)
50 {
51     RegisterEntity re = new RegisterEntity();
52
53     BeanUtils.copyProperties(bean, re);
54     em.persist(re);
55
56     return re.getRegistrationId();
57 }
58 }
```

Writable

Smart Insert

1:1:0

ENG
IN09:34
11-04-2022

```
1 package com.accnture.lkm.entity;
2
3 import javax.persistence.Column;
4
5 @Entity
6 @Table(name="Event")
7 public class EventEntity {
8
9     @Id
10    @Column(name="EventId")
11    private String eventId;
12
13    @Column(name="EventName")
14    private String eventName;
15
16    private int minAge;
17
18    private int maxAge;
19
20    public String getEventId() {
21        return eventId;
22    }
23    public void setEventId(String eventId) {
24        this.eventId = eventId;
25    }
26    public String getEventName() {
27        return eventName;
28    }
29    public void setEventName(String eventName) {
30        this.eventName = eventName;
31    }
32    public int getMinAge() {
33        return minAge;
34    }
35    public void setMinAge(int minAge) {
36        this.minAge = minAge;
37    }
38    public int getMaxAge() {
39        return maxAge;
40    }
41    public void setMaxAge(int maxAge) {
42        this.maxAge = maxAge;
43    }
44 }
```

Writable

Smart Insert

1:1:0




```
1 package com.accnture.lkm.entity;
2
3 import javax.persistence.Column;
4
5
6
7
8
9
10 @Entity
11 @Table(name="Register_Details")
12 public class RegisterEntity {
13
14     @Id
15     @GeneratedValue(strategy = GenerationType.AUTO)
16     @Column(name="RegistrationId")
17     private Integer registrationId;
18
19     @Column(name="ParticipantName")
20     private String participantName;
21
22     @Column(name="EventId")
23     private String eventId;
24
25     public Integer getRegistrationId() {
26         return registrationId;
27     }
28     public void setRegistrationId(Integer registrationId) {
29         this.registrationId = registrationId;
30     }
31     public String getParticipantName() {
32         return participantName;
33     }
34     public void setParticipantName(String participantName) {
35         this.participantName = participantName;
36     }
37     public String getEventId() {
38         return eventId;
39     }
40     public void setEventId(String eventId) {
41         this.eventId = eventId;
42     }
43 }
```

Writable

Smart Insert

1 : 1 : 0



```
InvalidAgeException.java x
1 package com.accenture.lkm.service;
2
3 public class InvalidAgeException extends Exception {
4
5     public String getMessage()
6     {
7         return "Invalid Age";
8     }
9 }
```

Writable

Smart Insert

1:1:0



```
1 package com.accenture.lkm.service;
2
3 import java.util.List;
4
5
6
7
8
9
10 @Service
11 public class RegisterService{
12
13     @Autowired
14     RegisterDAO dao;
15
16     public List<EventBean> getEventDetails()
17     {
18         return dao.getEventDetails();
19     }
20
21     public int registerForEvent(RegisterBean bean) throws InvalidAgeException
22     {
23         EventBean eb = dao.getEventById(bean.getEventId());
24
25         int min_age = eb.getMinAge();
26         int max_age = eb.getMaxAge();
27         int age = bean.getAge();
28
29         if(age >= min_age && age <= max_age)
30         {
31             return dao.registerForEvent(bean);
32         }
33         else
34         {
35             throw new InvalidAgeException();
36         }
37     }
38 }
39 }
```

Writable

Smart Insert

1:1:0

09:35
11-04-2022


```
1 package com.accnture.lkm.web.controller;
2
3 import java.util.HashMap;
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22 @Controller
23 public class RegisterController {
24
25     @Autowired
26     private RegisterService service;
27
28     @RequestMapping(value = "displayRegisterForm.htm")
29     public ModelAndView displayRegisterForm(ModelMap map) {
30
31         ModelAndView mv = new ModelAndView();
32         mv.setViewName("register");
33         mv.addObject("registerBean", new RegisterBean());
34
35         return mv;
36     }
37
38     @RequestMapping(value = "registerForEvent.htm")
39     public ModelAndView registerForEvent(@ModelAttribute("registerBean") @Valid RegisterBean bean, BindingResult errors)
40         throws InvalidAgeException {
41
42         ModelAndView mv = new ModelAndView();
43
44         if (errors.hasErrors()) {
45             mv.setViewName("register");
46         } else {
47
48             int id = service.registerForEvent(bean);
49             mv.setViewName("register");
50             mv.addObject("message", "Registration Successful, Registration Id = " + id);
51         }
52
53         return mv;
54     }
55 }
```

Writable

Smart Insert

1:1:0



RegisterController.java ×

```
43
44
45     if (errors.hasErrors()) {
46         mv.setViewName("register");
47     } else {
48
49         int id = service.registerForEvent(bean);
50         mv.setViewName("register");
51         mv.addObject("message", "Registration Successful, Registration Id = " + id);
52     }
53
54     return mv;
55 }
56
57 @ModelAttribute("eventList")
58 public Map<String, String> populateEventList() {
59
60     List<EventBean> eblast = service.getEventDetails();
61
62     Map<String, String> m = new HashMap<String, String>();
63     for (EventBean eb : eblast) {
64         m.put(eb.getEventId(), eb.getEventName());
65     }
66
67     return m;
68 }
69
70 /*
71 * @ExceptionHandler(value = Exception.class) public ModelAndView
72 * handleAllExceptions(Exception exception) {
73 *
74 *     ModelAndView mv = new ModelAndView(); mv.setViewName("register");
75 *     mv.addObject("error", exception.getMessage());
76 *
77 *     return mv; }
78 */
79 }
```

Writable

Smart Insert

1:1:0



```
1 <%@ page language="java" contentType="text/html; charset=ISO-8859-1"
2   pageEncoding="ISO-8859-1"%>
3 <%@ taglib uri="http://www.springframework.org/tags/form" prefix="form"%>
4 <%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core"%>
5 <%@ taglib prefix="spring" uri="http://www.springframework.org/tags"%>
6 <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
7 <html>
8 <head>
9   <meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
10  <title>Event Registration</title>
11  <style>
12    .error {
13      color: #ff0000;
14      font-style: italic;
15    }
16  </style>
17 </head>
18 <body>
19   <center>
20     <h2>Event Registration</h2>
21
22     <form:form action="registerForEvent.htm" modelAttribute="registerBean">
23
24       <table>
25         <tr>
26           <td>Participant Name</td>
27           <td><form:input path="participantName"/></td>
28         </tr>
29
30         <tr>
31           <td>Event Name</td>
32           <td>
33             <form:select path="eventId">
34               <form:option value="" label="--Select--"></form:option>
35               <form:options items="{eventList}" />
36             </form:select>
37           </td>
38         </tr>
39       </table>
40     </form:form>
41   </center>
42 </body>
43 </html>
```

Writable

Smart Insert

1 : 1 : 0

ENG
IN09:35
11-04-2022

```
register.jsp x
26         <td>Participant Name</td>
27         <td><form:input path="participantName"/></td>
28     </tr>
29
30     <tr>
31         <td>Event Name</td>
32         <td>
33             <form:select path="eventId">
34                 <form:option value="" label="--Select--"></form:option>
35                 <form:options items="${eventList}" />
36             </form:select>
37         </td>
38     </tr>
39
40     <tr>
41         <td>Participant Age</td>
42         <td><form:input path="age"/></td>
43     </tr>
44 </table>
45
46 <br><br>
47 <input type="submit" value="Register"/>
48 <br><br>
49 <spring:hasBindErrors name="registerBean">
50     <font color="red"><form:errors path="*"></form:errors></font>
51 </spring:hasBindErrors>
52
53 <br>
54 ${message}
55 ${errors}
56 </form:form>
57
58 <br><br>
59 <a href="index.jsp">Home</a>
60 </center>
61 </body>
62 </html>
```




register.jsp web.xml index.jsp ×

```
1 <%@ page language="java" contentType="text/html; charset=ISO-8859-1"
2   pageEncoding="ISO-8859-1"%>
3 <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
4 <html>
5 <head>
6 <meta http-equiv="Content-Type" content="text/html; charset=ISO-8859-1">
7 <title>Doon Events</title>
8 </head>
9 <body>
10 <center>
11     <h2>Doon Events</h2>
12     <br>
13     <a href="displayRegisterForm.htm">Register For Event</a>
14 </center>
15 </body>
16 </html>
```

Writable

Smart Insert

1 : 1 : 0

