



Datasets: ai4bharat/MSMARCO-XI

like 11

Follow AI4Bharat 1.94k

Modalities: Text Formats: parquet Size: 10M - 100M

ArXiv: arxiv:2506.01615 Libraries: Datasets Dask Polars + 1

Dataset card

Data Studio

Files

xet

Community 2

→ Copy to bucket **NEW**

Use this dataset ▾



Downloads last month

2,824

Number of rows:

11,451,314

Total file size:

55.6 GB

Spaces using ai4bharat/MSMARCO-XI 6

ansh123456789/ragingoa

danishdhanjal23/RAG-HHG

Izhaar8455/voice-rag-msmarco-xi

Puroonjay/sonic-rag-backend

ansh4444444444444444/ragingoa

+ 1 Spaces

Collection including ai4bharat/MSMARCO-XI

IndicRagSuite Collection

A comprehensive dataset collection for In... • 2 items • Updated Mar 2 • ▴ 3

Paper for ai4bharat/MSMARCO-XI

IndicRAGSuite: Large-Scale Datasets and a Benchmark for Indian Language RAG Systems

Paper • 2506.01615 • Published Jun 2, 2025

**Dataset Viewer**

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (2)

train · 10.1M rows



Search is not available for this dataset

► The dataset viewer is not available for this split.

YAML Metadata Warning:empty or missing yaml metadata in repo card
Check out the [documentation](#) for more information.

[🔗](#) **MS MARCO Translations Dataset**[🔗](#) **Dataset Description**

This dataset contains the MS MARCO dataset translated into various Indic languages. The original MS MARCO dataset is a collection of queries, passages, and answers for machine reading comprehension and question answering tasks. Each example includes both the original English content and the translated content, along with translation metadata.

[🔗](#) **Supported Languages**

Language Code	Language Name	Train File	Validation File
as	Assamese	asmtrain.jsonl	asmval.jsonl
bn	Bengali	bentrain.jsonl	benval.jsonl
gu	Gujarati	gutrain.jsonl	guval.jsonl
hi	Hindi	hintrain.jsonl	hinval.jsonl
kn	Kannada	kantrain.jsonl	kanval.jsonl
ml	Malayalam	maltrain.jsonl	malval.jsonl

Language Code	Language Name	Train File	Validation File
mr	Marathi	martrain.jsonl	marval.jsonl
ne	Nepali	neptrain.jsonl	nepval.jsonl
or	Odia	ortrain.jsonl	orval.jsonl
pa	Punjabi	pantrain.jsonl	panval.jsonl
sa	Sanskrit	santrain.jsonl	sanval.jsonl
ta	Tamil	tamtrain.jsonl	tamval.jsonl
te	Telugu	teltrain.jsonl	telval.jsonl
ur	Urdu	urdtrain.jsonl	urdval.jsonl

Usage

```
from datasets import load_dataset

# Load Hindi training data
dataset = load_dataset("ai4bharat/MSMARCO-XI", "hi", split="train")

# Access the data
for example in dataset:
    print(f"Query: {example['query']}")
    print(f"Answers: {example['answers']}")
    print(f"Passages: {len(example['passages'])}")
    break
```

Dataset Structure

Each example in the dataset contains:

Translation Metadata

- `source_lang` (string): Source language code (e.g., "eng_Latn")

- `target_lang` (string): Target language code (e.g., "asm_Beng")
- `meta` (dict): Translation model metadata including:
 - `model_name` (string): Name of the translation model used
 - `temperature` (float): Sampling temperature
 - `max_tokens` (int): Maximum tokens generated
 - `top_p` (float): Top-p sampling parameter
 - `frequency_penalty` (float): Frequency penalty
 - `presence_penalty` (float): Presence penalty

🔗 Main Content

- `query` (string): The translated search query
- `Answer` (string): The translated answer
- `query_id` (int): Unique identifier for the query
- `query_type` (string): Type/category of the query

🔗 Passages

- `passages` (dict): Contains passage information:
 - `is_selected` (list): List indicating which passages are selected (1) or not (0)
 - `English_passages` (list): List of original English passages
 - `Translated_passages` (list): List of translated passages

🔗 Original English Content

- `Eng_Query` (string): Original English query
- `Eng_Answer` (string): Original English answer

🔗 Example

```
{
  "source_lang": "eng_Latn",
  "target_lang": "asm_Beng",
  "meta": {
    "model_name": "ckpt-3epochs-sft-then-400k-kd",
    "temperature": 0.0,
    "max_tokens": 4096,
    "top_p": 1.0,
    "frequency_penalty": 0.0,
    "presence_penalty": 0.0
  },
  "query": "মেনহাটন প্রকল্পৰ সফলতাৰ তাৎক্ষণিক প্ৰভাৱ কি আছিল?",
  "Answer": "মেনহাটন প্রকল্পৰ সফলতাৰ তাৎক্ষণিক প্ৰভাৱ আছিল...",
  "query_id": 1185869,
  "query_type": "DESCRIPTION",
  "passages": {
    "is_selected": [1, 0, 0, 0, 0, 0, 0, 0, 0, 0],
    "English_passages": ["The presence of communication amid sci",
    "Translated_passages": ["বৈজ্ঞানিক মনৰ মাজত যোগাযোগৰ উপস্থিতি...",
  },
  "Eng_Query": ")what was the immediate impact of the success of t",
  "Eng_Answer": "The immediate impact of the success of the manhat",
}
```

Citation

If you use IndicMSMARCO in your research, please cite:

```
@dataset{indic_msmarco_2024,
  title={IndicRAGSuite: LargeScale Datasets and a Benchmark for Indi
  author={Pasunuti Prasanjith,Prathmesh B More,Anoop Kunchukuttan, F
  year={2025},
  {journal = {arXiv preprint arXiv:2506.01615}},
  url={https://huggingface.co/datasets/ai4bharat/IndicMSMARCO}
}
```

License

Please refer to the original MS MARCO dataset license terms.

 System theme

Company

[TOS](#)

[Privacy](#)

[About](#)

[Careers](#)

Website

[Models](#)

[Datasets](#)

[Spaces](#)

[Pricing](#)

[Docs](#)

