

```

import { useState, useRef, useEffect, useCallback } from "react";

const CATEGORIES = {
  character: { label:"الشخصية", emoji:"👤", color:"#FF6B6B", items:["نبي كاذب","ع",
  place:      { label:"المكان",    emoji:"🏠", color:"#4ECDC4", items:["داخل حلم",
  conflict:    { label:"الصراع",    emoji:"⚡", color:"#FFE66D", items:["مود للحياة",
  genre:       { label:"النوع",     emoji:"🎭", color:"#A8E6CF", items:["يديا سوداء",
};

const TWISTS = ["الم كله وهم مصطنع","النهاية هي البداية","الوحش الحقيقي هو الإنسان"];

const AVATARS = ["👤","👤","👤","👤","👤","👤","👤","👤","👤","👤","👤","👤","👤","👤","👤"];

// — Shared storage helpers —————
const COMMUNITY_KEY = "community-stories-v1";

async function loadCommunity() {
  try {
    const r = await window.storage.get(COMMUNITY_KEY, true);
    return r ? JSON.parse(r.value) : [];
  } catch { return []; }
}

async function saveCommunity(stories) {
  try {
    await window.storage.set(COMMUNITY_KEY, JSON.stringify(stories), true);
  } catch (e) { console.error("storage error", e); }
}

// — Spin Wheel Canvas —————
function SpinWheel({ data, spinning, result }) {
  const canvasRef = useRef(null);
  const animRef    = useRef(null);
  const angleRef   = useRef(0);
  const busyRef    = useRef(false);

  useEffect(() => {
    const canvas = canvasRef.current;
    if (!canvas) return;
    const ctx = canvas.getContext("2d");
    const S = canvas.width, C = S / 2, R = C - 8;
    const items = data.items;
    const slice = (2 * Math.PI) / items.length;

```

```

function draw(a) {
  ctx.clearRect(0, 0, S, S);
  const g = ctx.createRadialGradient(C,C,0,C,C,R);
  g.addColorStop(0, data.color+"33"); g.addColorStop(1,"transparent");
  ctx.fillStyle = g; ctx.fillRect(0,0,S,S);

  items.forEach((item, i) => {
    const s = a + i*slice, e = s + slice;
    ctx.beginPath(); ctx.moveTo(C,C); ctx.arc(C,C,R,s,e); ctx.closePath();
    ctx.fillStyle = data.color+(i%2===0?"22":"11"); ctx.fill();
    ctx.strokeStyle = data.color+"44"; ctx.lineWidth=1; ctx.stroke();
    ctx.save(); ctx.translate(C,C); ctx.rotate(s+slice/2);
    ctx.textAlign="right"; ctx.fillStyle="#fff";
    ctx.font=`bold 10px 'Noto Sans Arabic',sans-serif`;
    ctx.shadowColor=data.color; ctx.shadowBlur=4;
    const w=item.split(" ");
    if(w.length>2){ctx.fillText(w.slice(0,2).join(" "),R-10,-4);ctx.fillText(
      else ctx.fillText(item,R-10,4);
    ctx.restore();
  });

  ctx.beginPath(); ctx.arc(C,C,18,0,2*Math.PI);
  ctx.fillStyle="#0a0a0f"; ctx.fill();
  ctx.strokeStyle=data.color; ctx.lineWidth=2; ctx.stroke();
  ctx.font="16px sans-serif"; ctx.textAlign="center"; ctx.textBaseline="middle";
  ctx.fillText(data.emoji,C,C);

  ctx.beginPath(); ctx.moveTo(C-10,2); ctx.lineTo(C+10,2); ctx.lineTo(C,22);
  ctx.fillStyle=data.color; ctx.shadowColor=data.color; ctx.shadowBlur=10; ctx
}

if (spinning && !busyRef.current) {
  busyRef.current = true;
  const ri = data.items.indexOf(result);
  const target = angleRef.current + (6+Math.random()*4)*2*Math.PI + (-ri*slice);
  const go = () => {
    const d = target - angleRef.current;
    if(d<=0.01){angleRef.current=target;busyRef.current=false;draw(angleRef.current);
    angleRef.current += Math.max(0.002, 0.3*Math.pow(d/(target-angleRef.current),0.5));
    draw(angleRef.current); animRef.current=requestAnimationFrame(go);
  };
  animRef.current=requestAnimationFrame(go);
}

if(!spinning) draw(angleRef.current);
return ()=>{if(animRef.current)cancelAnimationFrame(animRef.current);};
},[spinning,data,result]);

```

```

    return <canvas ref={canvasRef} width={220} height={220} style={{display:"block"
}

```

```

// — Story Card —————

```

```

function StoryCard({ story, onLike, myId }) {
  const liked = story.likes?.includes(myId);
  return (
    <div style={{background:"rgba(255,255,255,0.03)",border:"1px solid rgba(255,2
      onMouseEnter={e=>e.currentTarget.style.borderColor="rgba(255,255,255,0.1
      onMouseLeave={e=>e.currentTarget.style.borderColor="rgba(255,255,255,0.0
    /* author */
    <div style={{display:"flex",alignItems:"center",gap:10,marginBottom:14}}>
      <div style={{width:36,height:36,borderRadius:"50%",background:"rgba(108,9
        {story.avatar}
      </div>
      <div>
        <div style={{fontWeight:700,fontSize:14,color:"#fff"}}>{story.author}</
        <div style={{fontSize:11,color:"rgba(255,255,255,0.3)"}>{story.date}</
      </div>
    </div>

    /* story sentence */
    <p style={{fontSize:15,lineHeight:1.9,color:"rgba(255,255,255,0.85)",margin
      قصة <strong style={{color:CATEGORIES.genre.color}}>{story.results.genre}<
      <strong style={{color:CATEGORIES.character.color}}>{story.results.charact
      <strong style={{color:CATEGORIES.place.color}}>{story.results.place}</str
      <strong style={{color:CATEGORIES.conflict.color}}>{story.results.conflict
    </p>

    {story.twist && (
      <div style={{fontSize:12,color:"#a09cff",marginBottom:10}}>🌀 {story.twis
    )}

    {story.aiStory && (
      <div style={{fontSize:13,color:"rgba(255,255,255,0.55)",background:"rgba(
        {story.aiStory}
      </div>
    )}

    /* tags */
    <div style={{display:"flex",gap:6,flexWrap:"wrap",marginBottom:12}}>
      {Object.entries(CATEGORIES).map(([k,d])=>(
        <span key={k} style={{display:"inline-block",padding:"3px 10px",borderR
          {d.emoji} {story.results[k]}
        </span>
      )}}
    </div>

```

```

    { /* like */
    <button onClick={() => onLike(story.id)}
      style={{ background: liked ? "rgba(255,107,107,0.2)" : "rgba(255,255,255,0.05)"
      { liked ? "❤️" : "💜" } {story.likes?.length || 0}
    </button>
  </div>
);
}

```

```

// — Main App —————
export default function StoryWheel() {
  const [spinning, setSpinning] = useState(false);
  const [results, setResults] = useState({});
  const [twist, setTwist] = useState(null);
  const [revealed, setRevealed] = useState(false);
  const [spinKey, setSpinKey] = useState(0);
  const [favorites, setFavorites] = useState([]);
  const [aiStory, setAiStory] = useState("");
  const [aiLoading, setAiLoading] = useState(false);
  const [activeTab, setActiveTab] = useState("wheel");
  const [copied, setCopied] = useState(false);
  const [showNotif, setShowNotif] = useState("");

  // community
  const [community, setCommunity] = useState([]);
  const [commLoading, setCommLoading] = useState(false);
  const [authorName, setAuthorName] = useState("");
  const [sharing, setSharing] = useState(false);
  const [sortBy, setSortBy] = useState("newest"); // newest | liked
  const [myId] = useState(() => Math.random().toString(36).slice(2));
  const [myAvatar] = useState(() => AVATARS[Math.floor(Math.random() * AVATARS.length)]);

  // load community on mount & when tab opens
  const fetchCommunity = useCallback(async () => {
    setCommLoading(true);
    const data = await loadCommunity();
    setCommunity(data);
    setCommLoading(false);
  }, []);

  useEffect(() => { if (activeTab === "community") fetchCommunity(); }, [activeTab, fetchCommunity]);

  // spin
  const spinAll = () => {
    if (spinning) return;
    setRevealed(false); setTwist(null); setAiStory("");
  }
}

```

```

const nr={};
Object.keys(CATEGORIES).forEach(k=>{ const it=CATEGORIES[k].items; nr[k]=it[Math.floor(Math.random()*it.length)];
setResults(nr); setSpinning(true); setSpinKey(x=>x+1);
setTimeout(()=>{ setSpinning(false); setTwist(TWISTS[Math.floor(Math.random()*TWISTS.length)]);
});

// AI expand
const expandWithAI = async () => {
  if(!results.character||aiLoading) return;
  setAiLoading(true); setAiStory("");
  try {
    const res = await fetch("/api/generate",{
      method:"POST", headers:{"Content-Type":"application/json"},
      body:JSON.stringify({ model:"claude-sonnet-4-20250514", max_tokens:1000,
        messages:[{role:"user",content:`باللغة العربية تصف مقدمة لقصة (5-7 جمل)
        `}]}))
    const d=await res.json();
    setAiStory(d.content?.find(b=>b.type==="text")?.text||"");
  } catch { setAiStory("حدث خطأ، حاول مرة ثانية."); }
  setAiLoading(false);
};

// favorites
const saveFavorite = () => {
  if(!revealed||!results.character) return;
  setFavorites(p=>[...p,{id:Date.now(),results:{...results},twist,aiStory},...p]);
  notify("❤️ تم الحفظ في المفضلة");
};
const removeFavorite = id => setFavorites(p=>p.filter(f=>f.id!==id));

// copy/share
const shareStory = () => {
  const t=`قصة ${results.genre} عن ${results.character} يجد نفسه في ${results.p}`;
  if(navigator.share) navigator.share({title:"فكرة قصة 📖",text:t});
  else { navigator.clipboard.writeText(t); setCopied(true); setTimeout(()=>setCopied(false),2000); }
};

// share to community
const shareToCommunity = async () => {
  if(!revealed||!results.character||!sharing) return;
  setSharing(true);
  const name = authorName.trim()||"مجهول";
  const entry = {
    id: Date.now()+"-"+myId,
    author: name,
    avatar: myAvatar,
  };
  await fetch("/api/share",{
    method:"POST", headers:{"Content-Type":"application/json"},
    body:JSON.stringify(entry)
  });
};

```

```

    date: new Date().toLocaleDateString("ar-SA", {day:"numeric",month:"short",ye
    results:{...results}, twist, aiStory,
    likes:[], authorId: myId
  };

  const current = await loadCommunity();
  const updated = [entry, ...current].slice(0,200); // max 200
  await saveCommunity(updated);
  setCommunity(updated);
  notify("🌍 تمت المشاركة مع المجتمع!");
  setSharing(false);
};

// like
const handleLike = async (storyId) => {
  const updated = community.map(s=>{
    if(s.id!==storyId) return s;
    const likes=s.likes||[];
    return {...s, likes: likes.includes(myId) ? likes.filter(x=>x!==myId) : [...
  });
  setCommunity(updated);
  await saveCommunity(updated);
};

const notify = (msg) => { setShowNotif(msg); setTimeout(()=>setShowNotif(""),25

const hasResult = Object.keys(results).length>0;
const sorted = [...community].sort((a,b)=>
  sortBy==="liked" ? (b.likes?.length||0)-(a.likes?.length||0) : b.id-a.id
);

return (
  <div style={{minHeight:"100vh",background:"#07070d",color:"#fff",fontFamily:"
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Cairo:wght@400;700;
      *{box-sizing:border-box;margin:0;padding:0;}
      .glow-text{text-shadow:0 0 30px currentColor;}
      .wheel-card{background:rgba(255,255,255,0.03);border:1px solid rgba(255,2
      .wheel-card:hover{background:rgba(255,255,255,0.06);border-color:rgba(255
      .spin-btn{background:linear-gradient(135deg,#6c63ff,#ff6b6b);border:none;
      .spin-btn::before{content:'';position:absolute;inset:0;background:linear-
      .spin-btn:hover::before{opacity:1;} .spin-btn:hover{transform:scale(1.05)
      .spin-btn:active{transform:scale(.97);} .spin-btn:disabled{opacity:.5;cur
      .spin-btn span{position:relative;}
      .rtag{display:inline-block;padding:4px 14px;border-radius:20px;font-size:
      @keyframes fadeUp{from{opacity:0;transform:translateY(20px)}to{opacity:1;
      @keyframes pulse-glow{0%,100%{box-shadow:0 0 20px rgba(108,99,255,.3)}50%
      .story-box{animation:fadeUp .6s ease forwards,pulse-glow 3s infinite;}

```

```

.bg-orb{position:fixed;border-radius:50%;filter:blur(80px);opacity:.15;po
.content{position:relative;z-index:1;}
.abtn{background:rgba(255,255,255,.05);border:1px solid rgba(255,255,255,
.abtn:hover{background:rgba(255,255,255,.1);border-color:rgba(255,255,255
.abtn:disabled{opacity:.5;cursor:not-allowed;transform:none;}
.abtn.ai{background:rgba(108,99,255,.15);border-color:rgba(108,99,255,.4)
.abtn.ai:hover{background:rgba(108,99,255,.25);}
.abtn.fav{background:rgba(255,107,107,.1);border-color:rgba(255,107,107,.
.abtn.fav:hover{background:rgba(255,107,107,.2);}
.abtn.share{background:rgba(78,205,196,.1);border-color:rgba(78,205,196,.
.abtn.share:hover{background:rgba(78,205,196,.2);}
.abtn.comm{background:rgba(168,230,207,.1);border-color:rgba(168,230,207,
.abtn.comm:hover{background:rgba(168,230,207,.2);}
.tab-btn{background:transparent;border:none;color:rgba(255,255,255,.4);fo
.tab-btn.active{color:#fff;border-bottom-color:#6c63ff;}
@keyframes notif{0%{opacity:0;transform:translateX(-50%) translateY(10px)
.notif{animation:notif 2.5s ease forwards;}
.ai-text{background:rgba(108,99,255,.08);border:1px solid rgba(108,99,255
@keyframes shimmer{0%,100%{opacity:.4}50%{opacity:1}}
.dots span{animation:shimmer 1.2s infinite;display:inline-block;margin:0
.dots span:nth-child(2){animation-delay:.2s}.dots span:nth-child(3){anima
.sort-btn{background:transparent;border:1px solid rgba(255,255,255,.1);co
.sort-btn.active{background:rgba(108,99,255,.2);border-color:rgba(108,99,
.name-input{background:rgba(255,255,255,.05);border:1px solid rgba(255,25
.name-input:focus{border-color:rgba(168,230,207,.5);}
.name-input::placeholder{color:rgba(255,255,255,.25);}
.spin-indicator{width:8px;height:8px;border-radius:50%;background:#4ecdc4
`}</style>

```

```

<div className="bg-orb" style={{width:400,height:400;background:"#6c63ff",t
<div className="bg-orb" style={{width:300,height:300;background:"#ff6b6b",b
<div className="bg-orb" style={{width:200,height:200;background:"#4ECDC4",t

```

```

{showNotif && (
  <div className="notif" style={{position:"fixed",top:24,left:"50%",backgro
    {showNotif}
  </div>
)}

```

```

<div className="content" style={{maxWidth:960,margin:"0 auto",padding:"40px

```

```

{ /* Header */ }

```

```

<div style={{textAlign:"center",marginBottom:32}}>

```

```

  <div style={{fontSize:13,letterSpacing:4,color:"#6c63ff",marginBottom:1

```

```

    <h1 className="glow-text" style={{fontSize:"clamp(36px,7vw,72px)",fontW

```

```

    <p style={{color:"rgba(255,255,255,.4)",fontSize:16}}>لى فكرة قصة فريدة

```

```

  </div>

```

```

{ /* Tabs */ }
<div style={{display:"flex",borderBottom:"1px solid rgba(255,255,255,.08)"
  {[
    {id:"wheel",    label:"🎡 المولد"},
    {id:"favorites",label:`❤️ المفضلة ${favorites.length>0?" (" +favorites.
    {id:"community",label:<>🌐 المجتمع {community.length>0&&<span style={{
  ]}.map(t=>(
    <button key={t.id} className={`tab-btn ${activeTab===t.id?"active":""
  )}}
</div>

{ /* — WHEEL TAB — */ }
{activeTab==="wheel" && (
  <>
    <div style={{display:"grid",gridTemplateColumns:"repeat(auto-fit,minm
      {Object.entries(CATEGORIES).map(([k,d])=>(
        <div key={k} className="wheel-card">
          <div style={{fontSize:13,fontWeight:700,color:d.color,letterSpa
            <SpinWheel key={` ${k}-${spinKey}`} data={d} spinning={spinning}
            {revealed&&results[k]&&(
              <div className="rtag" style={{background:d.color+"22",color:d
            )}}
          </div>
        )}}
      </div>
    </div>

    <div style={{textAlign:"center",marginBottom:40}}>
      <button className="spin-btn" onClick={spinAll} disabled={spinning}>
        <span>{spinning?"🔄 لف العجلات 🎡":"جاري التحميل..."}</span>
      </button>
    </div>

    {revealed&&hasResult&&(
      <div className="story-box" style={{background:"rgba(255,255,255,.03)"
        <div style={{fontSize:12,letterSpacing:3,color:"rgba(255,255,255,
          <p style={{fontSize:"clamp(16px,2.5vw,20px)",lineHeight:2,color:"
            <strong style={{color:CATEGORIES.genre.color}}>{results.gen
            <strong style={{color:CATEGORIES.character.color}}>{results.cha
            <strong style={{color:CATEGORIES.place.color}}>{results.place}<
            <strong style={{color:CATEGORIES.conflict.color}}>{results.conf
          </p>

          {twist&&(
            <div style={{marginTop:20,padding:"14px 18px",background:"rgba(
              <span style={{fontSize:20}}>🌀</span>

```

```

    <div>
      <div style={{fontSize:11,color:"#6c63ff",letterSpacing:2,ma
      <div style={{fontSize:15,color:"rgba(255,255,255,.8)"}>{tw
    </div>
  </div>
)}

{aiLoading}&&<div className="ai-text"><div className="dots">📖 كتب
{aiStory}&&!aiLoading&&(
  <div className="ai-text">
    <div style={{fontSize:11,color:"#a09cff",letterSpacing:2,marg
    {aiStory}
  </div>
)}

<div style={{marginTop:20,display:"flex",gap:8,flexWrap:"wrap"}}>
  {Object.entries(CATEGORIES).map(([k,d])=>(
    <span key={k} className="rtag" style={{background:d.color+"15
  )})}
</div>

{/* actions */}
<div style={{marginTop:24,display:"flex",gap:10,flexWrap:"wrap",a
  <button className="abtn ai" onClick={expandWithAI} disabled={ai
    <span>⚡️</span><span>{aiLoading?"جاري الكتابة...":aiStory?"_
  </button>
  <button className="abtn fav" onClick={saveFavorite}><span>❤️</s
  <button className="abtn share" onClick={shareStory}><span>{copi
</div>

{/* share to community */}
<div style={{marginTop:16,padding:"16px 20px",background:"rgba(16
  <span style={{fontSize:18}}>🌐</span>
  <div style={{flex:1,minWidth:200}}>
    <div style={{fontSize:13,color:"#a8e6cf",fontWeight:700,margi
    <div style={{fontSize:12,color:"rgba(255,255,255,.35)"}>جتمع
  </div>
  <input className="name-input" value={authorName} onChange={e=>s
    placeholder="اسمك (اختياري)" maxLength={20}/>
  <button className="abtn comm" onClick={shareToCommunity} disabl
    <span>{sharing?"...": "🚀"}</span><span>{sharing?"انشر للمجتمع"
  </button>
</div>
</div>
)}

{!hasResult}&&<div style={{textAlign:"center",color:"rgba(255,255,255,

```

```

    </>
  })

  { /* — FAVORITES TAB — */ }
  { activeTab === "favorites" && (
    <div>
      { favorites.length === 0 ? (
        <div style={{ textAlign: "center", color: "rgba(255,255,255,.2)", padding: 10px }}>
          <div style={{ fontSize: 48, marginBottom: 16px }}>❤️</div>
          لا يوجد أفكار محفوظة بعد<br/>
          <span style={{ fontSize: 13px }}>احفظ أفكارك المفضلة من المولد</span>
        </div>
      ) : favorites.map(fav => (
        <div key={fav.id} style={{ background: "rgba(255,255,255,.03)", border: 1px solid "rgba(255,255,255,.9)", padding: 10px }}>
          <p style={{ fontSize: 16px, lineHeight: 2, color: "rgba(255,255,255,.9)", margin: 0 }}>
            <strong style={{ color: CATEGORIES.genre.color }}>قصة</strong> {fav.results.genre}
            <strong style={{ color: CATEGORIES.character.color }}>شخصية</strong> {fav.results.character}
            <strong style={{ color: CATEGORIES.place.color }}>مكان</strong> {fav.results.place}
            <strong style={{ color: CATEGORIES.conflict.color }}>تضيق</strong> {fav.results.conflict}
          </p>
          {fav.twist} && <div style={{ fontSize: 13px, color: "#a09cff", marginBottom: 10px }}>
            {fav.aiStory} && <div style={{ fontSize: 13px, color: "rgba(255,255,255,.5)", display: "flex", gap: 6px, flexWrap: "wrap", marginBottom: 12px }}>
              {Object.entries(CATEGORIES).map(([k, d]) => (
                <span key={k} className="rtag" style={{ background: d.color + "15px solid transparent", border: 1px solid d.color, padding: 2px 5px; margin: 2px 5px; color: "white" }}>{k}</span>
              ))}
            </div>
            <button className="abtn" onClick={() => removeFavorite(fav.id)} style={{ float: "right" }}>حذف</button>
          </div>
        </div>
      )) }
    </div>
  ) }

```

```

  { /* — COMMUNITY TAB — */ }
  { activeTab === "community" && (
    <div>
      { /* header row */ }
      <div style={{ display: "flex", alignItems: "center", justifyContent: "space-between", padding: 10px }}>
        <div>
          <div style={{ fontWeight: 700, fontSize: 18, color: "#fff" }}>لار المجتمع</div>
          <div style={{ fontSize: 13px, color: "rgba(255,255,255,.35)", marginTop: 5px }}>
            فكرة منشورة من مستخدمين حول العالم
            <span className="spin-indicator" style={{ marginRight: 8px }}>↻</span>
          </div>
        </div>
        <div style={{ display: "flex", gap: 8px }}>
          <button className={`sort-btn ${sortBy === "newest" ? "active": ""}`}>o

```

```

        <button className={`sort-btn ${sortBy==="liked"? "active":""}`} o
        <button className="abtn" onClick={fetchCommunity} style={{fontSiz
            {commLoading?"...":"تحديث"}}
        </button>
    </div>
</div>

{commLoading&&community.length===0?(
    <div style={{textAlign:"center",padding:"60px 0",color:"rgba(255,25
        <div className="dots" style={{fontSize:20}}>التحميل<span>.</
    </div>
):sorted.length===0?(
    <div style={{textAlign:"center",color:"rgba(255,255,255,.2)",paddin
        <div style={{fontSize:48,marginBottom:16}}><img alt="globe icon" data-bbox="680 295 705 315"/></div>
        <br/>لا يوجد أفكار منشورة بعد
        <span style={{fontSize:13}}>!كن أول من ينشر فكرة</span>
    </div>
): (
    sorted.map(s=>(
        <StoryCard key={s.id} story={s} onLike={handleLike} myId={myId}/>
    ))
)}
</div>
</div>
);
}

```