











Comments:


1. Check assembly.
2. Perform Assembly as shown in drawing.
3. Make a trial motions of individual mechanisms and moving parts in order to verify the correctness of installation.
4. Protect against damage and corrosion on time waiting for the main installation.

4	2	Spring-tyt pin x 16 A	ISO 8752 - 6	0	Steel	0	
3	1	Clutch B	SL30 00.02.00	0		1.25	
2	1	Clutch A	SL30 00.01.00	0		1.32	
1	1	Pantograph	SL30 01.00.00	0		5.19	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight Tpcs kg	Comments
Inventor:							
		Weight 1 set 7,8 kg	Drawing name Sling lift 30kg Main assembly				
Engn.	2016-06-12		Drawing number SL30 00.00.00				
Draw.	2016-06-12		Revision				
Check.	2016-06-12		Scale 1 : 2				
Ver.	2016-06-12		Format A1				
Appr.	2016-06-12		Sheet 1 / 1				


Item 1 (1 : 1)



Item 2 (1 : 1)



A-A (1 : 1)




Annotations:


1. Sharpen edges – blunt.
2. Non-tolerated dimmenions make with tolerance classmK .
3. All dimmension are shown without machining tolerances.
4. The roughness of the holes Ra6.3 unless otherwise indicated .

Ra12.5 (✓)




Item 3 (1 : 1)



Item 4 (1 : 1)



4	2	Bar Ø16, L=45	EN ISO 10060	0	S355JR	0.07	
3	1	Plate 10x35x110	EN ISO 10029	0	S355JR	0.27	
2	1	Bar Ø20, L=65	EN ISO 10060	0	S355JR	0.14	
1	1	Plate 10x141x215	EN ISO 10029	0	S355JR	0.76	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
Investor:							
		Weight 1 set 1.3 kg	Drawing name Sling lift 30kg				
Engin.	2016-08-24		Drawing number SL30 00.01.00				
Draw.	2016-08-24						
Check.	2016-08-24						
Ver.	2016-08-24						
Appr.	2016-08-24		Revision 0				
			Scale 1 : 1	Format A2	Sheet 2 / 2		





Comments:

- Blunt sharp edges .
- Requirements for welding according to ISO 3834-3:2005.
- Dimensions non-tolerated for machined parts accordance with DIN EN 22768: 1999 Class tolerance m.
- Dimensions tolerated for welded structures perform under EN ISO 13920 in tolerance class.
- All dimensions shown without allowances for machining.
- The roughness of the holes $Ra6.3$ - unless indicated otherwise.
- Clean the surfaces for painting to grade
 - Primer - min. paint coating thickness (microns)
 - Topcoat RAL:
 - The number of layers -
 - Minimum thickness of paint coating for respectively individual layers (um) -


4	2	Bar $\varnothing 16$, L=45	EN ISO 10060	0	S355JR	0.07	
3	1	Plate 10x35x110	EN ISO 10029	0	S355JR	0.27	
2	1	Bar $\varnothing 20$, L=65	EN ISO 10060	0	S355JR	0.14	
1	1	Plate 10x121x220	EN ISO 10029	0	S355JR	0.69	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
Investor:							
		Weight 1 set	Drawing name				
		1.2 kg	Sling lift 30kg				
Engin.	2016-09-05		Clutch B				
Draw.	2016-08-24						
Check.	2016-09-05		Drawing number				
Ver.	2016-08-24		SL30 00.02.00				
Appr.	2016-08-24		Revision				
					Scale	Format	Sheet
					1 : 1	A2	1 / 2

Item 1 (1 : 1)




Ra12.5 (✓)


Item 3 (1 : 1)




Item 4 (1 : 1)



Item 2 (1 : 1)




A-A (1 : 1)



Annotations:

1. Sharpen edges – blunt.
2. Non-tolerated dimensions make with tolerance classmK .
3. All dimensions are shown without machining tolerances.
4. The roughness of the holes Ra6.3 unless otherwise indicated .

4	2	Bar Ø16, L=45	EN ISO 10060	0	S355JR	0.07	
3	1	Plate 10x35x110	EN ISO 10029	0	S355JR	0.27	
2	1	Bar Ø20, L=65	EN ISO 10060	0	S355JR	0.14	
1	1	Plate 10x121x220	EN ISO 10029	0	S355JR	0.69	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
Investor:							
		Weight 1 set 1.2 kg	Drawing name Sling lift 30kg				
Engin.	2016-09-05		Drawing number SL30 00.02.00				
Draw.	2016-08-24						
Check.	2016-09-05						
Ver.	2016-08-24						
Appr.	2016-08-24		Revision 0				
					Scale 1 : 1	Format A2	Sheet 2 / 2




15	1	Cotter pin 3,2x28	DIN EN ISO 1234 – 3,2x28	0	Steel, Galvani- zed	0	
14	1	Spring Washer A16	DIN 127 – A 16	0	Steel, Galvani- zed	0.01	
13	1	Flat Washer A17	DIN 125 – A 17	0	Steel, Galvani- zed	0.01	
12	2	Flat Nut M16	ISO 4035 – M16	0	Steel, Galvani- zed	0.02	
11	1	Nut M16	ISO 4032 – M16	0	Steel, Galvani- zed	0.04	
10	1	Bolt M16x80	ISO 4014 – M16 x 80	0	Steel, Galvani- zed	0.16	
9	2	Cam action indexing plunger	GN 612	0	Steel	0.09	
8	1	D Ring Shackle	D Ring Shackle G4163	0	Steel, Galvani- zed	0.26	
7	1	Oblong masterlink	Oblong masterlink AN 1,6	0	Steel, Galvani- zed	0.51	
6	3	Washer B	SL30 01.00.03	0	Steel	0	
5	1	Washer A	SL30 01.00.02	0	Steel	0	
4	2	Bar – short	SL30 01.00.01	0	S355J R	0.31	
3	3	Special screw	SL30 01.03.00	0		0.11	
2	1	Arm B	SL30 01.02.00	0	S355J R	1.48	
1	1	Arm A	SL30 01.01.00	0	S355J R	1.53	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments

Investor:									
		Weight 1 set 5,2 kg		Drawing name Sling lift 30kg Pantograph					
Engin.	2016-08-01								
Draw.	2016-08-23								
Check.									
Ver.	2016-08-23								
Appr.	2016-08-23		Drawing number SL30 01.00.00					Revision 0	
						Scale 1 : 2	Format A2	Sheet 1 / 1	


Comments:

1. Check assemblability.
2. Perform Assembly as shown in drawing.
3. Make a trial motions of individual mechanisms and moving parts in order to verify the correctness of installation.
4. Protect against damage and corrosion on time waiting for the main installation.




Annotations:


1. Sharpen edges – blunt.
2. Non–tolereted dimmenions make with tolerance classmK .
3. All dimmension are shown without machining tolerances.
4. The roughness of the holes Ra6.3 unless otherwise indicated a

1	1	Bar 10x30x150		EN ISO 10029		0	S355JR	0.31		
Item	Qty.	Name of part		Drawing number, standard	Rev.	Material		Weight 1pcs. kg	Comments	
Inwestor:										
		Weight 1 set 0,31 kg		Drawing name Sling lift 30kg Bar – short						
Engin.	2016-08-23									
Draw.	2016-06-04			Drawing number SL30 01.00.01						Revision 0
Check.	2016-08-23									
Ver.	2016-06-04									
Appr.	2016-06-04									
						Scale 1 : 1		Size A4	Sheet 1 / 1	


Ra12.5 ✓ (✓)




1. Sharpen edges – blunt.
2. Non-tolerated dimensions make with tolerance class mK .
3. All dimensions are shown without machining tolerances.
4. The roughness of the holes $R_a 6.3$ unless otherwise indicated.


1	1	Sheet 1xØ28		EN ISO 10029		0	Steel	0	
Item	Qty.	Name of part		Drawing number, standard	Rev.	Material		Weight 1pcs. kg	Comments
Inwestor:									
		Weight 1 set 0,00 kg		Drawing name Sling lift 30kg Washer A					
Engin.	2016-08-23								
Draw.	2016-08-23			Drawing number SL30 01.00.02					
Check.	2016-08-23								
Ver.	2016-08-23			Revision 0					
Appr.	2016-08-23								
						Scale 1 : 1		Size A4	Sheet 1 / 1

Ra12.5 ✓ (✓)



1. Sharpen edges – blunt.
2. Non-tolerated dimensions make with tolerance class mK .
3. All dimensions are shown without machining tolerances.
4. The roughness of the holes $R_a 6.3$ unless otherwise indicated.

1	1	Sheet 1xØ22		EN ISO 10029		0	Steel	0	
Item	Qty.	Name of part		Drawing number, standard	Rev.	Material		Weight 1pcs. kg	Comments
Inwestor:									
		Weight 1 set 0,00 kg		Drawing name Sling lift 30kg Washer B					
Engin.	2016-08-23								
Draw.	2016-08-23			Drawing number SL30 01.00.03					
Check.	2016-08-23								
Ver.	2016-08-23			Revision 0					
Appr.	2016-08-23								
						Scale 1 : 1		Size A4	Sheet 1 / 1



Item 1 (1 : 1)

Ra12.5 (✓)

A-A (1 : 1)

Item 2 (1 : 1)

Item 3 (1 : 1)

Item 6 (1 : 1)

Item 4 (1 : 1)

C-C (1 : 1)

Item 5 (1 : 1)


6	1	Bar 10x10x55	EN ISO 10029	0	S355JR	0.04	
5	1	Bar %22, L=15	EN ISO 10060	0	S355JR	0.02	
4	1	Bar $\varnothing$ 33,7, L=50	EN ISO 10060	0	S355JR	0.22	
3	2	Bar $\varnothing$ 12, L=255	EN ISO 10060	0	S355JR	0.18	
2	1	Bar $\varnothing$ 42, L=12	EN ISO 10060	0	S355JR	0.13	
1	1	Bar 10x30x321	EN ISO 10029	0	S355JR	0.75	

Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
------	------	--------------	--------------------------	------	----------	-----------------------	----------

Investor:

	Weight 1 set 1,5 kg	Drawing name Sling lift 30kg
Engin. 2016-08-05		
Draw. 2016-08-05		
Check. 2016-08-05		
Ver. 2016-08-05		
Appr. 2016-08-05		
		Drawing number SL30 01.01.00
		Revision 0
		Scale 1 : 1
		Format A2
		Sheet 2 / 2


- Annotations:
- Sharpen edges – blunt.
 - Non-tolerated dimmenions make with tolerance classmK .
 - All dimmension are shown without machining tolerances.
 - The roughness of the holes Ra6.3 unless otherwise indicated .



Comments:

- Blunt sharp edges .
- Requirements for welding according to ISO 3834–3:2005.
- Dimensions non–tolerated for machined parts accordance with DIN EN 22768: 1999 Class tolerance m.
- Dimensions tolerated for welded structures perform under EN ISO 13920 in tolerance class.
- All dimensions shown without allowances for machining.
- The roughness of the holes Ra6.3 – unless indicated otherwise.
- Clean the surfaces for painting to grade
 - Primer – min. paint coating thickness (microns)
 - Topcoat RAL:
 - The number of layers –
 - Minimum thickness of paint coating for respectively individual layers (um) –

5	1	Bar 10x30x321	EN ISO 10029	0	S355JR	0.75	
4	1	Bar %22, L=15	EN ISO 10060	0	S355JR	0.02	
3	2	Bar Ø12, L=255	EN ISO 10060	0	S355JR	0.18	
2	1	Bar Ø33,7, L=50	EN ISO 10060	0	S355JR	0.22	
1	1	Bar Ø42, L=12	EN ISO 10060	0	S355JR	0.13	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
Investor:							
		Weight 1 set 1.5 kg	Drawing name Sling lift 30kg				
Engin.	2016-08-15		Arm B				
Draw.	2016-08-05						
Check.	2016-08-15						
Ver.	2016-08-05						
Appr.	2016-08-05		Drawing number SL30 01.02.00			Revision 0	
					Scale 1 : 1	Format A2	Sheet 1 / 2



4	1	Bar %22, L=15	EN ISO 10060	0	S355JR	0.02	
2	1	Bar $\varnothing$ 33,7, L=50	EN ISO 10060	0	S355JR	0.22	
3	2	Bar $\varnothing$ 12, L=255	EN ISO 10060	0	S355JR	0.18	
1	1	Bar $\varnothing$ 42, L=12	EN ISO 10060	0	S355JR	0.13	
5	1	Bar 10x30x321	EN ISO 10029	0	S355JR	0.75	
Item	Qty.	Name of part	Drawing number, standard	Rev.	Material	Weight 1pcs. kg	Comments
Inwestor:							
		Weight 1 set 1,5 kg	Drawing name Sling lift 30kg				
Engin.	2016-08-15		Drawing number SL30 01.02.00				Revision 0
Draw.	2016-08-05						
Check.	2016-08-15						
Ver.	2016-08-05						
Appr.	2016-08-05				Scale 1 : 1	Format A2	Sheet 2 / 2

