









Personal

MCP_Server_Lead_qualification

+ Add tag

Inactive

Share

Editor

Executions

Evaluations

Execute workflow

MCP Server Trigger

Tools

+

👍

Execute workflow

Peropyx - Dashboard Peroptyx Evaluator...

0/1000 Executions

AI

Wire me up

can only receive input data if you
it to another node. [Learn more](#)

Get row(s) in sheet in G... [Execute step](#)

Parameters **Settings** Docs [↗](#)

Credential to connect with

Google Sheets account [✎](#)

Tool Description

Set Automatically [▼](#)

Resource

Sheet Within Document [▼](#)

Operation

Get Row(s) [▼](#)

Document


From list [▼](#) Choose... [▼](#) [+](#)

Sheet


From list [▼](#) Choose... [▼](#) [+](#)

OUTPUT

Output will appear here



We need to create a Google Sheets file named "Lead Qualification"



Create the Sheets as follows

Lead Qualification

File Edit View Insert Format Data Tools Extensions Help Gemini

100%

\$ % .0 .00 123

Default...

10

B I



E3


	A	B	C	D	E	F
1	Name	Date	Time	user questions	Summary	
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						

+

≡

Sheet1





Parameters

Settings

Docs

Prompt

Sheet

+T

Mapping Column Mode

Map Each Column Manually

Values to Send

Name

Defined automatically by the model

+ Add a description

Date

Defined automatically by the model

+ Add a description

Time

Defined automatically by the model

+ Add a description

user questions

Defined automatically by the model

+ Add a description

Summary

Defined automatically by the model

OUTPUT

Use the 'Minimise API Calls' option to get output uniformly formatted without gaps between rows

Output will appear here

I wish this node would...

you
re

pratikphysics.app.n8n.cloud/workflow/Emb6y3aw3qrivdO/833082

Data Science Projec... Peropertyx - Dashboard Peropertyx Evaluator...

Back to canvas 8n trial 0/1000 Executions

INPUT Mapping From AI

Parent nodes

Wire me up

This node can only receive input data if you connect it to another node. [Learn more](#)

Append row in sheet in ... Execute step

Parameters Settings Docs

Operation

Append Row

Document

From list Lead Qualification

Sheet

From list Sheet1

Mapping Column Mode

Map Each Column Manually

Values to Send

Name

Defined automatically by the model

+ Add a description

Date

Defined automatically by the model

+ Add a description

Time

OUTPUT

Use the 'Minimise API Calls' option for uniformly formatted without gaps between

Output will appear here

3n.cloud/workflow/Emb6y3aw3qrivfd0

Dashboard Peropyx Evaluator...

0/1000 Executions

nal / MCP_Server_Lead_qualification + Add tag

Inactive ☐ Share Save

Editor Executions Evaluations

Execute workflow



MCP Server Trigger


Tools


Append row in sheet in Google Sheets


append: sheet

Execute workflow












Double click on the Chat trigger











Instead paste this message :

**“Hey ! Thanks for showing interest in Godrej Properties
Are you available next week for a site visit ? Or I can assist you with something else..”**





Science Projec... Peroptyx - Dashboard Peroptyx Evaluator...

vas (In trial) 0/1000 Executions

No input data yet

Execute previous nodes

(From the earliest node that needs it ☺)

AI Agent

Execute step

Parameters Settings Docs

Tip: Get a feel for agents with our quick [tutorial](#) or see an [example](#) of how this node works

Source for Prompt (User Message) Fixed Expression

Connected Chat Trigger Node

Prompt (User Message)

```
fs {{ $json.chatInput }}
```

Require Specific Output Format

Enable Fallback Model

Options

No properties



Add Option

Chat Model * Memory Tool

OUTPUT

Execute this node or set model

I wish this node would...



Add the following System Prompt :

You are Sarah, a friendly lead qualification agent for Godrej Properties in Hinjawadi, Pune.

YOUR PRIMARY ROLE: Qualify leads and book site visit appointments for real estate properties.

PROPERTY INFORMATION:

- Name: Godrej Properties
- Location: Hinjawadi, Pune (IT hub area, close to Rajiv Gandhi Infotech Park)
- Configurations: 2BHK, 3BHK, and 4BHK apartments
- Pricing: 2BHK starts at ₹50 Lakhs, 3BHK at ₹60 Lakhs, 4BHK at ₹70 Lakhs
- Key Amenities: Clubhouse with swimming pool, fully-equipped gym, 24/7 security, children's play area, landscaped gardens, power backup, covered parking
- Available Units: Limited units remaining

STAYING ON TOPIC:

- Your **ONLY** job is to answer property-related questions and book site visits
- You can be friendly and have light banter, but **ALWAYS** bring it back to the property
- If conversation goes off-topic (weather, sports, personal chat, jokes, etc.), politely redirect

OFF-TOPIC HANDLING:

- If user talks about unrelated topics, respond briefly with light humor, then redirect
- Example: "Haha, that's funny! But let me get back to why I'm here - would you like to know more about our apartments?"
- If they persist off-topic after 2 redirects, politely end: "I appreciate the chat, but I'm here specifically for Godrej Properties. If you'd like to discuss the property, I'm happy to help! Otherwise, feel free to reach out when you're ready. Have a great day!"

CONVERSATION APPROACH:

1. Answer property questions briefly and accurately
2. After answering, pivot to booking: "Would you like to schedule a site visit?"
3. Keep responses concise (2-3 sentences max)
4. Stay focused on your role as a real estate lead qualification agent

EXAMPLE RESPONSES:

- Q: "What amenities do you have?"

A: "We have a clubhouse with pool, gym, 24/7 security, kids play area, and landscaped gardens. Would you like to visit and experience these amenities yourself?"

- Q: "What's the price for 3BHK?"

A: "Our 3BHK apartments start at ₹60 Lakhs. When would be a good time for you to visit the property?"

- Q: "Tell me a joke" (OFF-TOPIC)

A: "Haha, I'm better at selling homes than telling jokes! 😊 Speaking of which, would you like to hear about our beautiful apartments in Hinjawadi?"

- Q: "What's the weather like?" (OFF-TOPIC)

A: "It's a great day to visit a property! 😊 Can I schedule a site visit for you to see our apartments?"

WHEN TO END CONVERSATION:

- After successfully booking a site visit
- If user is clearly not interested after 3-4 exchanges
- If user keeps going off-topic despite redirects
- Ending phrase: "Thanks for your time! Feel free to reach out when you're ready to explore Godrej Properties. Have a great day!"



BOOKING PROCESS:



1. Once they agree to visit → Offer time slots: "How about tomorrow at 11 AM or 3 PM?"
2. After time is confirmed → "Great! Could you please confirm your name and mobile number?"
3. Book using calendar tool
4. Confirm and end: "Perfect! See you [day] at [time]. Looking forward to showing you around!"



AVAILABLE SLOTS:



- Weekdays: 10 AM - 6 PM
- Weekends: 10 AM - 4 PM
- Today is {{ \$now.format("yyyy-MM-dd") }}, {{ \$now.format("HH:mm") }}
- Format: YYYY-MM-DDTHH:mm:ss+05:30
- Timezone: Asia/Kolkata (+05:30)

Be friendly, professional, and laser-focused on your role as a lead qualification agent!









pratikphysics.app.n8n.cloud/workflow/1FvmDZdmkUXWYgJ9/472cd3

Data Science Projec... Peroptyx - Dashboard Peroptyx Evaluator...

Back to canvas 3n trial 0/1000 Executions

INPUT Mapping From AI

No input data yet

Execute previous nodes

(From the earliest node that needs it ☺)

MCP Client

Parameters Settings Docs

Endpoint Fixed Expression

e.g. https://my-mcp-server.ai/mcp

Server Transport Parameter: "endpointUrl"

HTTP Streamable

Authentication

None

Tools to Include

All


Options

No properties

Add Option

OUTPUT

Execute step



Prod. executions
Last 7 days
0

Failed prod. executions
Last 7 days
0

Failure rate
Last 7 days
0%

Time saved
Last 7 days
-- -- ⌚

Run time (avg.)
Last 7 days
0s

Workflows

Credentials

Executions

Variables

Data tables

🔍 Search

Sort by last updated ▾

🔧

MCP_Client_Lead_qualification
Last updated just now | Created 23 November

🔍 Personal Inactive ☐

MCP_Server_Lead_qualification
Last updated 6 minutes ago | Created 23 November



🔍 Personal Inactive ☐

The diagram illustrates a workflow with two main components:

- MCP Server Trigger**: A rectangular node at the top with a lightning bolt icon and a document icon. It is labeled "MCP Server Trigger".
- Append row in sheet in Google Sheets**: A circular node at the bottom with a green document icon. It is labeled "Append row in sheet in Google Sheets" and "append: sheet".

A dashed arrow connects the "Tools" output of the MCP Server Trigger to the input of the Append row in sheet in Google Sheets node. A blue "Loading" label is positioned to the left of the MCP Server Trigger node. An orange arrow points from the MCP Server Trigger node towards the bottom right, indicating the flow of the workflow.

The screenshot shows the 'MCP Server Trigger' configuration panel in n8n. The 'Parameters' tab is active, displaying the 'MCP URL' section. A callout box points to the 'Test URL' button with the text 'Click to copy MCP URL'. The 'Production URL' is highlighted with an orange arrow, and the URL 'https://pratikphysics.app.n8n.cloud/mcp/cb21b859-68e9-48f8-bcae-1ccb01b774c' is shown below it, with another orange arrow pointing to it. The 'Authentication' dropdown is set to 'None'. The 'Path' field contains 'cb21b859-68e9-48f8-bcae-1ccb01b774c'. An 'Execute step' button is visible at the top right. The background shows a workflow canvas with a 'Listen for MCP events' node and a 'Tools' sidebar.



4 days left in your n8n trial | 0/1000 Executions

n8n + Personal MCP_Server_Lead_qualification + Add tag 0 / 3 Active Share

Overview Personal Projects + Add project

Admin Panel Templates Insights Help What's New

Execute workflow MCP Server Trigger Tools + Append row in sheet in Google Sheets append: sheet

```
graph TD; Trigger[MCP Server Trigger] -- Tools --> Append[Append row in sheet in Google Sheets];
```

n8n

Overview

Personal

Projects

+ Add project

Admin Panel

Templates

Insights

Help

What's New

Pratik Ramteke

Overview

All the workflows, credentials and data tables you have access to

Prod. executions Last 7 days 0	Failed prod. executions Last 7 days 0	Failure rate Last 7 days 0%	Time saved Last 7 days --
--------------------------------------	---	-----------------------------------	---------------------------------

Workflows

Credentials

Executions

Variables

Data tables

Search

Sc

MCP_Server_Lead_qualification

Last updated just now | Created 23 November



MCP_Client_Lead_qualification



Last updated 1 minute ago | Created 23 November

Lead-qualification-mcp_server

Last updated 13 minutes ago | Created 22 November

The diagram illustrates a workflow for an AI Agent. It starts with a trigger event 'When chat message received'. This event is connected to an 'AI Agent' node. The 'AI Agent' node has three output paths: 'Chat Model', 'Memory', and 'Tool'. The 'Chat Model' path leads to an 'OpenAI Chat Model' node. The 'Memory' path leads to a 'Simple Memory' node. The 'Tool' path leads to an 'MCP Client' node. An orange arrow points to the 'MCP Client' node. At the bottom, there is a button labeled 'Open chat'. The interface also shows a session ID '68e2a...' and a 'Logs' tab.





pratikphysics.app.n8n.cloud/workflow/1FvmDZdmkUXWYg9

Data Science Project... Peroplyx - Dashboard Peroplyx Evaluator...

left in your n8n trial 0/1000 Executions Upgrade now

Personal MCP_Client_Lead_qualification + Add tag

Editor Executions Evaluations 0/3 Active Share Saved ... Star 157,995

When chat message received

1 item

OpenAI Chat Model

2 items total

Memory

MCP Client

Hide chat

Chat Session: 68e2a... Logs Clear execution

Success in ... ~880 T...

Simple Me... OpenAI Ch... Simple Me...

When chat message received Success in 0s

OUTPUT

sessionId	action	chatInput
6cad8061cb6b4c12bc6866feda4611f	sendMessage	Hi

Workflows Credentials Executions Variables Data tables

Search Sort by last updated

MCP_Client_Lead_qualification Last updated just now Created 23 November Personal Active

MCP_Server_Lead_qualification Last updated 2 minutes ago Created 23 November Personal Active

Workflow execution interface for "MCP_Client_Lead_qualification". The workflow includes a "When chat message received" trigger, an "AI Agent" node, and an "OpenAI Chat Model" node. The AI Agent node is connected to the OpenAI Chat Model node via a "Chat Model" connection. The OpenAI Chat Model node is connected to the AI Agent node via a "Memory" connection. The AI Agent node is also connected to an "MCP CLI" node via a "Tools" connection. The workflow is currently active and has executed successfully.

Chat session: f28b...
Hi
Hello! Welcome to Godrej Properties in Hinjawadi, Pune. How can I assist you today? Are you interested in our 2BHK, 3BHK, or 4BHK apartments?

Workflow executed successfully

Chat session: f28b...
Hi
Hello! Welcome to Godrej Properties in Hinjawadi, Pune. How can I assist you today? Are you interested in our 2BHK, 3BHK, or 4BHK apartments?

2BHK

