

FINAL RECORDING CUE SHEET

WrapCheck 3-Minute Demo Script

A word-for-word hackathon presentation with exact screen actions, pacing, recording checks and submission notes.

Prevent a film crew from erasing its original cards until every expected video and audio file has been verified on two backups.

TARGET LENGTH	FORMAT	PRESENTER
2:50 maximum	English, 16:9	Arya Gupta

Live application

wrapcheck-web-chcs5wu3qa-uc.a.run.app

Repository

github.com/aryagupta-tech/WrapCheck

RECORDING PLAN

Stay under three minutes

The official rules state that the demonstration should not be longer than three minutes. Only the first three minutes are evaluated. This cue sheet targets approximately 2:50, leaving a ten-second safety margin.

01	Show a functioning project	Record the live hosted application processing the problem delivery.
02	Use English	Speak in English and add accurate English subtitles in the final edit.
03	Publish publicly	Upload the finished video publicly to YouTube or Vimeo.

Before recording

- + Open the live WrapCheck application and confirm Load problem delivery works.
- + Record at 1920 x 1080 in a 16:9 frame; use 90% or 100% browser zoom.
- + Close notifications, private tabs and unrelated applications.
- + Use only the original synthetic media included with WrapCheck.
- + Never show API keys, passwords, terminals containing credentials or private dashboards.
- + Cut waiting time during editing, but do not hide or misrepresent product behavior.
- + Keep the final exported video at 2:55 or shorter.

Presenter rule

Speak clearly at a natural pace. Pause for no more than one second after major clicks. If a live request takes longer, remove only the silent waiting period in the edit.

Required demo state

3	Reported takes	The sample contains three camera takes.
2	Blocking issues	Missing Take 7 WAV and incomplete second backup.
0	Recovered blockers	The clean delivery should finish with zero blockers.

LIVE DEMO - PART 1

Problem, product and first check

0:00-0:18

Introduce the production risk

ON SCREEN

- + Show the WrapCheck hero and headline.
- + Do not click anything yet.

NARRATION

On a film set, original camera and sound cards may be erased or reused after backup. If even one file was missed, the loss may only be discovered after the set has wrapped. WrapCheck is a media-release gate designed to stop that mistake.

0:18-0:35

Explain what controls the release

ON SCREEN

- + Slowly reveal the dashboard preview.
- + Keep Hold source cards visible if it has loaded.

NARRATION

WrapCheck compares the camera report, sound report, script supervisor notes and checksum manifests from two independent backup destinations. AI assists with normalizing and retrieving evidence, but deterministic rules - and finally a human DIT - control the release.

Delivery note: Pronounce DIT as D-I-T.

0:35-0:53

Load the problem delivery

ON SCREEN

- + Click Load problem delivery.
- + Wait for Hold source cards.
- + Point to 3 takes, 2 blockers and card A017.

NARRATION

This is an original miniature film delivery with three camera clips and separate production audio. I will load the problem version now. WrapCheck processes its records through Google Cloud and ClickHouse, then immediately places source card A017 on hold.

LIVE DEMO - PART 2

Evidence and reconciliation

0:53-1:14

Show the production records

ON SCREEN

- + Scroll to Four records. One delivery truth.
- + Point to camera, sound, script and manifest.
- + Continue to the reconciliation matrix.

NARRATION

The evidence package shows the four production records used for this decision. In the reconciliation matrix, Takes 5 and 6 have matching video and sound, but the camera files only have one verified backup. Take 7 is circled, meaning it is the editor's preferred performance.

1:14-1:39

Show the missing Take 7 WAV

ON SCREEN

- + Click the Take 7 row.
- + Play about two seconds of camera evidence.
- + Point to Production WAV missing for this take.

NARRATION

Selecting Take 7 opens the real camera evidence. The camera clip is present, but the sound report expects the Take 7 WAV, and that production-audio file is missing. WrapCheck does not invent visual proof or a timecode. It identifies the exact missing delivery asset.

Delivery note: If desired, name the exact file: SR12_024B_T07.wav.

1:39-1:58

Present exact recovery actions

ON SCREEN

- + Scroll to 2 issues need an answer.
- + Show the backup blocker.
- + Show the missing audio blocker.

NARRATION

The recovery queue converts the evidence into two operational blockers: recover Take 7's WAV from sound roll SR12, and complete the second verified backup of camera card A017. Until those actions are completed, the card-release button remains disabled.

LIVE DEMO - PART 3

Human decision and auditable release

1:58-2:20

Record the recovery decisions

ON SCREEN

- + Set reviewer to Arya Gupta - DIT.
- + Click Mark recovered on both findings.
- + Show Ready for DIT release.

NARRATION

After the DIT physically performs those recovery steps, I record each item as recovered. These human decisions are stored durably. WrapCheck now changes from Hold source cards to Ready for DIT release, but it still cannot release the cards automatically.

Delivery note: The buttons record completed physical recovery. They do not recover media by themselves.

2:20-2:38

Release and open the report

ON SCREEN

- + Confirm Arya Gupta - DIT is shown.
- + Click Release cards and delivery.
- + Open the editorial release report.

NARRATION

I enter the responsible operator's name and release the delivery. The editorial report preserves the takes, evidence, detected problems, recovery decisions and final reviewer, giving post-production a clear and auditable handoff.

LIVE DEMO - PART 4

Clean result and close

2:38-2:55

Show clean result and architecture

ON SCREEN

- + Return to WrapCheck.
- + Load recovered delivery and show zero blockers.
- + Briefly open Real agent and SQL trace.

NARRATION

The recovered delivery now produces zero blockers. Under the hood, Gemini assists with document normalization, ClickHouse is the system of record, the official read-only ClickHouse MCP retrieves evidence, and deterministic code enforces the two-copy safety rule.

Delivery note: Cut only the loading delay between the click and the clean result.

2:55-3:00

Close

ON SCREEN

- + Show the released dashboard or hero headline.
- + Stop recording immediately after the line.

NARRATION

WrapCheck: every take, every file, accounted for - before the cards are erased.

TELEPROMPTER COPY

Complete narration without cues

Use this section for voice recording. The wording matches the timed cue sheet exactly.

-
- 01** On a film set, original camera and sound cards may be erased or reused after backup. If even one file was missed, the loss may only be discovered after the set has wrapped. WrapCheck is a media-release gate designed to stop that mistake.
-
- 02** WrapCheck compares the camera report, sound report, script supervisor notes and checksum manifests from two independent backup destinations. AI assists with normalizing and retrieving evidence, but deterministic rules - and finally a human DIT - control the release.
-
- 03** This is an original miniature film delivery with three camera clips and separate production audio. I will load the problem version now. WrapCheck processes its records through Google Cloud and ClickHouse, then immediately places source card A017 on hold.
-
- 04** The evidence package shows the four production records used for this decision. In the reconciliation matrix, Takes 5 and 6 have matching video and sound, but the camera files only have one verified backup. Take 7 is circled, meaning it is the editor's preferred performance.
-
- 05** Selecting Take 7 opens the real camera evidence. The camera clip is present, but the sound report expects the Take 7 WAV, and that production-audio file is missing. WrapCheck does not invent visual proof or a timecode. It identifies the exact missing delivery asset.
-
- 06** The recovery queue converts the evidence into two operational blockers: recover Take 7's WAV from sound roll SR12, and complete the second verified backup of camera card A017. Until those actions are completed, the card-release button remains disabled.
-
- 07** After the DIT physically performs those recovery steps, I record each item as recovered. These human decisions are stored durably. WrapCheck now changes from Hold source cards to Ready for DIT release, but it still cannot release the cards automatically.
-

-
- 08** I enter the responsible operator's name and release the delivery. The editorial report preserves the takes, evidence, detected problems, recovery decisions and final reviewer, giving post-production a clear and auditable handoff.
-
- 09** The recovered delivery now produces zero blockers. Under the hood, Gemini assists with document normalization, ClickHouse is the system of record, the official read-only ClickHouse MCP retrieves evidence, and deterministic code enforces the two-copy safety rule.
-
- 10** WrapCheck: every take, every file, accounted for - before the cards are erased.
-

FINAL DELIVERY

Export and submission checklist

Video

- + Final duration is 2:55 or shorter.
- + The working hosted project is visible, including the live problem run.
- + Take 7 camera evidence and the missing production WAV are clearly shown.
- + The incomplete second backup and exact recovery instructions are readable.
- + A named DIT performs the final release.
- + The clean delivery shows zero blockers.
- + English narration is clear and accurate English subtitles are included.
- + No private credentials, personal notifications or third-party footage appear.

Publishing

- + Upload publicly to YouTube or Vimeo.
- + Verify playback while signed out or in an incognito window.
- + Add the live application and public repository links to the description.
- + Paste the public video URL into the Devpost submission form.

Suggested title

WrapCheck - A Human-Controlled Media Handoff Gate | Agentic Cinema Hackathon

Suggested description

WrapCheck prevents camera and sound cards from being released until every reported production file has been reconciled against two verified backups. It uses Google Cloud, Gemini, ClickHouse and the official ClickHouse MCP to retrieve evidence, while deterministic rules and a named human DIT control the final release.

Live application: <https://wrapcheck-web-chcs5wu3qa-uc.a.run.app/>

Source code: <https://github.com/aryagupta-tech/WrapCheck>

Official references

Submission requirements: <https://agentic-cinema.devpost.com/>

Official rules: <https://agentic-cinema.devpost.com/rules>

Rules checked 30 August 2026. Always recheck Devpost before final submission.