

Pretty-print ☐

```

{"incident":{"help":"Manages a request.,"GET":{"info":"Returns the information of the
given request.,"params":{"id":{"info":"Request
ID.,"type":"INTEGER","required":true},"date_format":{"info":"Indicate the date format. The
available formats are 'epoch' or 'iso8601'. If null, epoch format is
returned.,"type":"STRING","required":false},"comments":{"info":"When set to true, it
includes the comments of the
request.,"type":"BOOLEAN","required":false},"decoded_special_characters":{"info":"Indicate
if the message is returned decoded. If null, coded format is
returned.,"type":"BOOLEAN","required":false}},"response_info":"Returns an array of objects
with the following structure:,"response":{"id":{"type":"INTEGER","info":"Request
ID.},"title":{"type":"STRING","info":"Request title.},"category_id":
{"type":"INTEGER","info":"Category ID.},"description":{"type":"STRING","info":"Request
description.},"priority_id":{"type":"INTEGER","info":"Priority ID.},"user_id":
{"type":"INTEGER","info":"Customer ID.},"creator_id":{"type":"INTEGER","info":"Creator
ID.},"assigned_id":{"type":"INTEGER","info":"Assigned agent ID.},"assigned_group_id":
{"type":"INTEGER","info":"Help desk ID.},"date_occurred":
{"type":"STRING","info":"Occurrence date in epoch or ISO-8601 format depending on the
date_format parameter.},"source_id":{"type":"INTEGER","info":"Source ID.},"status_id":
{"type":"INTEGER","info":"Status ID.},"type_id":{"type":"INTEGER","info":"Type
ID.},"created_at":{"type":"STRING","info":"Creation date in epoch or ISO-8601 format
depending on the date_format parameter.},"last_update":{"type":"STRING","info":"Last
update in epoch or ISO-8601 format depending on the date_format parameter.},"process_id":
{"type":"INTEGER","info":"Process ID of the request if it is a workflow
instance.},"solved_at":{"type":"STRING","info":"Solution date in epoch or ISO-8601 format
depending on the date_format parameter.},"closed_at":{"type":"STRING","info":"Closing date
in epoch or ISO-8601 format depending on the date_format parameter.},"closed_reason":
{"type":"STRING","info":"Reason of closing. 1: Solution accepted, 2: Solution expired, 3:
Customer timeout, 4: Finalized workflow.},"attachments":{"type":"ARRAY","info":"Array with
the IDs of the attachments.},"custom_fields":{"type":"ARRAY","info":"Array with the custom
fields ids as keys and the respective values.},"sla_incident_resolution":
{"type":"STRING","info":"Resolution SLA of the request.},"sla_incident_first_reply":
{"type":"STRING","info":"First response SLA of the request.},"comments":
{"type":"ARRAY","info":"Array with comments of the requests with the comment
structure.},"rating":{"type":"INTEGER","info":"Stars given to the solution. If there's no
rating, this field won't be shown.},"pretty_id":{"type":"STRING","info":"Request pretty ID
as configured on the Service Management instance.},"request_customer_sentiment_initial":
{"type":"STRING","info":"Initial customer sentiment for the request. \"positive\",
\"neutral\", \"negative\""},\"request_customer_sentiment_current":
{"type":"STRING","info":"Current customer sentiment for the request. \"positive\",
\"neutral\", \"negative\""}},\"POST\":{\"info\":\"Creates a new request in the system. To
include custom fields, read <a
href=\\\"https://support.invgate.com/kb/view/article/identifier/125135269566a28f157689
c082033218\\\" target=\\\"_blank\\\">this guide</a>.\"},\"params\":{\"creator_id\":{\"info\":\"Creator
ID.,\"type\":\"INTEGER\",\"required\":true},\"customer_id\":{\"info\":\"Client
ID.,\"type\":\"INTEGER\",\"required\":true},\"category_id\":{\"info\":\"Category name can be obtained
calling https://releases.invgate.com/service-desk/api/#categories-
GET\",\"type\":\"INTEGER\",\"required\":true},\"priority_id\":{\"info\":\"Low = 1, Medium = 2, High =
3, Urgent = 4, Critical = 5\",\"type\":\"INTEGER\",\"required\":true},\"type_id\":{\"info\":\"Incident
= 1, Service Request = 2, Question = 3, Problem = 4, Change = 5, Major Incident =
6\",\"type\":\"INTEGER\",\"required\":true},\"source_id\":{\"info\":\"Source
ID.,\"type\":\"INTEGER\",\"required\":false},\"title\":{\"info\":\"Request
title.,\"type\":\"STRING\",\"required\":true},\"description\":{\"info\":\"Request description.
Required for requests and Workflows with
descriptions.,\"type\":\"TEXT\",\"required\":false},\"date\":{\"info\":\"Occurred on timestamp in
epoch format.,\"type\":\"STRING\",\"required\":false},\"attachments\":{\"info\":\"Array of request's
attachments.,\"type\":\"ARRAY\",\"required\":false},\"related_to\":{\"info\":\"Requests IDs to
link.,\"type\":\"ARRAY\",\"required\":false},\"location_id\":{\"info\":\"Location
ID.,\"type\":\"INTEGER\",\"required\":false}},\"response\":{\"status\":
{\"type\":\"STRING\",\"info\":\"Returns 'OK' if the request was correctly created; or 'ERROR' if
something went wrong.\"},\"info\":{\"type\":\"STRING\",\"info\":\"Description of the
result.\"},\"request_id\":{\"type\":\"INTEGER\",\"info\":\"ID of the created request.\"}},\"PUT\":
{\"info\":\"Change attributes of a request.,\"params\":{\"id\":{\"info\":\"Request
ID.,\"type\":\"INTEGER\",\"required\":true},\"customer_id\":{\"info\":\"Client
ID.,\"type\":\"INTEGER\",\"required\":false},\"category_id\":{\"info\":\"Category name can be
obtained calling https://releases.invgate.com/service-desk/api/#categories-
GET\",\"type\":\"INTEGER\",\"required\":false},\"reassignment\":{\"info\":\"Set to true to reassign the
request to a help desk according to the new

```

Pretty-print

```

high = 3, urgent = 4, critical = 5, type : INTEGER, required : false, type_id :
{"info":"Incident = 1, Service Request = 2, Question = 3, Problem = 4, Change = 5, Major
Incident = 6", "type":"INTEGER", "required":false}, "source_id":{"info":"Source
ID.", "type":"INTEGER", "required":false}, "title":{"info":"Request
title.", "type":"STRING", "required":false}, "description":{"info":"Request
description.", "type":"TEXT", "required":false}, "location_id":{"info":"Location
ID.", "type":"INTEGER", "required":false}, "date":{"info":"Occurred on
timestamp.", "type":"STRING", "required":false}, "date_format":{"info":"Indicate the date
format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is
returned.", "type":"STRING", "required":false}}, "response_info":"Returns an array of objects
with the following structure:", "response":{"id":{"type":"INTEGER", "info":"Request
ID."}, "title":{"type":"STRING", "info":"Request title."}, "category_id":
{"type":"INTEGER", "info":"Category ID."}, "description":{"type":"STRING", "info":"Request
description."}, "priority_id":{"type":"INTEGER", "info":"Priority ID."}, "user_id":
{"type":"INTEGER", "info":"Customer ID."}, "creator_id":{"type":"INTEGER", "info":"Creator
ID."}, "assigned_id":{"type":"INTEGER", "info":"Assigned agent ID."}, "assigned_group_id":
{"type":"INTEGER", "info":"Help desk ID."}, "date_occurred":
{"type":"STRING", "info":"Occurrence date in epoch or ISO-8601 format depending on the
date_format parameter."}, "source_id":{"type":"INTEGER", "info":"Source ID."}, "status_id":
{"type":"INTEGER", "info":"Status ID."}, "type_id":{"type":"INTEGER", "info":"Type
ID."}, "location_id":{"type":"INTEGER", "info":"Location ID."}, "created_at":
{"type":"STRING", "info":"Creation date in epoch or ISO-8601 format depending on the
date_format parameter."}, "last_update":{"type":"STRING", "info":"Last update in epoch or
ISO-8601 format depending on the date_format parameter."}, "process_id":
{"type":"INTEGER", "info":"Process ID of the request if it is a workflow
instance."}, "solved_at":{"type":"STRING", "info":"Solution date in epoch or ISO-8601 format
depending on the date_format parameter."}, "closed_at":{"type":"STRING", "info":"Closing date
in epoch or ISO-8601 format depending on the date_format parameter."}, "closed_reason":
{"type":"STRING", "info":"Reason of closing. 1: Solution accepted, 2: Solution expired, 3:
Customer timeout, 4: Finalized workflow"}, "attachments":{"type":"ARRAY", "info":"Array with
the IDs of the attachments."}, "custom_fields":{"type":"ARRAY", "info":"Array with the custom
fields IDs as keys and the respective values."}}}, "incidents":{"help":"Manages the
requests.", "GET":{"info":"Lists the requests.", "params":{"ids":{"info":"Request
IDs.", "type":"ARRAY", "required":true}, "date_format":{"info":"Indicate the date format. The
available formats are 'epoch' or 'iso8601'. If null, epoch format is
returned.", "type":"STRING", "required":false}, "comments":{"info":"When set to true, it
includes the comments of the
request.", "type":"BOOLEAN", "required":false}}, "response_info":"Returns an array of objects
with the following structure:", "response":{"id":{"type":"INTEGER", "info":"Request
ID."}, "title":{"type":"STRING", "info":"Request title."}, "category_id":
{"type":"INTEGER", "info":"Category ID."}, "description":{"type":"STRING", "info":"Request
description."}, "priority_id":{"type":"INTEGER", "info":"Priority ID."}, "user_id":
{"type":"INTEGER", "info":"Customer ID."}, "creator_id":{"type":"INTEGER", "info":"Creator
ID."}, "assigned_id":{"type":"INTEGER", "info":"Assigned agent ID."}, "assigned_group_id":
{"type":"INTEGER", "info":"Help desk ID.\t"}, "date_occurred":
{"type":"STRING", "info":"Occurrence date in epoch or ISO-8601 format depending on the
date_format parameter."}, "source_id":{"type":"INTEGER", "info":"Source ID."}, "status_id":
{"type":"INTEGER", "info":"Status ID."}, "type_id":{"type":"INTEGER", "info":"Type
ID."}, "created_at":{"type":"STRING", "info":"Creation date in epoch or ISO-8601 format
depending on the date_format parameter."}, "last_update":{"type":"STRING", "info":"Last
update in epoch or ISO-8601 format depending on the date_format
parameter.\t"}, "process_id":{"type":"INTEGER", "info":"Process ID of the request if it is a
workflow instance."}, "solved_at":{"type":"STRING", "info":"Solution date in epoch or ISO-
8601 format depending on the date_format parameter.\t"}, "closed_at":
{"type":"STRING", "info":"Closing date in epoch or ISO-8601 format depending on the
date_format parameter."}, "closed_reason":{"type":"INTEGER", "info":"Reason of closing. 1:
Solution accepted, 2: Solution expired, 3: Customer timeout, 4: Finalized
workflow.\t"}, "attachments":{"type":"ARRAY", "info":"Array with the IDs of the
attachments."}, "custom_fields":{"type":"ARRAY", "info":"Array with the custom fields IDs as
keys and the respective values."}, "sla_incident_resolution":
{"type":"STRING", "info":"Resolution SLA of the request."}, "sla_incident_first_reply":
{"type":"STRING", "info":"First response SLA of the request."}, "comments":
{"type":"ARRAY", "info":"Array with comments of the requests with the comment
structure."}, "rating":{"type":"INTEGER", "info":"Stars given to the solution. If there's no
rating, this field won't be shown."}, "pretty_id":{"type":"STRING", "info":"Request pretty ID
as configured on the Service Management instance."}, "request_customer_sentiment_initial":
{"type":"STRING", "info":"Initial customer sentiment for the request. \"positive\",
\"neutral\", \"negative\""}, "request_customer_sentiment_current":

```

Pretty-print

```

\neutral\, \negative\}}}}, incidents.by.asset:{help:null,GET:{params:
{"asset_id":{"info":"Asset ID.,"type":"STRING","required":true}}},"incidents.by.cis":
{"help":"Manages requests linked to CIs.,"GET":{"info":"Returns all the requests linked to
a CI, considering its IDs, its groups and the ID of the integration it belongs
to.,"params":{"cis_source_id":{"info":"ID of the ITAM tool integration in Service
Management.,"type":"INTEGER","required":true},"group":{"info":"Name of the group the CIs
belong to. Possible values are \u2018Asset\u2019 or
\u2018BusinessApplication\u2019.,"type":"STRING","required":true},"ci_ids":{"info":"IDs of
the CIs.,"type":"ARRAY","required":true},"response_info":"Returns an array of objects
with the following structure:,"response":{"group":{"type":"STRING","info":"Name of the
group for this CI.},"ci_id":{"type":"STRING","info":"ID of the CI.},"requests":
{"type":"ARRAY","info":"An object that contains two arrays, one listing linked CIs by
request status and the other counting linked CIs by request type, only for open
requests."}}}}},"incidents.by.helpdesk":{"help":"Manages open requests by help desk.,"GET":
{"info":"Lists the open requests from a help desk.,"params":{"helpdesk_id":{"info":"Help
desk ID.,"type":"INTEGER","required":false},"helpdesk_ids":{"info":"Help desks
IDs.,"type":"ARRAY","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the query was correctly executed; or 'ERROR' if
something went wrong.},"info":{"type":"STRING","info":"Description of the
result.},"requestIds":{"type":"ARRAY","info":"Request IDs."}}}}},"incidents.by.sentiment":
{"help":"Manages open requests by sentiment.,"GET":{"info":"Lists the open requests from a
sentiment.,"params":{"sentiment_id":{"info":"Sentiment ID.
[negative|positive|neutral]","type":"STRING","required":false},"sentiment_ids":
{"info":"Sentiments IDs.,"type":"ARRAY","required":false},"limit":{"info":"Number of items
per page.,"type":"INTEGER","required":false},"offset":{"info":"Skip this number of items
in the response.,"type":"INTEGER","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the query was correctly executed; or 'ERROR' if
something went wrong.},"info":{"type":"STRING","info":"Description of the
result.},"requestIds":{"type":"ARRAY","info":"Request IDs.},"limit":
{"type":"INTEGER","info":"Number of items per page.},"offset":
{"type":"INTEGER","info":"Items skipped in the response."}}}}},"incidents.by.status":
{"help":"Manages the open requests by status.,"GET":{"info":"Lists all open requests
matching the status specified by parameter.,"params":{"status_id":{"info":"Status
ID.,"type":"INTEGER","required":false},"status_ids":{"info":"Status
IDs.,"type":"ARRAY","required":false},"limit":{"info":"Number of items per
page.,"type":"INTEGER","required":false},"offset":{"info":"Skip this number of items in
the response.,"type":"INTEGER","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the query was correctly executed; or 'ERROR' if
something went wrong.},"info":{"type":"STRING","info":"Description of the
result.},"requestIds":{"type":"ARRAY","info":"Request IDs.},"limit":
{"type":"INTEGER","info":"Number of items per page.},"offset":
{"type":"INTEGER","info":"Items skipped in the response.},"total":
{"type":"INTEGER","info":"Total items."}}}}},"incidents.by.view":{"help":"Manages the
requests from a given view ID.,"GET":{"info":"Lists the requests from a view
ID.,"params":{"view_id":{"info":"View ID.,"type":"INTEGER","required":true},"limit":
{"info":"Number of items per page.,"type":"INTEGER","required":false},"offset":
{"info":"Skip this amount of requests in the
response.,"type":"INTEGER","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the query was correctly executed; or 'ERROR' if
something went wrong.},"info":{"type":"STRING","info":"Description of the
result.},"requestIds":{"type":"ARRAY","info":"Request IDs returned by the view.},"limit":
{"type":"INTEGER","info":"Number of items per page.},"offset":
{"type":"INTEGER","info":"This amount of request were skipped in the
response."}}}}},"incidents.details.by.view":{"help":"Lists the requests with their details
from a view ID.,"GET":{"info":"Lists the requests with their details from a view
ID.,"params":{"view_id":{"info":"View ID.,"type":"INTEGER","required":true},"page_key":
{"info":"Hash key of the results page to retrieve. If null, the first page of results will
be returned.,"type":"STRING","required":false},"sort_by":{"info":"Attribute upon which the
sorting of the results will be performed. \id\ if results should be sorted by the request
ID, or \last_update\ if they should be sorted by the request's last update date. If null,
requests will be returned sorted by ID.,"type":"STRING","required":false},"order_by":
{"info":"The order in which the results should be sorted. \asc\ if the results should be
sorted in ascending order, or \desc\ if they should be sorted in descending order. If
null, requests will be returned sorted in ascending
order.,"type":"STRING","required":false},"response":{"metadata":
{"type":"ARRAY","info":"Provides resource objects that are related to the primary data,
including the labels of the columns from the view.},"data":
{"type":"ARRAY","info":"Contains a JSON array (with pagination, 1000 requests per page)

```

Pretty-print

```
{
  "type": "STRING",
  "info": "Hash key of the next page of results. If null, the results page retrieved is the last one."
},
"incidents.by.customer": {
  "help": "Manages open requests by customer.",
  "GET": {
    "info": "Lists the open requests from a customer.",
    "params": {
      "id": {
        "info": "Customer ID.",
        "type": "INTEGER",
        "required": false
      },
      "email": {
        "info": "Customer email.",
        "type": "STRING",
        "required": false
      },
      "username": {
        "info": "Customer username.",
        "type": "STRING",
        "required": false
      },
      "comments": {
        "info": "When set to true, it includes the comments of the request.",
        "type": "BOOLEAN",
        "required": false
      },
      "page_key": {
        "info": "Hash key of the results page to retrieve. If null, the first page of results will be returned.",
        "type": "STRING",
        "required": false
      },
      "limit": {
        "info": "Number of items per page.",
        "type": "INTEGER",
        "required": false
      },
      "response_info": "Returns an array of objects with the following structure:",
      "response": {
        "id": {
          "type": "INTEGER",
          "info": "Request ID."
        },
        "title": {
          "type": "STRING",
          "info": "Request title."
        },
        "category_id": {
          "type": "INTEGER",
          "info": "Category ID."
        },
        "description": {
          "type": "STRING",
          "info": "Request description."
        },
        "priority_id": {
          "type": "INTEGER",
          "info": "Priority ID."
        },
        "user_id": {
          "type": "INTEGER",
          "info": "Customer ID."
        },
        "creator_id": {
          "type": "INTEGER",
          "info": "Creator ID."
        },
        "assigned_id": {
          "type": "INTEGER",
          "info": "Assigned agent ID."
        },
        "assigned_group_id": {
          "type": "INTEGER",
          "info": "Help desk ID."
        },
        "date_occurred": {
          "type": "STRING",
          "info": "Occurrence date in epoch."
        },
        "source_id": {
          "type": "INTEGER",
          "info": "Source ID."
        },
        "status_id": {
          "type": "INTEGER",
          "info": "Status ID."
        },
        "type_id": {
          "type": "INTEGER",
          "info": "Type ID."
        },
        "created_at": {
          "type": "STRING",
          "info": "Creation date in epoch."
        },
        "last_update": {
          "type": "STRING",
          "info": "Last update in epoch."
        },
        "process_id": {
          "type": "INTEGER",
          "info": "Process ID of the request if it is a workflow instance."
        },
        "solved_at": {
          "type": "STRING",
          "info": "Solution date in epoch."
        },
        "closed_at": {
          "type": "STRING",
          "info": "Closing date in epoch."
        },
        "closed_reason": {
          "type": "INTEGER",
          "info": "Reason of closing. 1: Solution accepted, 2: Solution expired, 3: Customer timeout, 4: Finalized workflow."
        },
        "attachments": {
          "type": "ARRAY",
          "info": "Array with the IDs of the attachments."
        },
        "custom_fields": {
          "type": "ARRAY",
          "info": "Array with the custom fields IDs as keys and the respective values."
        },
        "sla_incident_resolution": {
          "type": "STRING",
          "info": "Resolution SLA of the request."
        },
        "sla_incident_first_reply": {
          "type": "STRING",
          "info": "First response SLA of the request."
        },
        "comments": {
          "type": "ARRAY",
          "info": "Array with comments of the requests with the comment structure. \t"
        },
        "pretty_id": {
          "type": "STRING",
          "info": "Request pretty ID as configured on the Service Management instance."
        },
        "request_customer_sentiment_initial": {
          "type": "STRING",
          "info": "Initial customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
        },
        "request_customer_sentiment_current": {
          "type": "STRING",
          "info": "Current customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
        },
        "next_page_key": {
          "type": "STRING",
          "info": "Hash key of the next page of results. If null, the results page retrieved is the last one."
        }
      }
    }
  },
  "incidents.by.agent": {
    "help": "Open requests by agent.",
    "GET": {
      "info": "Lists the requests from a given agent.",
      "params": {
        "id": {
          "info": "Agent ID.",
          "type": "INTEGER",
          "required": false
        },
        "email": {
          "info": "Agent email.",
          "type": "STRING",
          "required": false
        },
        "username": {
          "info": "Agent username.",
          "type": "STRING",
          "required": false
        },
        "comments": {
          "info": "When set to true, it includes the comments of the request.",
          "type": "BOOLEAN",
          "required": false
        },
        "page_key": {
          "info": "Hash key of the results page to retrieve. If null, the first page of results will be returned.",
          "type": "STRING",
          "required": false
        },
        "limit": {
          "info": "Number of items per page.",
          "type": "INTEGER",
          "required": false
        },
        "response_info": "Returns an array of objects with the following structure:",
        "response": {
          "id": {
            "type": "INTEGER",
            "info": "Request ID."
          },
          "title": {
            "type": "STRING",
            "info": "Request title."
          },
          "category_id": {
            "type": "INTEGER",
            "info": "Category ID."
          },
          "description": {
            "type": "STRING",
            "info": "Request description."
          },
          "priority_id": {
            "type": "INTEGER",
            "info": "Priority ID."
          },
          "user_id": {
            "type": "INTEGER",
            "info": "Customer ID."
          },
          "creator_id": {
            "type": "INTEGER",
            "info": "Creator ID."
          },
          "assigned_id": {
            "type": "INTEGER",
            "info": "Assigned agent ID."
          },
          "assigned_group_id": {
            "type": "INTEGER",
            "info": "Help desk ID."
          },
          "date_occurred": {
            "type": "STRING",
            "info": "Occurrence date in epoch."
          },
          "source_id": {
            "type": "INTEGER",
            "info": "Source ID."
          },
          "status_id": {
            "type": "INTEGER",
            "info": "Status ID."
          },
          "type_id": {
            "type": "INTEGER",
            "info": "Type ID."
          },
          "created_at": {
            "type": "STRING",
            "info": "Creation date in epoch."
          },
          "last_update": {
            "type": "STRING",
            "info": "Last update in epoch."
          },
          "process_id": {
            "type": "INTEGER",
            "info": "Process ID of the request if it is a workflow instance."
          },
          "solved_at": {
            "type": "STRING",
            "info": "Solution date in epoch."
          },
          "closed_at": {
            "type": "STRING",
            "info": "Closing date in epoch."
          },
          "closed_reason": {
            "type": "INTEGER",
            "info": "Reason of closing. 1: Solution accepted, 2: Solution expired, 3: Customer timeout, 4: Finalized workflow."
          },
          "attachments": {
            "type": "ARRAY",
            "info": "Array with the IDs of the attachments."
          },
          "custom_fields": {
            "type": "ARRAY",
            "info": "Array with the custom fields IDs as keys and the respective values."
          },
          "sla_incident_resolution": {
            "type": "STRING",
            "info": "Resolution SLA of the request."
          },
          "sla_incident_first_reply": {
            "type": "STRING",
            "info": "First response SLA of the request."
          },
          "comments": {
            "type": "ARRAY",
            "info": "Array with comments of the requests with the comment structure. \t"
          },
          "pretty_id": {
            "type": "STRING",
            "info": "Request pretty ID as configured on the Service Management instance."
          },
          "request_customer_sentiment_initial": {
            "type": "STRING",
            "info": "Initial customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
          },
          "request_customer_sentiment_current": {
            "type": "STRING",
            "info": "Current customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
          },
          "next_page_key": {
            "type": "STRING",
            "info": "Hash key of the next page of results. If null, the results page retrieved is the last one."
          }
        }
      }
    }
  }
}
```

Pretty-print

```
{
  "type": "ARRAY",
  "info": "Array with comments of the requests with the comment structure.\t",
  "pretty_id": {
    "type": "STRING",
    "info": "Request pretty ID as configured on the Service Management instance."
  },
  "request_customer_sentiment_initial": {
    "type": "STRING",
    "info": "Initial customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
  },
  "request_customer_sentiment_current": {
    "type": "STRING",
    "info": "Current customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
  },
  "next_page_key": {
    "type": "STRING",
    "info": "Hash key of the next page of results. If null, the results page retrieved is the last one."
  },
  "incidents.last.hour": {
    "help": "Manages the requests that were created within the last hour.",
    "GET": {
      "info": "Lists all the requests that were created within the last hour.",
      "params": {
        "page_key": {
          "info": "Hash key of the results page to retrieve. If null, the first page of results will be returned.",
          "type": "STRING",
          "required": false
        },
        "limit": {
          "info": "Number of items per page.",
          "type": "INTEGER",
          "required": false
        }
      },
      "response_info": "Returns an array of objects with the following structure:",
      "response": {
        "id": {
          "type": "INTEGER",
          "info": "Request ID."
        },
        "title": {
          "type": "STRING",
          "info": "Request title."
        },
        "category_id": {
          "type": "INTEGER",
          "info": "Category ID."
        },
        "description": {
          "type": "STRING",
          "info": "Request description."
        },
        "priority_id": {
          "type": "INTEGER",
          "info": "Priority ID."
        },
        "user_id": {
          "type": "INTEGER",
          "info": "Customer ID."
        },
        "creator_id": {
          "type": "INTEGER",
          "info": "Creator ID."
        },
        "assigned_id": {
          "type": "INTEGER",
          "info": "Assigned agent ID."
        },
        "assigned_group_id": {
          "type": "INTEGER",
          "info": "Help desk ID."
        },
        "date_ocurred": {
          "type": "STRING",
          "info": "Occurrence date in epoch."
        },
        "source_id": {
          "type": "INTEGER",
          "info": "Source ID."
        },
        "status_id": {
          "type": "INTEGER",
          "info": "Status ID."
        },
        "type_id": {
          "type": "INTEGER",
          "info": "Type ID."
        },
        "created_at": {
          "type": "STRING",
          "info": "Creation date in epoch."
        },
        "last_update": {
          "type": "STRING",
          "info": "Last update in epoch."
        },
        "process_id": {
          "type": "INTEGER",
          "info": "Process ID of the request if it is a workflow instance."
        },
        "solved_at": {
          "type": "STRING",
          "info": "Solution date in epoch."
        },
        "closed_at": {
          "type": "STRING",
          "info": "Closing date in epoch."
        },
        "closed_reason": {
          "type": "INTEGER",
          "info": "Reason of closing. 1: Solution accepted, 2: Solution expired, 3: Customer timeout, 4: Finalized workflow.\t"
        },
        "attachments": {
          "type": "ARRAY",
          "info": "Array with the IDs of the attachments."
        },
        "custom_fields": {
          "type": "ARRAY",
          "info": "Array with the custom fields IDs as keys and the respective values."
        },
        "sla_incident_resolution": {
          "type": "STRING",
          "info": "Resolution SLA of the request."
        },
        "sla_incident_first_reply": {
          "type": "STRING",
          "info": "First response SLA of the request.\t"
        },
        "comments": {
          "type": "ARRAY",
          "info": "Array with comments of the requests with the comment structure.\t"
        },
        "rating": {
          "type": "INTEGER",
          "info": "Stars given to the solution. If there's no rating, this field won't be shown."
        },
        "pretty_id": {
          "type": "STRING",
          "info": "Request pretty ID as configured on the Service Management instance."
        },
        "request_customer_sentiment_initial": {
          "type": "STRING",
          "info": "Initial customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
        },
        "request_customer_sentiment_current": {
          "type": "STRING",
          "info": "Current customer sentiment for the request. \"positive\", \"neutral\", \"negative\""
        },
        "next_page_key": {
          "type": "STRING",
          "info": "Hash key of the next page of results. If null, the results page retrieved is the last one."
        }
      },
      "incident.attachment": {
        "help": "Manages the attachments of the requests.",
        "GET": {
          "info": "Returns the requested attachment.",
          "params": {
            "id": {
              "info": "Attachment ID.",
              "type": "INTEGER",
              "required": true
            }
          },
          "response": {
            "id": {
              "type": "INTEGER",
              "info": "ID of the attached file."
            },
            "name": {
              "type": "STRING",
              "info": "Name of the attached file."
            },
            "url": {
              "type": "STRING",
              "info": "URL of the attached file."
            },
            "hash": {
              "type": "STRING",
              "info": "Hash of the attached file."
            },
            "extension": {
              "type": "STRING",
              "info": "Extension of the attached file."
            }
          }
        },
        "incident.custom_field": {
          "help": "Manages the custom fields from a request.",
          "POST": {
            "info": "Creates values for a custom field from a request. Different types of data can be sent in the values variable. No value (empty string) means erase value. When sending files, the name of the file has to be in the values array (including its extension), and the file(s) itself should be sent in the body of the request.",
            "params": {
              "request_id": {
                "info": "Request ID.",
                "type": "INTEGER",
                "required": true
              },
              "author_id": {
                "info": "Author ID.",
                "type": "INTEGER",
                "required": true
              },
              "custom_field_uid": {
                "info": "Custom field UID.",
                "type": "INTEGER",
                "required": true
              },
              "values": {
                "info": "Array of values. If only one is required, only the first will be processed. If you are sending files, here you should list the names (with extension) of the files."
              },
              "type": {
                "type": "ARRAY",
                "required": true
              }
            },
            "response": {
              "status": {
                "type": "STRING",
                "info": "Returns 'OK' if the values were correctly created; or 'ERROR' if something went wrong."
              },
              "info": {
                "type": "STRING",
                "info": "Description of the result."
              }
            },
            "DELETE": {
              "info": "Deletes value in the associated custom field.",
              "params": {
                "request_id": {
                  "info": "Request ID.",
                  "type": "INTEGER",
                  "required": true
                },
                "author_id": {
                  "info": "Author ID.",
                  "type": "INTEGER",
                  "required": true
                },
                "custom_field_uid": {
                  "info": "Custom field UID.",
                  "type": "INTEGER",
                  "required": true
                }
              },
              "response": {
                "status": {
                  "type": "STRING",
                  "info": "Returns 'OK' if the value was correctly deleted; or 'ERROR' if something went wrong."
                },
                "info": {
                  "type": "STRING",
                  "info": "Description of the result."
                }
              }
            }
          }
        }
      }
    }
  }
}
```

Pretty-print

```

something went wrong.},"info":{"type":"STRING","info":"Deletes value in the associated
custom field."}}},"PATCH":{"info":"Add values for a multiple custom field from a request.
This only works for the custom field with type CI. It can only be sent one CI name at a
time in the values variable. It must be the complete name of the CI and all the CIs that
have that exact name will be added to the multiple custom field.,"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the values were correctly created; or 'ERROR' if
something went wrong.},"info":{"type":"STRING","info":"Deletes value in the associated
custom field."}}},"incident.comment":{"help":"Manages the replies from a given
request.,"GET":{"info":"Gets the replies from a given request.,"params":{"request_id":
{"info":"Request ID.,"type":"INTEGER","required":true},"date_format":{"info":"Indicate the
date format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is
returned.,"type":"STRING","required":false},"is_solution":{"info":"Indicate if the
comments returned are the request's solution. 1: Is solution, 0: Is not solution. If this
parameter is not provided then all comments will be
returned.,"type":"BOOLEAN","required":false},"decoded_special_characters":
{"info":"Indicate if the message is returned decoded. If null, coded format is
returned.,"type":"BOOLEAN","required":false},"response_info":"Returns an array of objects
with the following structure:,"response":{"id":{"type":"INTEGER","info":"Comment
ID.},"incident_id":{"type":"INTEGER","info":"Request ID.},"author_id":
{"type":"INTEGER","info":"Author ID.},"message":{"type":"STRING","info":"Message of the
comment.},"created_at":{"type":"STRING","info":"Creation time in epoch or ISO-8601 format
depending on the date_format parameter.},"customer_visible":
{"type":"BOOLEAN","info":"Indicates if the comment is internal or not. 0: Internal, 1:
Public.},"reference":{"type":"INTEGER","info":"ID of the comment that is replying
to.},"msg_num":{"type":"INTEGER","info":"Number of the message in the
request.},"is_solution":{"type":"BOOLEAN","info":"Indicates if this comment is the
solution of the request. 1: if is the solution, 0: if not.},"attachments":
{"type":"ARRAY","info":"Attachment IDs.}}},"POST":{"info":"Adds a reply to a
request.,"params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true},"comment":{"info":"Comment to be
added.,"type":"TEXT","required":true},"author_id":{"info":"Author
ID.,"type":"INTEGER","required":true},"is_solution":{"info":"Mark as solution. 1: Is
solution, 0: Is not solution.,"type":"BOOLEAN","required":false},"customer_visible":
{"info":"Mark as internal. 0: Internal, 1:
Public.,"type":"BOOLEAN","required":false},"attachments":{"info":"Attachments
IDs.,"type":"ARRAY","required":false},"is_propagation":{"info":"Mark as propagation
comment. 1: Is propagation comment, 0: Is not propagation
comment.,"type":"BOOLEAN","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the comment was correctly added; or 'ERROR' if
something went wrong.},"error":{"type":"STRING","info":"Description of the
error.}}}}},"incident.external_entity":{"help":"Manages the external entities linked to a
request.,"GET":{"info":"Lists all the external entities linked to a request.,"params":
{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true},"response_info":"Returns an array of objects with
the following structure:,"response":{"link_id":{"type":"INTEGER","info":"Relation
ID.},"ref_id":{"type":"INTEGER","info":"External entity ID.},"ext_ref_id":
{"type":"INTEGER","info":"External entity reference ID.},"type":
{"type":"STRING","info":"Entity type. Always 100.},"name":
{"type":"STRING","info":"External entity name.},"status":{"type":"BOOLEAN","info":"Entity
status. 1: Enabled, 0: Deleted.}}},"POST":{"info":"Links a request to an external
entity.,"params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true},"external_entity_id":{"info":"External entity
ID.,"type":"INTEGER","required":true},"external_entity_ref_id":{"info":"External entity
reference ID.,"type":"STRING","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the external entity was correctly linked; or
'ERROR' if something went wrong.},"info":{"type":"STRING","info":"Description of the
result.},"link_id":{"type":"STRING","info":"ID of the created
relation.}}}}},"incident.reassign":{"help":"Manages the requests reassignments to a help
desk or agent.,"POST":{"info":"Reassigns a request to a help desk and/or
agent.,"params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true},"author_id":{"info":"Author
ID.,"type":"INTEGER","required":true},"group_id":{"info":"Help desk
ID.,"type":"INTEGER","required":true},"agent_id":{"info":"Agent
ID.,"type":"INTEGER","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the help desk or group was correctly reassigned;
or 'ERROR' if something went wrong.}}}}},"incident.reopen":{"help":"Manages a request
reopening.,"PUT":{"info":"Reopens a request.,"params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true},"author_id":{"info":"User ID who reopened the

```


Pretty-print

```

id":{"type":"INTEGER","required":false}}, "response_info": Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Category ID.},"name":
{"type":"STRING","info":"Category name.},"parent_category_id":
{"type":"INTEGER","info":"Category parent ID.}}}}, "incident.attributes.category":
{"help":"Lists all the categories.", "GET":{"info":"Lists all the categories, or the
required one if an ID is provided.", "params":{"id":{"info":"Category
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Category ID.},"name":
{"type":"STRING","info":"Category name.},"parent_category_id":
{"type":"INTEGER","info":"Category parent ID.}}}}, "incident.attributes.type":
{"help":"Lists all the types.", "GET":{"info":"Lists all the types. If an ID is provided,
only the one that matches the specified ID will be listed.", "params":{"id":{"info":"Type
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Type ID.},"name":
{"type":"STRING","info":"Type name.}}}}, "incident.attributes.priority":{"help":"Lists all
the priorities.", "GET":{"info":"Lists all the priorities, or only one if an ID its
provided.", "params":{"id":{"info":"Priority
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Priority ID.},"name":
{"type":"STRING","info":"Priority name.}}}}, "incident.attributes.source":{"help":"Lists
all the requests sources.", "GET":{"info":"Lists all the sources. If an ID is provided, only
the one that matches the specified ID will be listed.", "params":{"id":{"info":"Source
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Source ID.},"name":
{"type":"STRING","info":"Source name.}}}}, "incident.attributes.status":{"help":"Lists all
the status.", "GET":{"info":"Lists all the status. If an ID is provided, only the one that
matches the specified ID will be listed.", "params":{"id":{"info":"Status
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Status ID.},"name":
{"type":"STRING","info":"Status name.}}}}, "incident.attributes.statuses":{"help":"Lists
all the status.", "GET":{"info":"Lists all the status. If an ID is provided, only the one
that matches the specified ID will be listed.", "params":{"id":{"info":"Status
ID.,"type":"INTEGER","required":false}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"id":{"type":"INTEGER","info":"Status ID.},"name":
{"type":"STRING","info":"Status name.}}}}, "incident.linked_cis.counters.from":
{"help":"Manages the linked assets counters.", "GET":{"info":"Returns counters with the
number of incidents of each status.", "params":{"cis_source_id":{"info":"ID of the ITAM tool
integration in Service Management.", "type":"INTEGER","required":true}, "from":{"info":"Date
timestamp from which the counters are
picked.", "type":"INTEGER","required":true}}, "response_info":"Returns an array of objects
with the following structure:", "response":{"group":{"type":"STRING","info":"Name of the
group for this CI.},"ci_id":{"type":"INTEGER","info":"ID of the CI.},"requests":
{"type":"ARRAY","info":"An object that contains two arrays: one counting linked CIs by
request status and the other counting linked CIs by request type (only for open
requests)."}}}}}, "incident.relate.ci.by.keyword":{"help":"Relates a request to every CI that
matches a certain keyword.", "POST":{"info":"Relates a request to every CI that matches a
certain keyword.", "params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true}, "keyword":{"info":"Keyword to search
CIs.", "type":"STRING","required":true}, "exact_match":{"info":"Indicates if the results must
be an exact match or not.", "type":"BOOLEAN","required":false}}, "response":{"status":
{"type":"STRING","info":"Returns 'OK' if the CIs were correctly related; or 'ERROR' if
something went wrong."}, "info":{"type":"STRING","info":"Description of the
result."}}}}, "incident.reject":{"help":"Manages the rejection of a request.", "POST":
{"info":"Rejects a request.", "params":{"request_id":{"info":"ID of the request to
reject.", "type":"INTEGER","required":true}, "author_id":{"info":"ID of the user rejecting
the request.", "type":"INTEGER","required":true}}, "response":{"status":
{"type":"STRING","info":"Returns 'OK' if the request was correctly rejected; or 'ERROR' if
something went wrong."}}}}, "incident.cancel":{"help":"Manages the cancellation of a
request.", "POST":{"info":"Cancel a request.", "params":{"request_id":{"info":"ID of the
request to cancel.", "type":"INTEGER","required":true}, "author_id":{"info":"ID of the user
cancelling the request.", "type":"INTEGER","required":true}, "comment":{"info":"Cancellation
message", "type":"STRING","required":false}}, "response":{"status":
{"type":"STRING","info":"Returns 'OK' if the request was correctly cancelled; or 'ERROR' if
something went wrong."}}}}, "incident.tasks":{"help":"Manages the tasks linked to a given
request.", "GET":{"info":"Retrieves the list of tasks linked to a specified
request.", "params":{"request_id":{"info":"Request
ID.,"type":"INTEGER","required":true}}, "response_info":"Returns an array of objects with
the following structure:", "response":{"task_id":{"type":"INTEGER","info":"Task

```



```
{
    "type": "STRING", "info": "Task description.", "expiration_date": {
        "type": "INTEGER", "info": "Due date of the task (timestamp).", "linked_request_id": {
            "type": "INTEGER", "info": "ID of the linked request (if any).", "wf_stage_id": {
                "type": "STRING", "info": "ID of the workflow stage if the task is related to one."}, "agent_id": {"type": "INTEGER", "info": "Assigned agent ID."}, "helpdesk_id": {"type": "INTEGER", "info": "Assigned helpdesk ID."}, "assignment_type": {"type": "INTEGER", "info": "Assignment type: 1 = USER, 2 = HELPDESK."}, "status": {"type": "INTEGER", "info": "Task status: 0 = OPEN, 1 = FINISHED, 2 = DELETED, 3 = SKIPPED."}, "created_at": {"type": "INTEGER", "info": "Task creation date (timestamp)."}, "is_predefined": {"type": "BOOLEAN", "info": "Indicates if it comes predefined from a workflow."}, "is_required": {"type": "BOOLEAN", "info": "Whether the task is required or not."}, "completed_at": {"type": "INTEGER", "info": "Task completion date (timestamp)."}}, "incident.approval": {"help": "Manages the approvals instances of a request.", "GET": {"info": "Lists the approvals instances that the given request has.", "params": {"request_id": {"info": "Request ID.", "type": "INTEGER", "required": true}, "date_format": {"info": "Indicate the date format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is returned.", "type": "STRING", "required": false}, "only_pending": {"info": "When set to true, it only returns pending approvals.", "type": "BOOLEAN", "required": false}}, "response_info": "Returns an array of objects with the following structure:", "response": {"id": {"type": "INTEGER", "info": "ID of the approval instance."}, "author_id": {"type": "INTEGER", "info": "Author ID of the approval."}, "status": {"type": "INTEGER", "info": "Status ID of the approval. -2: Cancelled, -1: Waiting, 0: Rejected, 1: Approved."}, "type": {"type": "INTEGER", "info": "Type ID of the approval. 1: Predefined approval, 2: Spontaneous approval."}, "created_at": {"type": "STRING", "info": "Date when the approval was triggered, in epoch or ISO-8601 format depending on the date_format parameter."}, "approval_request_id": {"type": "INTEGER", "info": "ID of the approval template."}, "approval_request_description": {"type": "TEXT", "info": "Description of the approval."}}}, "incident.approval.status": {"help": "Lists the statuses of the approvals.", "GET": {"info": "Lists the statuses of the approvals.", "response_info": "Returns an array with status ID as keys and status description as values.", "response": {"id": {"type": "ARRAY", "info": "Status ID and description."}}}}, "incident.approval.vote_status": {"help": "Lists the status of the approval votes.", "GET": {"info": "Lists the status of the approval votes.", "response_info": "Returns an array with status id as keys and status description as values.", "response": {"id": {"type": "ARRAY", "info": "Status ID and description."}}}}, "incident.approval.reject": {"help": "Manages the rejection of an approval.", "PUT": {"info": "Rejects an approval.", "params": {"approval_id": {"info": "Approval ID to be rejected.", "type": "INTEGER", "required": true}, "user_id": {"info": "ID of the user will reject the approval.", "type": "INTEGER", "required": true}, "note": {"info": "Note for the approval rejection.", "type": "STRING", "required": false}, "response": {"status": {"type": "STRING", "info": "Returns 'OK' if the approval was correctly rejected; or 'ERROR' if something went wrong."}}}}, "incident.approval.accept": {"help": "Manages the acceptance of an approval.", "PUT": {"info": "Accepts an approval.", "params": {"approval_id": {"info": "Approval ID to be accepted.", "type": "INTEGER", "required": true}, "user_id": {"info": "ID of the user who will accept the approval.", "type": "INTEGER", "required": true}, "note": {"info": "Note for the approval acceptance.", "type": "STRING", "required": false}, "response": {"status": {"type": "STRING", "info": "\tReturns 'OK' if the approval was correctly accepted."}}}}, "incident.approval.cancel": {"help": "Manages the cancellation of an approval.", "PUT": {"info": "Cancels an approval.", "params": {"approval_id": {"info": "Approval ID to be cancelled.", "type": "INTEGER", "required": true}, "user_id": {"info": "ID of the user who will cancel the approval.", "type": "INTEGER", "required": true}, "response": {"status": {"type": "STRING", "info": "Returns 'OK' if the approval was correctly canceled; or 'ERROR' if something went wrong."}}}}, "incident.approval.type": {"help": "Lists the available approvals types.", "GET": {"info": "Lists the available approvals types.", "response_info": "Returns an array with type id as keys and type description as values.", "response": {"id": {"type": "ARRAY", "info": "Type ID and description."}}}}, "incident.spontaneous_approval": {"help": "Manages the spontaneous approvals from a request.", "POST": {"info": "Creates a spontaneous approval.", "params": {"request_id": {"info": "Request ID.", "type": "INTEGER", "required": true}, "author_id": {"info": "Author ID.", "type": "INTEGER", "required": true}, "approval_user_id": {"info": "User ID from the approval voter.", "type": "INTEGER", "required": true}, "description": {"info": "Approval description.", "type": "TEXT", "required": true}, "response": {"status": {"type": "STRING", "info": "Returns 'OK' if the approval was correctly created; or 'ERROR' if something went wrong."}}}}, "incident.custom_approval": {"help": "Manages the custom approvals templates that the given request has.", "params": {"request_id": {"info": "Request ID.", "type": "INTEGER", "required": true}, "date_format": {"info": "Indicate the date format. The
```

Pretty-print

```

returned. {"type": "STRING", "required": false}}, "response_info": "Returns an array of the
approval templates that a request has, using the approval ID as key and values with the
following structure:", "response": {"id": {"type": "INTEGER", "info": "Approval template
ID."}, "title": {"type": "STRING", "info": "Approval title."}, "description":
{"type": "STRING", "info": "Approval description."}, "description_required":
{"type": "BOOLEAN", "info": "Indicates if the description is required or not. 0: Required, 1:
Not required."}, "description_prompt": {"type": "STRING", "info": "Template
description."}, "expired_in": {"type": "STRING", "info": "Expiration time in
seconds."}, "expired_approved": {"type": "INTEGER", "info": "Indicates the action when the
approval expires. 1: Approve, 2: Reject."}, "pause_sla": {"type": "BOOLEAN", "info": "Indicates
if the approval pauses the SLA. 1: Pause, 0: Do not pause."}, "status":
{"type": "INTEGER", "info": "Approval status ID. 1: Active, -1: Deleted."}, "created_at":
{"type": "STRING", "info": "Creation time in epoch or ISO-8601 format depending on the
date-format parameter."}, "wf_process_id": {"type": "INTEGER", "info": "ID of the associated
workflow."}, "wf_item_id": {"type": "INTEGER", "info": "ID of the phase of the associated
workflow."}}, "POST": {"info": "Requests a custom approval in the given request.", "params":
{"request_id": {"info": "Request ID.", "type": "INTEGER", "required": true}, "author_id":
{"info": "Author ID of the approval
request.", "type": "INTEGER", "required": true}, "approval_id": {"info": "Custom approval
ID.", "type": "INTEGER", "required": true}, "description": {"info": "Custom approval
description.", "type": "TEXT", "required": false}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the approval was correctly requested; or 'ERROR'
if something went wrong."}}}}, "incident.approval.possible_voters": {"help": "Manages the
users that could accept or reject the approval.", "GET": {"info": "Lists users that could
accept or reject the approval.", "params": {"approval_id": {"info": "Approval
ID.", "type": "INTEGER", "required": true}, "only_pending": {"info": "When set to true, it only
returns voters who have not
voted.", "type": "BOOLEAN", "required": false}}, "response_info": "Returns an array of objects
with the following structure:", "response": {"id": {"type": "INTEGER", "info": "User
ID."}, "status": {"type": "INTEGER", "info": "Approval status ID. -2: Annulled, -1: Waiting, 0:
Rejected, 1: Approved, 2: Expired."}}}}, "incident.approval.add_voter": {"help": "Manages the
voters of an approval.", "POST": {"info": "Adds a voter to an approval.", "params":
{"approval_id": {"info": "ID of the approval
instance.", "type": "INTEGER", "required": true}, "user_id": {"info": "Author ID of the
approval.", "type": "INTEGER", "required": true}}, "response": {"approval_id":
{"type": "INTEGER", "info": "ID of the approval instance."}, "user_id":
{"type": "INTEGER", "info": "Author ID of the approval."}}}}, "incident.solution.accept":
{"help": "Manages the acceptance of a request's solution.", "PUT": {"info": "Accepts the
solution of a request.", "params": {"id": {"info": "Request
ID.", "type": "INTEGER", "required": true}, "rating": {"info": "Request rating. Rate the solution
on a scale of 1-5, 1 being the lowest and 5 being the
highest.", "type": "INTEGER", "required": true}, "comment": {"info": "Solution comment. This
parameter is required if the rating is less than
4.", "type": "STRING", "required": false}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the solution was correctly accepted; or 'ERROR' if
something went wrong."}}}}, "incident.solution.reject": {"help": "Manages the rejection of a
request's solution.", "PUT": {"info": "Rejects the solution of a request.", "params": {"id":
{"info": "Request ID.", "type": "INTEGER", "required": true}, "comment": {"info": "Rejection
reason.", "type": "STRING", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the solution was correctly rejected; or 'ERROR' if
something went wrong."}}}}, "cf.fields.all": {"help": "Lists the active custom fields.", "GET":
{"info": "Returns a list of all the active custom fields.", "response_info": "Returns an array
of objects with the following structure:", "response": {"uid":
{"type": "INTEGER", "info": "Custom field ID."}, "label": {"type": "STRING", "info": "Custom field
name."}, "description": {"type": "TEXT", "info": "Custom field description."}, "type":
{"type": "INTEGER", "info": "Custom field type ID."}, "categories":
{"type": "STRING", "info": "Categories where custom field applies."}, "is_required":
{"type": "BOOLEAN", "info": "Indicates if the custom field is required. True if it's required
and false if it's not."}}}}, "cf.fields.types": {"help": "Lists all the supported custom field
types.", "GET": {"info": "Returns a list of all the supported custom field types, with a brief
description of the data type for each field.", "response_info": "Returns an array with the
following structure:", "response": {"id": {"type": "INTEGER", "info": "Custom field type
ID."}, "name": {"type": "STRING", "info": "Custom field type name."}}}}, "cf.field.options":
{"help": "LEGACY! -> Use Options.list or Options.Tree. Requests for configuring the settings
of the custom fields.", "GET": {"info": "Lists the configuration of the custom
fields.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}}, "response": {"key-value": {"type": "ARRAY", "info": "An
array with the key-values dictionary of the custom field."}}}}, "POST": {"info": "Configures

```

Pretty-print

```

overwritten.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}, "type": {"info": "Type of configuration to
change.\nTypes:\nkey-value.", "type": "STRING", "required": true}, "key_values":
{"info": "Dictionary [{key:value}] with values to be
added.", "type": "ARRAY", "required": true}}, "response": {"status":
{"type": "STRING", "info": "'OK'."}, "info": {"type": "STRING", "info": "Description of the
result."}, "total": {"type": "INTEGER", "info": "Number of modified\added values."}}, "PUT":
{"info": "Modifies the configuration of the custom fields. If there is no such key, it will
be added.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}, "type": {"info": "Type of configuration to
change.\nTypes:\nkey-value.", "type": "STRING", "required": true}, "key_values":
{"info": "Dictionary [{key:value}] with values to be
added.", "type": "ARRAY", "required": true}}, "response": {"status":
{"type": "STRING", "info": "'OK'."}, "info": {"type": "STRING", "info": "Description of the
result."}, "total": {"type": "INTEGER", "info": "Number of modified\added values."}}, "DELETE":
{"info": "Erases keys from the custom fields configuration.", "params": {"uid": {"info": "Custom
field ID.", "type": "INTEGER", "required": true}, "type": {"info": "Type of configuration to
change.\nTypes:\nkey-value.", "type": "STRING", "required": true}, "keys": {"info": "Array
[key1,key2] of keys to be erased.", "type": "ARRAY", "required": true}}, "response": {"status":
{"type": "STRING", "info": "'OK'."}, "info": {"type": "STRING", "info": "Description of the
result."}, "total": {"type": "INTEGER", "info": "Number of deleted
values."}}}}, "cf.fields.by.category": {"help": "Custom fields by category.", "GET":
{"info": "Returns a list of the custom fields related to a category ID.", "params":
{"category_id": {"info": "Category
ID.", "type": "INTEGER", "required": true}}, "response_info": "Returns an array with the IDs of
the custom fields that apply to the category received as a parameter.", "response": {"uid":
{"type": "INTEGER", "info": "Custom field ID."}}}}, "cf.field.options.list": {"help": "Manages
the settings of the list type custom fields.", "GET": {"info": "Lists the configuration of
custom fields that are a list type.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}}, "response": {"key-value":
{"type": "ARRAY", "info": "Returns an array with the key-values dictionary of the custom
field."}}, "POST": {"info": "Configures list type custom fields. If the key already exists,
the previous value will be overwritten.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}, "type": {"info": "Type of configuration to
change.\nTypes:\nkey-value.", "type": "STRING", "required": true}, "key_values":
{"info": "Dictionary {key1: value1, key2: value2, ...} with key-values pairs to be added to
the CF list.", "type": "ARRAY", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the custom field option was correctly added or
modified; or 'ERROR' if something went wrong."}, "info": {"type": "STRING", "info": "Description
of the result."}, "total": {"type": "INTEGER", "info": "Number of modified\added
values."}}, "DELETE": {"info": "Erases keys from the list type custom fields
configuration.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}, "type": {"info": "Type of configuration to
change.\nTypes:\nkey-value.", "type": "STRING", "required": true}, "keys": {"info": "Array
[key1,key2] of keys to be erased.", "type": "ARRAY", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the custom field option was correctly deleted; or
'ERROR' if something went wrong."}, "info": {"type": "STRING", "info": "Description of the
result."}, "total": {"type": "INTEGER", "info": "Number of deleted
values."}}}}, "cf.field.options.list.config": {"help": "Lists the configuration of the list
type custom fields.", "GET": {"info": "Lists the configuration of custom fields that are of
type list.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}}, "response": {"configurations":
{"type": "ARRAY", "info": "Returns an array with the list of options with its configurations
for the custom field."}, "count": {"type": "INTEGER", "info": "The count of configurations in
the response."}}}}, "cf.field.options.tree": {"help": "Manages the settings of the tree type
custom fields.", "GET": {"info": "Returns the structure of the tree type custom fields
options. The hash is system internal, but it is used to make modifications.", "params":
{"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"hash": {"type": "STRING", "info": "The unique internal
identifier of the option."}, "name": {"type": "STRING", "info": "Option name."}, "key":
{"type": "STRING", "info": "Key defined by the user for the option."}, "children":
{"type": "ARRAY", "info": "Array of the option's children."}}, "POST": {"info": "Adds
configuration to the tree type custom fields. If the key already exists, the previous value
will be overwritten.", "params": {"uid": {"info": "Custom field
ID.", "type": "INTEGER", "required": true}, "name": {"info": "Name of the option, value that the
user sees when selecting.", "type": "STRING", "required": true}, "key": {"info": "Key defined by
the user; if no value is set, the hash will be used as

```

Pretty-print

```

not set, it will be added to the root. , type : STRING , required : false} , response :
{"status":{"type":"STRING","info":"Returns 'OK' if the custom field option was correctly
added; or 'ERROR' if something went wrong."},"info":{"type":"STRING","info":"Description of
the result."}}},"PUT":{"info":"Modifies the configuration of the tree type custom fields.
If there is no such key, it will be added.","params":{"uid":{"info":"Custom field
ID.","type":"INTEGER","required":true},"hash":{"info":"Hash value of the item to
modify.","type":"STRING","required":true},"key":{"info":"Key defined by the user; if no
value is set the previous value will be used.","type":"STRING","required":false},"name":
{"info":"Name of the option, value that the user sees when
selecting.","type":"STRING","required":false},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the custom field option was correctly modified; or
'ERROR' if something went wrong."},"info":{"type":"STRING","info":"Description of the
result."}}},"DELETE":{"info":"Erases the options from the tree type custom fields and any
of its children.","params":{"uid":{"info":"Custom field
ID.","type":"INTEGER","required":true},"hash":{"info":"Hash value of the item to
modify." "type":"STRING","required":true},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the custom field option was correctly deleted; or
'ERROR' if something went wrong."},"info":{"type":"STRING","info":"Description of the
result."}}}},"timetracking":{"help":"Retrieves time tracking records.","GET":{"info":"Lists
all the available time tracking records within a specific time interval or a request
ID.","params":{"request_id":{"info":"Request ID. Required if the from parameter is not
provided.","type":"INTEGER","required":false},"from":{"info":"Initial date and time of the
interval (must be in ISO-8601 format). Required if the request_id parameter is not
provided.","type":"STRING","required":false},"to":{"info":"Ending date and time of the
interval (must be in ISO-8601 format). If it's not specified, the current time will be
used.","type":"STRING","required":false},"date_format":{"info":"Indicate the date format.
The available formats are 'iso8601noT' or 'iso8601'. If null, 'iso8601noT' format is
returned, which is ISO-8601 no T (YYYY-mm-dd
H:i).","type":"STRING","required":false},"response_info":{"info":"Returns an array of objects with
the following structure:","response":{"timetracking_id":{"type":"INTEGER","info":"Time
tracking entry ID."},"incident":{"type":"INTEGER","info":"Request ID."},"user_id":
{"type":"INTEGER","info":"Author ID."},"timetracking_category_id":
{"type":"INTEGER","info":"Time tracking category ID."},"status":
{"type":"INTEGER","info":"Time tracking entry status. 1: Enabled, 0: Deleted."},"comment":
{"type":"STRING","info":"Comment of the logged period."},"total":
{"type":"STRING","info":"Total amount of time in seconds."},"from":
{"type":"STRING","info":"Initial date and time of the interval (in ISO 8601
format)."},"to":{"type":"STRING","info":"Ending date and time of the interval (in ISO 8601
format)."}}},"DELETE":{"info":"Deletes a time log entry from a request.","params":
{"request_id":{"info":"Request ID.","type":"INTEGER","required":true},"timetracking_id":
{"info":"Time tracking entry ID","type":"INTEGER","required":true},"user_id":
{"info":"Author ID.","type":"INTEGER","required":true},"response":{"status":
{"type":"STRING","info":"Returns 'OK' if the time tracking entry was correctly deleted; or
'ERROR' if something went wrong."}}},"timetracking.attributes.category":
{"help":null,"GET":{"info":"Lists all the time tracking categories, or the required one if
an ID is provided.","params":{"id":{"info":"Time tracking category
ID.","type":"INTEGER","required":false},"response":{"id":{"type":"INTEGER","info":"Time
tracking category ID."},"parent_id":{"type":"INTEGER","info":"Time tracking parent category
ID"},"name":{"type":"STRING","info":"Time tracking category name."},"cost_per_hour":
{"type":"FLOAT","info":"Cost of a working hour under the category."}}},"user":
{"help":"Manages users.","GET":{"info":"Returns the info of a user.","params":{"id":
{"info":"User ID.","type":"INTEGER","required":true},"include_disabled":{"info":"Indicate
if disabled users should be included. True if they should be included and false if not. If
this parameter is not provided then disabled users won't be
returned.","type":"BOOLEAN","required":false},"response":{"id":
{"type":"INTEGER","info":"User ID."},"name":{"type":"STRING","info":"User
name."},"lastname":{"type":"STRING","info":"User lastname."},"username":
{"type":"STRING","info":"Username."},"email":{"type":"STRING","info":"User email
address."},"other_email":{"type":"STRING","info":"User secondary email address."},"type":
{"type":"INTEGER","info":"User type: 1: System, 2: LDAP, 3: Webservice, 4: Customer, 5:
Mailbox."},"doc":{"type":"STRING","info":"User national ID number."},"mobile":
{"type":"STRING","info":"User mobile phone number."},"office":{"type":"STRING","info":"User
office phone number."},"other":{"type":"STRING","info":"User secondary phone
number."},"fax":{"type":"STRING","info":"User fax number."},"address":
{"type":"STRING","info":"User home address."},"phone":{"type":"STRING","info":"User phone
number."},"city":{"type":"STRING","info":"User city."},"country":
{"type":"STRING","info":"User country."},"birthday":{"type":"STRING","info":"User
birthday."},"position":{"type":"STRING","info":"User position."},"department":

```

Pretty-print

```

manager_id.}, location:{"type":"STRING","info":"User localization."}, is_external:
{"type":"BOOLEAN","info":"Returns 'true' if the user is external."}, user_type:
{"type":"INTEGER","info":"User's type. Returns 1 if the user is an agent and 2 if it
is an end user."}, role_name:{"type":"STRING","info":"User's role."}, is_disabled:
{"type":"BOOLEAN","info":"Returns 'true' if the user has been disabled."}, is_deleted:
{"type":"BOOLEAN","info":"Returns 'true' if the user has been deleted."}, employee_number:
{"type":"STRING","info":"User's employee number."}}, "POST":{"info":"Creates a new
user.", "params":{"name":{"info":"User name.", "type":"STRING", "required":true}, "lastname":
{"info":"User lastname.", "type":"STRING", "required":true}, "username":
{"info":"Username.", "type":"STRING", "required":false}, "email":{"info":"User email
address.", "type":"STRING", "required":true}, "pass":{"info":"User
password.", "type":"STRING", "required":false}, "other_email":{"info":"User secondary email
address.", "type":"STRING", "required":false}, "doc":{"info":"User national ID
number.", "type":"STRING", "required":false}, "mobile":{"info":"User mobile phone
number.", "type":"STRING", "required":false}, "office":{"info":"User office phone
number.", "type":"STRING", "required":false}, "other":{"info":"User secondary phone
number.", "type":"STRING", "required":false}, "fax":{"info":"User fax
number.", "type":"STRING", "required":false}, "address":{"info":"User home
address.", "type":"STRING", "required":false}, "phone":{"info":"User phone
number.", "type":"STRING", "required":false}, "city":{"info":"User
city.", "type":"STRING", "required":false}, "country":{"info":"User
country.", "type":"STRING", "required":false}, "birthday":{"info":"Birthday of the
user.", "type":"STRING", "required":false}, "position":{"info":"User
position.", "type":"STRING", "required":false}, "department":{"info":"User
department.", "type":"STRING", "required":false}, "manager_id":{"info":"User's manager
ID.", "type":"INTEGER", "required":false}, "employee_number":{"info":"User employee
number.", "type":"STRING", "required":false}, "localization":{"info":"Localization of the
user.", "type":"STRING", "required":false}, "is_external":{"info":"An external user can't
login to the system and can only interact with it via
email.", "type":"BOOLEAN", "required":false}, "send_set_password_email":{"info":"If true, the
user will receive an email with a link to set their
password.", "type":"BOOLEAN", "required":false}, "force_password_change":{"info":"If true, the
user will be forced to change their password on the next login.
", "type":"BOOLEAN", "required":false}}, "response":{"id":{"type":"INTEGER", "info":"User
ID."}, "name":{"type":"STRING", "info":"User name."}, "lastname":{"type":"STRING", "info":"User
lastname."}, "username":{"type":"STRING", "info":"Username."}, "email":
{"type":"STRING", "info":"User email address."}, "other_email":{"type":"STRING", "info":"User
secondary email address."}, "type":{"type":"INTEGER", "info":"User type: 1: System, 2: LDAP,
3: Webservice, 4: Customer, 5: Mailbox."}, "doc":{"type":"STRING", "info":"User national ID
number."}, "mobile":{"type":"STRING", "info":"User mobile phone number."}, "office":
{"type":"STRING", "info":"User office phone number."}, "other":{"type":"STRING", "info":"User
secondary phone number."}, "fax":{"type":"STRING", "info":"User fax number."}, "address":
{"type":"STRING", "info":"User home address."}, "phone":{"type":"STRING", "info":"User phone
number."}, "city":{"type":"STRING", "info":"User city."}, "country":
{"type":"STRING", "info":"User country."}, "birthday":{"type":"STRING", "info":"User
birthday."}, "position":{"type":"STRING", "info":"User position."}, "department":
{"type":"STRING", "info":"User department."}, "manager_id":{"type":"INTEGER", "info":"User's
manager ID."}, "location":{"type":"STRING", "info":"User localization."}, "is_external":
{"type":"BOOLEAN", "info":"Returns 'true' if the user is external."}, "user_type":
{"type":"INTEGER", "info":"User's type. Returns 1 if the user is an agent and 2 if it
is an end user."}, "role_name":{"type":"STRING", "info":"User's role."}, "is_disabled":
{"type":"BOOLEAN", "info":"Returns 'true' if the user has been disabled."}, "is_deleted":
{"type":"BOOLEAN", "info":"Returns 'true' if the user has been deleted."}, "employee_number":
{"type":"STRING", "info":"User's employee number."}}, "PUT":{"info":"Updates the info of a
user.", "params":{"id":{"info":"User ID.", "type":"INTEGER", "required":true}, "name":
{"info":"User name.", "type":"STRING", "required":false}, "lastname":{"info":"User
lastname.", "type":"STRING", "required":false}, "username":
{"info":"Username.", "type":"STRING", "required":false}, "email":{"info":"User email
address.", "type":"STRING", "required":false}, "other_email":{"info":"User secondary email
address.", "type":"STRING", "required":false}, "doc":{"info":"User national ID
number.", "type":"STRING", "required":false}, "mobile":{"info":"User mobile phone
number.", "type":"STRING", "required":false}, "office":{"info":"User office phone
number.", "type":"STRING", "required":false}, "other":{"info":"User secondary phone
number.", "type":"STRING", "required":false}, "fax":{"info":"User fax
number.", "type":"STRING", "required":false}, "address":{"info":"User home
address.", "type":"STRING", "required":false}, "phone":{"info":"User phone
number.", "type":"STRING", "required":false}, "city":{"info":"User
city.", "type":"STRING", "required":false}, "country":{"info":"User

```


Pretty-print

```

user type by converting it from external into internal user.", "POST": {"info": "Changes the
user from external into internal and sends an email to the user requesting a new
password.", "params": {"id": {"info": "User ID.", "type": "INTEGER", "required": true}, "response":
{"status": {"type": "STRING", "info": "Returns 'OK' if the user was successfully converted from
external into internal; or 'ERROR' if something went wrong."}}}, "user.disable":
{"help": "Disables a user.", "PUT": {"info": "Disables a user.", "params": {"id": {"info": "User
ID.", "type": "INTEGER", "required": true}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the user was successfully disabled; or 'ERROR' if
something went wrong."}}}, "user.enable": {"help": "Enables a user.", "PUT": {"info": "Enables a
user.", "params": {"id": {"info": "User ID.", "type": "INTEGER", "required": true}, "response":
{"status": {"type": "STRING", "info": "Returns 'OK' if the user was successfully enabled; or
'ERROR' if something went wrong."}}}, "user.password.reset": {"help": "Resets the user's
password and sends an action required email to the user.", "POST": {"info": "Sends an email to
the user requesting a new password.", "params": {"id": {"info": "User
ID.", "type": "INTEGER", "required": true}, "type": {"info": "Either 'NEW_USER' for new users or
'RESET_PASSWORD' for existing ones.", "type": "STRING", "required": true}, "response":
{"status": {"type": "STRING", "info": "Returns 'OK' if the password has been successfully
reset; or 'ERROR' if something went wrong."}}}, "user.password": {"help": "Changes the
password of a user.", "PUT": {"info": "Changes the password of a user.", "params": {"id":
{"info": "User ID.", "type": "INTEGER", "required": true}, "password": {"info": "New
password.", "type": "STRING", "required": true}, "force_password_change": {"info": "If true, the
user will be forced to change their password on the next login.",
"type": "BOOLEAN", "required": false}, "response": {"status": {"type": "STRING", "info": "Returns
'OK' if the password has been successfully changed; or 'ERROR' if something went
wrong."}}}, "users.groups": {"help": "Retrieves user's groups, companies, helpdesks and
locations.", "GET": {"info": "Returns the user's groups, companies, helpdesks and
locations.", "params": {"ids": {"info": "Users
IDs.", "type": "ARRAY", "required": true}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "User ID."}, "username":
{"type": "STRING", "info": "Username."}, "email": {"type": "STRING", "info": "User email
address."}, "companies": {"type": "ARRAY", "info": "Array with the user companies."}, "groups":
{"type": "ARRAY", "info": "Array with the user groups."}, "helpdesks":
{"type": "ARRAY", "info": "Array with the user helpdesks\\levels."}, "locations":
{"type": "ARRAY", "info": "Array with the user locations."}, "locations_observed":
{"type": "ARRAY", "info": "Array with the user observed locations."}, "helpdesks_observed":
{"type": "ARRAY", "info": "Array with the user observed helpdesks."}, "companies_observed":
{"type": "ARRAY", "info": "Array with the user observed companies."}, "groups_observed":
{"type": "ARRAY", "info": "Array with the user observed groups."}}}, "users.by":
{"help": "Fetches users by username, email or any phone numbers.", "GET": {"info": "Retrieves
users matching username, email or any of their phone numbers and displays basic information
about them.", "params": {"username":
{"info": "Username.", "type": "STRING", "required": false}, "email": {"info": "User email
address.", "type": "STRING", "required": false}, "phones": {"info": "User phone number of any kind
(main phone number, fax number, office phone number, mobile phone number or other phone
number).", "type": "STRING", "required": false}, "phone": {"info": "User phone
number.", "type": "STRING", "required": false}, "office_phone": {"info": "User office phone
number.", "type": "STRING", "required": false}, "mobile_phone": {"info": "User mobile phone
number.", "type": "STRING", "required": false}, "fax_phone": {"info": "User fax
number.", "type": "STRING", "required": false}, "other_phone": {"info": "User secondary phone
number.", "type": "STRING", "required": false}, "employee_number": {"info": "User employee
number.", "type": "STRING", "required": false}, "exact_match": {"info": "Indicate if the search
should return results if (and only if) there are users with an identical value to the
parameter. True if the match is exact. If this parameter is not provided then the search
will return any users where the search term is contained in the
parameter.", "type": "BOOLEAN", "required": false}, "include_disabled": {"info": "Indicate if
disabled users should be included. True if they should be included and false if not. If
this parameter is not provided then disabled users won't be
returned.", "type": "BOOLEAN", "required": false}, "page_key": {"info": "Hash key of the results
page to retrieve. If null, the first page of results will be
returned.", "type": "STRING", "required": false}, "response_info": "Returns an array of objects
(with pagination, 10 objects per page) with the following structure:", "response": {"id":
{"type": "INTEGER", "info": "User ID."}, "name": {"type": "STRING", "info": "User
name."}, "lastname": {"type": "STRING", "info": "User lastname."}, "username":
{"type": "STRING", "info": "Username."}, "email": {"type": "STRING", "info": "User email
address."}, "other_email": {"type": "STRING", "info": "User secondary email address."}, "type":
{"type": "INTEGER", "info": "User type: 1: System, 2: LDAP, 3: Webservice, 4: Customer, 5:
Mailbox."}, "doc": {"type": "STRING", "info": "User national ID number."}, "mobile":
{"type": "STRING", "info": "User mobile phone number."}, "office": {"type": "STRING", "info": "User

```

Pretty-print

```

number: }, tax: { type: "STRING", info: "User tax number." }, address:
{"type": "STRING", "info": "User home address."}, "phone": {"type": "STRING", "info": "User phone
number."}, "city": {"type": "STRING", "info": "User city."}, "country":
{"type": "STRING", "info": "User country."}, "birthday": {"type": "STRING", "info": "User
birthday."}, "position": {"type": "STRING", "info": "User position."}, "department":
{"type": "STRING", "info": "User department."}, "manager_id": {"type": "INTEGER", "info": "User's
manager ID."}, "location": {"type": "STRING", "info": "User localization."}, "is_external":
{"type": "BOOLEAN", "info": "Returns 'true' if the user is external."}, "user_type":
{"type": "INTEGER", "info": "User's type. Returns 1 if the user is an agent and 2 if it
is an end user."}, "role_name": {"type": "STRING", "info": "User's role."}, "is_disabled":
{"type": "BOOLEAN", "info": "Returns 'true' if the user has been disabled."}, "is_deleted":
{"type": "BOOLEAN", "info": "Returns 'true' if the user has been deleted."}, "employee_number":
{"type": "STRING", "info": "User's employee number."}, "next_page_key":
{"type": "STRING", "info": "Hash key of the next page of results. If null, the results page
retrieved is the last one."}}}, "groups": {"help": "Manages groups.", "GET": {"info": "Returns
all active groups of users, or one in particular if an ID or name is provided.", "params":
{"id": {"info": "Group ID.", "type": "INTEGER", "required": false}, "name": {"info": "Group
name.", "type": "STRING", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Group ID."}, "name":
{"type": "STRING", "info": "Group name."}, "total": {"type": "INTEGER", "info": "Users
total."}}}, "POST": {"info": "Creates a group of users.", "params": {"name": {"info": "Group
name.", "type": "STRING", "required": true}}, "response": {"id": {"type": "INTEGER", "info": "ID of
the created object."}}}, "DELETE": {"info": "Erases a group of users.", "params": {"id":
{"info": "Group ID.", "type": "INTEGER", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the object was correctly deleted; or 'ERROR' if
something went wrong."}}}}, "groups.users": {"help": "Manages the relationships between users
and groups.", "GET": {"info": "Lists the members of a group.", "params": {"id": {"info": "Group
ID.", "type": "INTEGER", "required": true}, "user_id": {"info": "User
ID", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "User ID."}, "name":
{"type": "STRING", "info": "User full name."}, "username":
{"type": "STRING", "info": "Username."}, "email": {"type": "STRING", "info": "User
email."}}}, "POST": {"info": "Adds a user to a group.", "params": {"id": {"info": "Group
ID.", "type": "INTEGER", "required": true}, "users": {"info": "Users
IDs.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of users IDs as
keys and TRUE as values of the created relations.", "response": {"id":
{"type": "ARRAY", "info": "User ID."}}}, "DELETE": {"info": "Removes a user from a
group.", "params": {"id": {"info": "Group ID.", "type": "INTEGER", "required": true}, "users":
{"info": "Users IDs.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of
users IDs as keys and TRUE as values of the deleted relations.", "response": {"id":
{"type": "ARRAY", "info": "User ID."}}}}, "groups.observers": {"help": "Manages groups
observers.", "GET": {"info": "Returns all active groups and their observers, \n
or the observers for the specified groups.", "params": {"ids": {"info": "Group
IDs.", "type": "ARRAY", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Group ID."}, "name":
{"type": "STRING", "info": "Group name."}, "observer_users": {"type": "ARRAY", "info": "The
observers' users IDs."}, "observer_groups": {"type": "ARRAY", "info": "The groups' IDs
that are observers of the entity."}}}, "POST": {"info": "Add users as observers to a
group.", "params": {"id": {"info": "Group
ID.", "type": "INTEGER", "required": true}, "observer_users": {"info": "Users IDs to be added as
observers.", "type": "ARRAY", "required": true}}, "response": {"id":
{"type": "INTEGER", "info": "User ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if
the users were correctly added as observers to the group. \n
Returns 'false' if, for any reason, they weren't added to the group, \n
or if the users were already observers of the group."}}}, "DELETE": {"info": "Removes observers
from a group.", "params": {"id": {"info": "Group
ID.", "type": "INTEGER", "required": true}, "observer_users": {"info": "Users IDs to be removed as
observers.", "type": "ARRAY", "required": true}}, "response": {"id":
{"type": "INTEGER", "info": "User ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if
the users were correctly removed as observers from the group. \n
Returns 'false' if, for any reason, they weren't removed from the group, \n
or if the users weren't observers of the group."}}}}, "helpdesks": {"help": "Manages the help
desks.", "GET": {"info": "Returns all the active help desks, or one in particular.", "params":
{"id": {"info": "Help desk ID.", "type": "INTEGER", "required": false}, "name": {"info": "Help desk
name.", "type": "STRING", "required": false}, "include_deleted": {"info": "True if deleted help
desks should be included.", "type": "BOOLEAN", "required": false}}, "response_info": "Returns an
array of objects with the following structure:", "response": {"id":
{"type": "INTEGER", "info": "Help desk ID."}, "name": {"type": "STRING", "info": "Help desk

```


Pretty-print

```
{
  "type": "INTEGER",
  "info": "Help desk status ID.",
  "parent_id": {
    "type": "INTEGER",
    "info": "Help desk parent ID."
  },
  "total_members": {
    "type": "INTEGER",
    "info": "Total of members."
  },
  "helpdesks.observers": {
    "help": "Manages help desks observers.",
    "GET": {
      "info": "Returns all active help desks and their observers, \n or the observers for the specified help desks.",
      "params": {
        "ids": {
          "info": "Help Desk IDs.",
          "type": "ARRAY",
          "required": false
        },
        "response_info": "Returns an array of objects with the following structure:",
        "response": {
          "id": {
            "type": "INTEGER",
            "info": "Help Desk ID."
          },
          "name": {
            "type": "STRING",
            "info": "Help Desk name."
          },
          "observer_users": {
            "type": "ARRAY",
            "info": "The observers\u2019 users IDs."
          },
          "observer_groups": {
            "type": "ARRAY",
            "info": "The groups\u2019 IDs that are observers of the entity."
          }
        },
        "POST": {
          "info": "Add users as observers to a help desk.",
          "params": {
            "id": {
              "info": "Help Desk ID.",
              "type": "INTEGER",
              "required": true
            },
            "observer_users": {
              "info": "Users IDs to be added as observers.",
              "type": "ARRAY",
              "required": true
            },
            "response": {
              "id": {
                "type": "INTEGER",
                "info": "User ID.",
                "value": {
                  "type": "BOOLEAN",
                  "info": "Returns 'true' if the users were correctly added as observers to the help desk. \n Returns 'false' if, for any reason, they weren't added to the help desk, \n or if the users were already observers of the help desk."
                }
              }
            },
            "DELETE": {
              "info": "Removes observers from a help desk.",
              "params": {
                "id": {
                  "info": "Help Desk ID.",
                  "type": "INTEGER",
                  "required": true
                },
                "observer_users": {
                  "info": "Users IDs to be removed as observers.",
                  "type": "ARRAY",
                  "required": true
                },
                "response": {
                  "id": {
                    "type": "INTEGER",
                    "info": "User ID.",
                    "value": {
                      "type": "BOOLEAN",
                      "info": "Returns 'true' if the users were correctly removed as observers from the help desk. \n Returns 'false' if, for any reason, they weren't removed from the help desk, \n or if the users weren't observers of the help desk."
                    }
                  }
                }
              }
            },
            "levels": {
              "help": "Retrieves help desks' levels.",
              "GET": {
                "info": "Returns all active help desks' levels, or one in particular.",
                "params": {
                  "id": {
                    "info": "Level ID.",
                    "type": "INTEGER",
                    "required": false
                  },
                  "include_deleted": {
                    "info": "Set it to 'false' to exclude deleted levels. By default, it will retrieve deleted levels.",
                    "type": "BOOLEAN",
                    "required": false
                  },
                  "response_info": "Returns an array of objects or one object with the following structure:",
                  "response": {
                    "id": {
                      "type": "INTEGER",
                      "info": "Level ID."
                    },
                    "level_order": {
                      "type": "INTEGER",
                      "info": "Level order."
                    },
                    "engine_id": {
                      "type": "INTEGER",
                      "info": "Engine ID. 1: Round robin, 2: By load, 3: Free, 4: Manual."
                    },
                    "status_id": {
                      "type": "INTEGER",
                      "info": "Status ID. 1: Enabled, 2: Suspend, 3: Out time work, 4: Disabled."
                    },
                    "total_members": {
                      "type": "INTEGER",
                      "info": "Total amount of members that the level has."
                    },
                    "members_ids": {
                      "type": "ARRAY",
                      "info": "List of members IDs that the level has."
                    }
                  },
                  "levels.observers": {
                    "help": "Manages help desk levels observers.",
                    "GET": {
                      "info": "Returns all active help desk levels and their observers, \n or the observers for the specified help desk levels.",
                      "params": {
                        "ids": {
                          "info": "Level IDs.",
                          "type": "ARRAY",
                          "required": false
                        },
                        "response_info": "Returns an array of objects with the following structure:",
                        "response": {
                          "id": {
                            "type": "INTEGER",
                            "info": "Level ID."
                          },
                          "name": {
                            "type": "STRING",
                            "info": "Level name."
                          },
                          "observer_users": {
                            "type": "ARRAY",
                            "info": "The observers\u2019 users IDs."
                          },
                          "observer_groups": {
                            "type": "ARRAY",
                            "info": "The groups\u2019 IDs that are observers of the entity."
                          }
                        },
                        "POST": {
                          "info": "Add users as observers to a help desk level.",
                          "params": {
                            "id": {
                              "info": "Level ID.",
                              "type": "INTEGER",
                              "required": true
                            },
                            "observer_users": {
                              "info": "Users IDs to be added as observers.",
                              "type": "ARRAY",
                              "required": true
                            },
                            "response": {
                              "id": {
                                "type": "INTEGER",
                                "info": "User ID.",
                                "value": {
                                  "type": "BOOLEAN",
                                  "info": "Returns 'true' if the users were correctly added as observers to the help desk level. \n Returns 'false' if, for any reason, they weren't added to the help desk level, \n or if the users were already observers of the help desk level."
                                }
                              }
                            },
                            "DELETE": {
                              "info": "Removes observers from a help desk level.",
                              "params": {
                                "id": {
                                  "info": "Level ID.",
                                  "type": "INTEGER",
                                  "required": true
                                },
                                "observer_users": {
                                  "info": "Users IDs to be removed as observers.",
                                  "type": "ARRAY",
                                  "required": true
                                },
                                "response": {
                                  "id": {
                                    "type": "INTEGER",
                                    "info": "User ID.",
                                    "value": {
                                      "type": "BOOLEAN",
                                      "info": "Returns 'true' if the users were correctly removed as observers from the help desk level. \n Returns 'false' if, for any reason, they weren't removed from the help desk level, \n or if the users weren't observers of the help desk level."
                                    }
                                  }
                                }
                              }
                            },
                            "helpdesksandlevels": {
                              "help": "Manages help desks and levels.",
                              "GET": {
                                "info": "Returns all the help desks and levels, or one in particular.",
                                "params": {
                                  "id": {
                                    "info": "Level ID.",
                                    "type": "INTEGER",
                                    "required": false
                                  },
                                  "include_deleted": {
                                    "info": "True if deleted help desks and levels should be included.",
                                    "type": "BOOLEAN",
                                    "required": false
                                  },
                                  "response_info": "Returns an array of objects with the following structure:",
                                  "response": {
                                    "id": {
                                      "type": "INTEGER",
                                      "info": "Level ID."
                                    },
                                    "level_order": {
                                      "type": "INTEGER",
                                      "info": "If it's a level, indicates the order."
                                    },
                                    "parent_id": {
                                      "type": "INTEGER",
                                      "info": "Parent ID."
                                    },
                                    "name": {
                                      "type": "STRING",
                                      "info": "If it is a help desk, indicates the name."
                                    },
                                    "engine_id": {
                                      "type": "INTEGER",
                                      "info": "Engine ID. 1: Round robin, 2: By load, 3: Free, 4: Manual."
                                    },
                                    "status_id": {
                                      "type": "INTEGER",
                                      "info": "Status ID. 1: Enabled, 2: Suspend, 3: Out"
                                    }
                                  }
                                }
                              }
                            }
                          }
                        }
                      }
                    }
                  }
                }
              }
            }
          }
        }
      }
    }
  }
}
```

Pretty-print

```

members: {}, members_ids: { type: ARRAY, info: Members IDs. } }, companies: {
  "help": "Manages companies.", "GET": { "info": "Returns all the active companies.", "params": {
    "id": { "info": "Company ID.", "type": "INTEGER", "required": false }, "name": { "info": "Company
    name.", "type": "STRING", "required": false }, "external_id": { "info": "External
    ID.", "type": "STRING", "required": false }, "response_info": "Returns an array of companies with
    the following structure:", "response": { "id": { "type": "INTEGER", "info": "Company ID." }, "name":
    { "type": "STRING", "info": "Company name." }, "external_id": { "type": "STRING", "info": "External
    ID." }, "total": { "type": "INTEGER", "info": "Users total." } } }, "POST": { "info": "Creates a new
    company.", "params": { "name": { "info": "Company
    name.", "type": "STRING", "required": true }, "external_id": { "info": "External
    ID.", "type": "STRING", "required": false }, "response": { "status":
    { "type": "STRING", "info": "Returns 'OK' if the company was correctly created; or 'ERROR' if
    something went wrong." }, "id": { "type": "INTEGER", "info": "ID of the created object." }, "name":
    { "type": "STRING", "info": "Company name." }, "external_id": { "type": "STRING", "info": "External
    ID." } } }, "PUT": { "info": "Modifies an existing company.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "name": { "info": "Company
    name.", "type": "STRING", "required": false }, "external_id": { "info": "External
    ID.", "type": "STRING", "required": false }, "response": { "status":
    { "type": "STRING", "info": "Returns 'OK' if the company was correctly modified; or 'ERROR' if
    something went wrong." }, "id": { "type": "INTEGER", "info": "Company ID." }, "name":
    { "type": "STRING", "info": "Company name." }, "external_id": { "type": "STRING", "info": "External
    ID." } } }, "DELETE": { "info": "Erases an existing company.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "response": { "status":
    { "type": "STRING", "info": "Returns 'OK' if the company was correctly deleted; or 'ERROR' if
    something went wrong." } } } }, "companies.users": { "help": "Manages the relationships between
    users and companies.", "GET": { "info": "Lists the members of a company.", "params": { "id":
    { "info": "Company ID.", "type": "INTEGER", "required": true }, "user_id": { "info": "User
    ID", "type": "INTEGER", "required": false }, "response_info": "Returns an array of objects with
    the following structure:", "response": { "id": { "type": "INTEGER", "info": "User ID." }, "name":
    { "type": "STRING", "info": "User full name." }, "username":
    { "type": "STRING", "info": "Username." }, "email": { "type": "STRING", "info": "User
    email." } } }, "POST": { "info": "Adds a user to a company. If the company contains groups, the
    users will also be added to those groups.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "users": { "info": "Users
    IDs.", "type": "ARRAY", "required": true }, "response_info": "Returns an array of users IDs as
    keys and TRUE as values of the created relations.", "response": { "id":
    { "type": "ARRAY", "info": "User ID." } } }, "DELETE": { "info": "Removes a user from a company. If
    the user is within a group that belongs to that company, they will also be removed from
    that group.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "users": { "info": "Users
    IDs.", "type": "ARRAY", "required": true }, "response_info": "Returns an array of users IDs as
    keys and TRUE as values of the deleted relations.", "response": { "id":
    { "type": "ARRAY", "info": "User ID." } } } }, "companies.groups": { "help": "Manages the relationships
    between users groups and companies.", "GET": { "info": "Lists all the users groups related to a
    company.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "response_info": "Returns an array of objects with
    the following structure:", "response": { "id": { "type": "INTEGER", "info": "ID of the related
    group." }, "name": { "type": "STRING", "info": "Name of the related group." }, "total":
    { "type": "INTEGER", "info": "Users total." } } }, "POST": { "info": "Relates a users group to a
    company.", "params": { "id": { "info": "Company ID.", "type": "INTEGER", "required": true }, "groups":
    { "info": "Groups IDs.", "type": "ARRAY", "required": true }, "response_info": "Returns an array of
    groups IDs as keys and TRUE as values of the created relations.", "response": { "id":
    { "type": "ARRAY", "info": "Group ID." } } }, "DELETE": { "info": "Suppresses the relationship between
    a users group and a company.", "params": { "id": { "info": "Company
    ID.", "type": "INTEGER", "required": true }, "groups": { "info": "Groups
    IDs.", "type": "ARRAY", "required": true }, "unlink_users_too": { "info": "When is set to true, it
    breaks the relation between the company users and the
    group.", "type": "BOOLEAN", "required": false }, "response_info": "Returns an array of groups IDs
    as keys and TRUE as values of the deleted relations.", "response": { "id":
    { "type": "ARRAY", "info": "Group ID." } } } }, "companies.observers": { "help": "Manages companies
    observers.", "GET": { "info": "Returns all active companies and their observers, \n
    or the observers for the specified companies.", "params": { "ids": { "info": "Company
    IDs.", "type": "ARRAY", "required": false }, "response_info": "Returns an array of objects with
    the following structure:", "response": { "id": { "type": "INTEGER", "info": "Company ID." }, "name":
    { "type": "STRING", "info": "Company name." }, "observer_users": { "type": "ARRAY", "info": "The
    observers\u2019 users IDs." }, "observer_groups": { "type": "ARRAY", "info": "The groups\u2019 IDs
    that are observers of the entity." } } }, "POST": { "info": "Add users as observers to a
    company.", "params": { "id": { "info": "Company
  
```

Pretty-print

```

observers.":{"type":"ARRAY","required":true}}, "response":{"id":{"type":"INTEGER","info":"User ID."},"value":{"type":"BOOLEAN","info":"Returns 'true' if the users were correctly added as observers to the company. \n Returns 'false' if, for any reason, they weren't added to the company, \n or if the users were already observers of the company."}}},"DELETE":{"info":"Removes observers from a company.","params":{"id":{"info":"Company ID."},"type":"INTEGER","required":true},"observer_users":{"info":"Users IDs to be removed as observers."},"type":"ARRAY","required":true}}, "response":{"id":{"type":"INTEGER","info":"User ID."},"value":{"type":"BOOLEAN","info":"Returns 'true' if the users were correctly removed as observers from the company. \n Returns 'false' if, for any reason, they weren't removed from the company, \n or if the users weren't observers of the company."}}}},"breakingnews":{"help":"Manages the Breaking News.","GET":{"info":"Returns the requested Breaking News.","params":{"id":{"info":"Breaking News ID."},"type":"INTEGER","required":true},"date_format":{"info":"Indicate the date format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is returned."},"type":"STRING","required":false}}, "response":{"id":{"type":"INTEGER","info":"Breaking News ID."},"type_id":{"type":"INTEGER","info":"Breaking News type ID."},"resolution_time":{"type":"STRING","info":"Resolution time in epoch or ISO-8601 format depending on the date_format parameter."},"title":{"type":"STRING","info":"Breaking News title."},"body":{"type":"TEXT","info":"Breaking News body."},"affected_helpdesk_ids":{"type":"ARRAY","info":"Array with IDs of affected help desks."},"affected_group_ids":{"type":"ARRAY","info":"Array with IDs of affected groups."},"created_at":{"type":"STRING","info":"Creation date in epoch or ISO-8601 format depending on the date_format parameter."},"created_by_id":{"type":"INTEGER","info":"Breaking News creator ID."},"status_id":{"type":"INTEGER","info":"Breaking News status ID."}}},"POST":{"info":"Creates Breaking News.","params":{"type_id":{"info":"Type ID of the breaking news based on importance. 1: High, 2: Medium, 3: Low."},"type":"INTEGER","required":true},"title":{"info":"Breaking News title."},"type":"STRING","required":true},"body":{"info":"Breaking News body."},"type":"TEXT","required":true},"affected_helpdesk_ids":{"info":"Help desks that are affected. It is required unless there is at least one group affected."},"type":"ARRAY","required":false},"affected_group_ids":{"info":"Groups that are affected. It is required unless there is at least one help desk affected."},"type":"ARRAY","required":false},"resolution_time":{"info":"Estimated resolution time. Must be a timestamp (epoch format)."},"type":"INTEGER","required":false},"creator_id":{"info":"ID of the Breaking News' creator. If none is provided then it will be the system."},"type":"INTEGER","required":false}}, "response":{"status":{"type":"STRING","info":"Returns 'OK' if the Breaking News was correctly created; or 'ERROR' if something went wrong."},"info":{"type":"STRING","info":"Description of the result."},"id":{"type":"INTEGER","info":"ID of the Breaking News created."}}},"PUT":{"info":"Modifies a set of Breaking News.","params":{"id":{"info":"Breaking News ID."},"type":"INTEGER","required":true},"type_id":{"info":"Type ID of the breaking news based on importance. 1: High, 2: Medium, 3: Low."},"type":"INTEGER","required":false},"title":{"info":"Breaking News title."},"type":"STRING","required":false},"body":{"info":"Breaking News body."},"type":"TEXT","required":false},"affected_helpdesk_ids":{"info":"Help desks that are affected. It is required unless there is at least one group affected."},"type":"ARRAY","required":false},"affected_group_ids":{"info":"Groups that are affected. It is required unless there is at least one help desk affected."},"type":"ARRAY","required":false},"status_id":{"info":"Breaking News status ID. 1: Open, 2: Closed."},"type":"INTEGER","required":false},"resolution_time":{"info":"Estimated resolution time. Must be a timestamp (epoch format)."},"type":"INTEGER","required":false},"creator_id":{"info":"ID of the Breaking News' creator. If none is provided then it will be the system."},"type":"INTEGER","required":false}}, "response":{"status":{"type":"STRING","info":"Returns 'OK' if the Breaking News was correctly modified; or 'ERROR' if something went wrong."},"info":{"type":"STRING","info":"Description of the result."}}}},"breakingnews.all":{"help":"Lists the Breaking News.","GET":{"info":"Lists all the Breaking News.","params":{"date_format":{"info":"Indicate the date format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is returned."},"type":"STRING","required":false},"response_info":{"info":"Returns an array of objects with the following structure:"},"response":{"id":{"type":"INTEGER","info":"Breaking News ID."},"type_id":{"type":"INTEGER","info":"Breaking News type ID."},"resolution_time":{"type":"STRING","info":"Resolution time in epoch or ISO-8601 format depending on the date_format parameter."},"created_at":{"type":"STRING","info":"Creation date in epoch or ISO-8601 format depending on the date_format parameter."},"title":{"type":"STRING","info":"Breaking News title."},"body":{"type":"TEXT","info":"Breaking News body."},"affected_helpdesk_ids":{"type":"ARRAY","info":"Array with IDs of affected help

```

Pretty-print

```

groups: {}, created_by_id: {type: INTEGER, info: Breaking News creator
ID.}, status_id: {type: INTEGER, info: Breaking News status
ID.}}, breakingnews.status: {"help": "Manages the updates of the Breaking News.", "GET":
{"info": "Returns the updates of the requested Breaking News.", "params": {"id":
{"info": "Breaking News ID.", "type": "INTEGER", "required": true}, "date_format":
{"info": "Indicate the date format. The available formats are 'epoch' or 'iso8601'. If null,
epoch format is returned.", "type": "STRING", "required": false}}, "response_info": "Returns an
array of objects with the following structure:", "response": {"body":
{"type": "TEXT", "info": "Body of the update.", "created_at": {"type": "STRING", "info": "Creation
date in epoch or ISO-8601 format depending on the date_format parameter."}, "creator_id":
{"type": "INTEGER", "info": "Breaking News creator ID."}}, "POST": {"info": "Creates a new
update to the given Breaking News.", "params": {"id": {"info": "Breaking News
ID.", "type": "INTEGER", "required": true}, "body": {"info": "Breaking News
body.", "type": "TEXT", "required": true}, "creator_id": {"info": "ID of the Breaking News'
creator. If none is provided then it will be the
system.", "type": "INTEGER", "required": false}, "is_solution": {"info": "Send 1 to close Breaking
News. Send 0 to keep open. Default: 0.", "type": "BOOLEAN", "required": false}}, "response":
{"status": {"type": "STRING", "info": "Returns 'OK' if the Breaking News update was correctly
created; or 'ERROR' if something went wrong."}, "info": {"type": "STRING", "info": "Description
of the result."}}}}, breakingnews.attributes.type: {"help": "Lists all the Breaking News
importance types.", "GET": {"info": "Lists all the importance types of the Breaking News. If
an ID its provided, only one will be listed.", "params": {"id": {"info": "Importance type
ID.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Importance type
ID."}, "name": {"type": "STRING", "info": "Importance type
name."}}}}, breakingnews.attributes.status: {"help": "Lists the status of the Breaking
News.", "GET": {"info": "Lists all the possible status for the Breaking News' and their
descriptions. If an ID is provided, only one will be listed.", "params": {"id":
{"info": "Status ID.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array
of objects with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Status
ID."}, "name": {"type": "STRING", "info": "Status name."}}}}, internalnotes: {"help": "Manages
internal notes.", "GET": {"info": "Lists all the internal notes, or one in
particular.", "params": {"id": {"info": "Note
ID.", "type": "INTEGER", "required": true}, "object_id": {"info": "Entity
ID.", "type": "INTEGER", "required": false}, "object_type": {"info": "Entity type ID. 1: User, 2:
Helpdesk, 3: Company, 4: Users Group, 5: External
Entity.", "type": "INTEGER", "required": false}, "date_format": {"info": "Indicate the date
format. The available formats are 'epoch' or 'iso8601'. If null, epoch format is
returned.", "type": "STRING", "required": false}}, "response_info": "Returns an array of objects
with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Note
ID."}, "object_id": {"type": "INTEGER", "info": "Entity ID."}, "author_id":
{"type": "INTEGER", "info": "Author ID."}, "created_at": {"type": "STRING", "info": "Creation date
of the note in epoch or ISO-8601 format depending on the date_format
parameter."}, "object_type": {"type": "INTEGER", "info": "Entity type ID. 1: User, 2: Helpdesk,
3: Company, 4: Users Group, 5: External Entity."}, "description":
{"type": "STRING", "info": "Note description."}, "title": {"type": "STRING", "info": "Note
title."}, "last_update": {"type": "STRING", "info": "Last update of the note in epoch or ISO-
8601 format depending on the date_format ."}, "last_author": {"type": "INTEGER", "info": "Last
author ID."}}, "POST": {"info": "Creates an internal note.", "params": {"object_id":
{"info": "Entity ID.", "type": "INTEGER", "required": true}, "author_id": {"info": "Author
ID.", "type": "INTEGER", "required": true}, "object_type": {"info": "Entity type ID. 1: User, 2:
Helpdesk, 3: Company, 4: Users Group, 5: External
Entity.", "type": "INTEGER", "required": true}, "description": {"info": "Note
description.", "type": "STRING", "required": true}, "title": {"info": "Note
title.", "type": "STRING", "required": true}}, "response": {"Status":
{"type": "STRING", "info": "Returns 'OK' if the internal note was correctly created; or
'ERROR' if something went wrong."}}, "PUT": {"info": "Updates the info of an internal
note.", "params": {"id": {"info": "Note ID.", "type": "INTEGER", "required": true}, "author_id":
{"info": "Author ID.", "type": "INTEGER", "required": true}, "description": {"info": "Note
description.", "type": "STRING", "required": false}, "title": {"info": "Note
title.", "type": "STRING", "required": false}}, "response": {"Status":
{"type": "STRING", "info": "Returns 'OK' if the internal note was correctly updated; or
'ERROR' if something went wrong."}}, "DELETE": {"info": "Deletes an internal note.", "params":
{"id": {"info": "Note ID.", "type": "INTEGER", "required": true}, "author_id": {"info": "Author
ID.", "type": "INTEGER", "required": true}}, "response": {"Status":
{"type": "STRING", "info": "Returns 'OK' if the internal note was correctly deleted; or
'ERROR' if something went wrong."}}}}, assets: {"help": "Lists all the requests related to
an asset.", "GET": {"info": "Lists all the requests related to an asset.", "params":

```

Pretty-print

```

management. {"type": "INTEGER", "required": true}, "assets_ids": {"info": "Assets
IDs.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"asset_id": {"type": "STRING", "info": "Asset
ID."}, "status_id": {"type": "INTEGER", "info": "Request status ID."}, "incident_id":
{"type": "INTEGER", "info": "Request ID."}}}, "assets.linked.assets.counters.from":
{"help": null, "GET": {"params": {"assets_source_id": {"info": "ID of the ITAM tool integration
in Service Management.", "type": "INTEGER", "required": true}, "from": {"info": "Date timestamp
(epoch) to fetch the counters.", "type": "INTEGER", "required": true}}}}, "cis.by.id":
{"help": "Manages configuration items from custom fields and shared custom fields by
IDs.", "GET": {"info": "Returns an array of CIs, linked through custom fields and shared
custom fields, with their IDs and properties.", "params": {"ci_internal_ids":
{"info": "Configuration items IDs from Service
Management.", "type": "ARRAY", "required": true}, "ci_source_id": {"info": "ID of the ITAM tool
integration in Service
Management.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of
objects with the following structure:", "response": {"ci_internal_id":
{"type": "INTEGER", "info": "Configuration item ID from Service
Management."}, "ci_external_id": {"type": "INTEGER", "info": "Configuration item external source
ID."}, "ci_name": {"type": "STRING", "info": "Configuration item name."}}}}, "triggers":
{"help": "Gets user defined triggers.", "GET": {"info": "If no ID is specified, it returns a
list with all the user defined triggers. Otherwise, it returns the trigger matching the
specific trigger ID (if it exists).", "params": {"trigger_id": {"info": "Trigger
ID.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Trigger
ID."}, "trigger_name": {"type": "STRING", "info": "Trigger name."}}}}, "triggers.executions":
{"help": "Gets a list of user defined triggers that were executed in the last hour.", "GET":
{"info": "Returns a list detailing each time that a specific trigger was executed in the
last hour. If no trigger ID is provided, it returns all the times that user defined
triggers were executed in the last hour.", "params": {"trigger_id": {"info": "Trigger
ID.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Execution
ID."}, "trigger_id": {"type": "INTEGER", "info": "Trigger ID."}, "request_id":
{"type": "INTEGER", "info": "ID of the affected request."}, "executed_at":
{"type": "INTEGER", "info": "Execution timestamp."}}}}, "kb.articles": {"help": "Manages articles
from the Knowledge Base.", "GET": {"info": "Lists all the articles with their
properties.", "params": {"sort_by": {"info": "The order in which the results should be sorted.
\\\"asc\\\" if the results should be sorted in ascending order, or \\\"desc\\\" if they should be
sorted in descending order. If null, articles will be returned sorted in ascending
order.", "type": "STRING", "required": false}, "order_by": {"info": "Attribute upon which the
sorting of the results will be performed. \\\"last_update_date\\\" if they should be sorted by
the articles last update date. If null, articles will be returned sorted by
ID", "type": "STRING", "required": false}, "limit": {"info": "Number of items per
page.", "type": "INTEGER", "required": false}, "offset": {"info": "Skip this number of items in
the response.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of
objects with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Article
ID."}, "title": {"type": "STRING", "info": "Article title."}, "author_id":
{"type": "INTEGER", "info": "Author ID."}, "content": {"type": "STRING", "info": "Content of the
article."}, "creation_date": {"type": "STRING", "info": "Creation date in
epoch."}, "last_update_date": {"type": "STRING", "info": "Last update date in
epoch."}, "solved_requests": {"type": "INTEGER", "info": "Amount of requests that this article
helped to solve."}, "rating": {"type": "FLOAT", "info": "Average scoring of the
article."}, "views": {"type": "INTEGER", "info": "Amount of views that the article
has."}, "category_id": {"type": "INTEGER", "info": "Category ID."}, "is_private":
{"type": "BOOLEAN", "info": "If the article is private or not."}, "attachments":
{"type": "ARRAY", "info": "Array with the ID, name and URL of each
attachment."}, "responsible_id": {"type": "INTEGER", "info": "Responsible ID."}}}, "POST":
{"info": "Creates an article.", "params": {"title": {"info": "Article
title.", "type": "STRING", "required": true}, "content": {"info": "Article
content.", "type": "STRING", "required": true}, "description": {"info": "Article
description.", "type": "STRING", "required": false}, "author_id": {"info": "Author
ID.", "type": "INTEGER", "required": true}, "category_id": {"info": "Category
ID.", "type": "INTEGER", "required": true}, "is_private": {"info": "Mark as private. 1: Is
private. 0: Is public.", "type": "BOOLEAN", "required": false}, "attachments": {"info": "Array of
attachments.", "type": "ARRAY", "required": false}, "responsible_id": {"info": "Article
responsible. If it's null, the assigned responsible user will be the same as the
author.", "type": "INTEGER", "required": false}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the article was correctly created; or 'ERROR' if
something went wrong."}, "article_id": {"type": "INTEGER", "info": "Article ID."}}}, "PUT":

```

Pretty-print

```

ID.", "type": "INTEGER", "required": true}, "title": {"info": "Article
title.", "type": "STRING", "required": false}, "content": {"info": "Article
content.", "type": "STRING", "required": false}, "description": {"info": "Article
description.", "type": "STRING", "required": false}, "author_id": {"info": "Author
ID.", "type": "INTEGER", "required": true}, "category_id": {"info": "Category
ID.", "type": "INTEGER", "required": false}, "is_private": {"info": "Mark as private. 1: Is
private. 0: Is public.", "type": "BOOLEAN", "required": false}, "responsible_id":
{"info": "Article responsible. If it's null, the assigned responsible user will be the same
as the author.", "type": "INTEGER", "required": false}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the article was correctly modified; or 'ERROR' if
something went wrong."}}, "DELETE": {"info": "Deletes an article from a given ID.", "params":
{"id": {"info": "Article ID.", "type": "INTEGER", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the article was correctly deleted; or 'ERROR' if
something went wrong."}}}}, "kb.articles.attachments": {"help": "Manages the attachments from
a Knowledge Base article.", "GET": {"info": "Lists the attachments from an article.", "params":
{"article_id": {"info": "Article
ID.", "type": "INTEGER", "required": true}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"status": {"type": "STRING", "info": "Returns 'OK' if the
query was correctly executed; or 'ERROR' if something went wrong."}, "id":
{"type": "INTEGER", "info": "Attachment ID."}, "name": {"type": "STRING", "info": "Attachment
Filename."}, "url": {"type": "STRING", "info": "Attachment URL."}}, "POST": {"info": "Adds
attachments to an article.", "params": {"article_id": {"info": "Article
ID.", "type": "INTEGER", "required": true}, "author_id": {"info": "ID of the user in whose name
the update of the article will be done.", "type": "INTEGER", "required": true}, "attachments":
{"info": "Array of attachments.", "type": "ARRAY", "required": false}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the attachment was correctly added; or 'ERROR' if
something went wrong."}}, "DELETE": {"info": "Deletes an attachment from an
article.", "params": {"article_id": {"info": "Article
ID.", "type": "INTEGER", "required": true}, "attachment_id": {"info": "Attachment
ID.", "type": "INTEGER", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the attachment was correctly deleted; or 'ERROR'
if something went wrong."}}}}, "kb.articles.by.ids": {"help": "Manages Knowledge Base articles
by ID.", "GET": {"info": "Lists articles by ID.", "params": {"ids": {"info": "Article
IDs.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Article ID."}, "title":
{"type": "STRING", "info": "Article title."}, "author_id": {"type": "INTEGER", "info": "Author
ID."}, "content": {"type": "STRING", "info": "Content of the article."}, "creation_date":
{"type": "STRING", "info": "Creation date in epoch."}, "last_update_date":
{"type": "STRING", "info": "Last update date in epoch."}, "solved_requests":
{"type": "INTEGER", "info": "Amount of requests that this article helped to solve."}, "rating":
{"type": "FLOAT", "info": "Average scoring of the article."}, "views":
{"type": "INTEGER", "info": "Amount of views that the article has."}, "category_id":
{"type": "INTEGER", "info": "Category ID."}, "is_private": {"type": "BOOLEAN", "info": "If the
article is private or not."}, "attachments": {"type": "ARRAY", "info": "Array with the ID, name
and URL of each attachment."}, "responsible_id": {"type": "INTEGER", "info": "Responsible
ID."}}}}, "kb.articles.by.keywords": {"help": "Manages Knowledge Base articles by
keywords.", "GET": {"info": "Searches for articles by keywords.", "params": {"keywords":
{"info": "Keywords to search.", "type": "STRING", "required": true}, "min_search_scoring":
{"info": "Minimum search scoring from 0 to 1, which measures the accuracy of the search
results.", "type": "FLOAT", "required": false}, "limit": {"info": "Number of results, 25 by
default.", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects
with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Article
ID."}, "title": {"type": "STRING", "info": "Article title."}, "author_id":
{"type": "INTEGER", "info": "Author ID."}, "content": {"type": "STRING", "info": "Content of the
article."}, "creation_date": {"type": "STRING", "info": "Creation date in
epoch."}, "last_update_date": {"type": "STRING", "info": "Last update date in
epoch."}, "solved_requests": {"type": "INTEGER", "info": "Amount of requests that this article
helped to solve."}, "rating": {"type": "FLOAT", "info": "Average scoring of the
article."}, "views": {"type": "INTEGER", "info": "Amount of views that the article
has."}, "category_id": {"type": "INTEGER", "info": "Category ID."}, "is_private":
{"type": "BOOLEAN", "info": "If the article is private or not."}, "attachments":
{"type": "ARRAY", "info": "Array with the ID, name and URL of each
attachment."}, "responsible_id": {"type": "INTEGER", "info": "Responsible
ID."}, "search_scoring": {"type": "FLOAT", "info": "Score from 0 to 1 that measures the accuracy
of the search result."}}}}, "kb.articles.by.category": {"help": "Manages Knowledge Base
articles by category.", "GET": {"info": "Lists all the articles that belong to a certain
category.", "params": {"category_id": {"info": "Category
ID.", "type": "INTEGER", "required": true}, "limit": {"info": "Number of items per

```

Pretty-print

```

the response. , type : INTEGER , required : false , visibility : { info : visibility type of
the articles to fetch. 1 => Private, 2 => Registered Users, 3 =>
Public. , "type": "INTEGER", "required": false } , "response_info": "Returns an array of objects
with the following structure: , "response": { "id": { "type": "INTEGER", "info": "Article
ID." } , "title": { "type": "STRING", "info": "Article title." } , "author_id":
{ "type": "INTEGER", "info": "Author ID." } , "content": { "type": "STRING", "info": "Content of the
article." } , "creation_date": { "type": "STRING", "info": "Creation date in
epoch." } , "last_update_date": { "type": "STRING", "info": "Last update date in
epoch." } , "solved_requests": { "type": "INTEGER", "info": "Amount of requests that this article
helped to solve." } , "rating": { "type": "FLOAT", "info": "Average scoring of the
article." } , "views": { "type": "INTEGER", "info": "Amount of views that the article
has." } , "category_id": { "type": "INTEGER", "info": "Category ID." } , "is_private":
{ "type": "BOOLEAN", "info": "If the article is private or not." } , "attachments":
{ "type": "ARRAY", "info": "Array with the ID, name and URL of each
attachment." } , "responsible_id": { "type": "INTEGER", "info": "Responsible
ID." } } } , "kb.categories": { "help": "Manages Knowledge Base categories." , "GET": { "info": "Lists
all the Knowledge Base categories." , "response_info": "Returns an array of objects with the
following structure: , "response": { "id": { "type": "INTEGER", "info": "Category
ID." } , "parent_id": { "type": "INTEGER", "info": "Category parent ID." } , "name":
{ "type": "STRING", "info": "Category name." } } } , "POST": { "info": "Creates a new Knowledge Base
category." , "params": { "name": { "info": "Category
name." , "type": "STRING", "required": true } , "parent_id": { "info": "Category Parent
ID." , "type": "INTEGER", "required": false } } , "response": { "status":
{ "type": "STRING", "info": "Returns 'OK' if the category was correctly created; or 'ERROR' if
something went wrong." } , "category_id": { "type": "STRING", "info": "Category ID." } } } , "PUT":
{ "info": "Modifies a Knowledge Base category." , "params": { "id": { "info": "Category
ID." , "type": "INTEGER", "required": true } , "name": { "info": "Category
name." , "type": "STRING", "required": false } , "parent_id": { "info": "Category parent
ID." , "type": "INTEGER", "required": false } } , "response": { "status":
{ "type": "STRING", "info": "Returns 'OK' if the category was correctly modified; or 'ERROR' if
something went wrong." } } } , "DELETE": { "info": "Deletes a Knowledge Base category." , "params":
{ "id": { "info": "Category ID." , "type": "INTEGER", "required": true } } , "response": { "status":
{ "type": "STRING", "info": "Returns 'OK' if the category was correctly deleted; or 'ERROR' if
something went wrong." } } } } , "kb.categories.by.ids": { "help": "Manages Knowledge Base
categories by IDs." , "GET": { "info": "Lists Knowledge Base categories by some given
IDs." , "params": { "ids": { "info": "Category
IDs." , "type": "ARRAY", "required": true } } , "response_info": "Returns an array of objects with
the following structure: , "response": { "id": { "type": "INTEGER", "info": "Category
ID." } , "parent_id": { "type": "INTEGER", "info": "Category parent ID." } , "name":
{ "type": "STRING", "info": "Category name." } } } } , "wf.initialfields.by.category": { "help": "Lists
the initial fields needed to create a request from a workflow." , "GET": { "info": "Lists the
initial fields needed to create a request from a workflow." , "params": { "category_id":
{ "info": "ID of the category related to a
workflow." , "type": "INTEGER", "required": true } } , "response": { "category_id":
{ "type": "INTEGER", "info": "ID of the category related to a
workflow." } , "associated_workflow_id": { "type": "INTEGER", "info": "ID of the associated
workflow." } , "associated_workflow_name": { "type": "STRING", "info": "Name of the associated
workflow." } , "workflow_initial_fields": { "type": "ARRAY", "info": "ARRAY with all the properties
each field has." } } } } , "wf.deploy": { "help": "Deploys a workflow." , "PUT": { "info": "Deploys the
last version of the workflow." , "params": { "workflow_id": { "info": "ID of the workflow to be
deployed." , "type": "INTEGER", "required": true } } , "response": { "status":
{ "type": "STRING", "info": "Returns 'OK' if the workflow was correctly deployed; or 'ERROR' if
something went wrong." } , "workflow_id": { "type": "INTEGER", "info": "ID of the deployed
workflow." } , "description": { "type": "INTEGER", "info": "Confirmation
message." } } } } , "sd.version": { "help": "Returns the current version of the InvGate Service
Management instance." , "GET": { "info": "Returns the current version of the InvGate Service
Management instance." , "response_info": "Returns a string with the current version of InvGate
Service Management." , "response": { "version": { "type": "STRING", "info": "InvGate Service
Management version." } } } } , "msteams": { "help": null } , "locations": { "help": "Manages
locations." , "GET": { "info": "Returns all active locations, or one in particular." , "params":
{ "id": { "info": "Location ID." , "type": "INTEGER", "required": false } } , "response_info": "Returns
an array of objects with the following structure: , "response": { "id":
{ "type": "INTEGER", "info": "Location ID." } , "name": { "type": "STRING", "info": "Location
name." } , "total": { "type": "INTEGER", "info": "Number of users with this
location." } , "parent_id": { "type": "INTEGER", "info": "Parent location ID." } } } , "POST":
{ "info": "Creates a location." , "params": { "name": { "info": "Location
name." , "type": "STRING", "required": true } , "parent_id": { "info": "Parent location
ID." , "type": "INTEGER", "required": false } } , "response": { "id":

```

Pretty-print

```

and its sublocations.", "params": {"id": {"info": "Location
ID.", "type": "INTEGER", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the location was correctly deleted; or 'ERROR' if
something went wrong."}}}}, "locations.users": {"help": "Manages the relationships between
users and locations.", "GET": {"info": "Lists the members of a location.", "params": {"id":
{"info": "Location ID.", "type": "INTEGER", "required": true}, "user_id": {"info": "User
ID", "type": "INTEGER", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "User ID."}, "name":
{"type": "STRING", "info": "User full name."}, "username":
{"type": "STRING", "info": "Username."}, "email": {"type": "STRING", "info": "User
email."}}}, "POST": {"info": "Adds users to a location.", "params": {"id": {"info": "Location
ID.", "type": "INTEGER", "required": true}, "users": {"info": "Users IDs linked to the
location.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of objects
with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Location
ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if the user was correctly associated
with the location or 'false' if it wasn't."}}}}, "DELETE": {"info": "Removes users from a
location.", "params": {"id": {"info": "Location ID.", "type": "INTEGER", "required": true}, "users":
{"info": "Users IDs to be removed from the
location.", "type": "ARRAY", "required": true}}, "response_info": "Returns an array of objects
with the following structure:", "response": {"id": {"type": "INTEGER", "info": "Location
ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if the user was correctly removed
from the location or 'false' if it wasn't."}}}}, "locations.observers": {"help": "Manages
locations observers.", "GET": {"info": "Returns all active locations and their observers, \n
or the observers for the specified locations.", "params": {"ids": {"info": "Location
IDs.", "type": "ARRAY", "required": false}}, "response_info": "Returns an array of objects with
the following structure:", "response": {"id": {"type": "INTEGER", "info": "Location ID."}, "name":
{"type": "STRING", "info": "Location name."}, "observer_users": {"type": "ARRAY", "info": "The
observers\u2019 users IDs."}, "observer_groups": {"type": "ARRAY", "info": "The groups\u2019 IDs
that are observers of the entity."}}}, "POST": {"info": "Add users as observers to a
location.", "params": {"id": {"info": "Location
ID.", "type": "INTEGER", "required": true}, "observer_users": {"info": "Users IDs to be added as
observers.", "type": "ARRAY", "required": true}}, "response": {"id":
{"type": "INTEGER", "info": "User ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if
the users were correctly added as observers to the location. \n
Returns 'false' if, for any reason, they weren't added to the location, \n
or if the users were already observers of the location."}}}, "DELETE": {"info": "Removes
observers from a location.", "params": {"id": {"info": "Location
ID.", "type": "INTEGER", "required": true}, "observer_users": {"info": "Users IDs to be removed as
observers.", "type": "ARRAY", "required": true}}, "response": {"id":
{"type": "INTEGER", "info": "User ID."}, "value": {"type": "BOOLEAN", "info": "Returns 'true' if
the users were correctly removed as observers from the location. \n
Returns 'false' if, for any reason, they weren't removed from the location, \n
or if the users weren't observers of the location."}}}}, "data.export": {"help": "Manages data
exports.", "GET": {"info": "Returns the data export URL.", "params": {"id": {"info": "The UUID of
the data export report, obtained during report
configuration.", "type": "STRING", "required": true}}, "response": {"status":
{"type": "STRING", "info": "Returns 'OK' if the data export report was correctly executed; or
'ERROR' if something went wrong."}, "url": {"type": "STRING", "info": "Data export report
URL."}}}}}}

```