



HUGOPHARM

Systems Engineered with Mind and Spirit

Hugopharm Technologies Pvt. Ltd.

Regd Office: 8, Jogani Industrial
Estate, 541 Senapati Bapat
Marg, Dadar (W), Mumbai 400028

Contact : [Tel:91-22-24226882](tel:91-22-24226882) / 91-22-
24222815 ; sales@sbpanchal.com

Our Ref. No. HUGO/1405/2025-1

14-05-2025

To,

Contact	Mr. Rohan Tiwari
Business Address	Doehler India Pvt. Ltd. Pune
Contact No.	+91 7030960370
E-mail	Rohan.Tiwari@doehler.com

Dear Sir,

We are glad to quote for the following:

1. UNISPRAY LAB N2: LABORATORY NITROGEN CLOSED LOOP SPRAY DRYER

Sincerely,

For Hugopharm Technologies Pvt Ltd.,

Hiren Panchal

1. UNISPRAY - Laboratory Spray Dryer with 1 lit/hr capacity.

Sn	Item	Description
1	Main Unit	1. The main body of dryer shall be made from Stainless Steel 304. It shall be polished to matt finish from outside. 2. The spraying chamber shall be made from toughened borosilicate glass and shall be fitted with easily removable clamps for cleaning purpose. 3. The chamber shall be fitted with a glass bottle at the bottom for recovery of heavy fraction of material. 4. A cyclone separator made from glass shall fitted at the exhaust for recovering of fine fraction. At the exhaust of cyclone separator a fine filter chamber shall be provided which will prevent escape of fines to the exhaust blower. A collection bottle made of glass shall be provided at the bottom of the cyclone separator.
2	Spray Nozzle	1. An air atomized two fluid spray nozzle made from S.S. 316 shall be made for co-current spraying. The spray nozzle shall have an nozzle cleaning facility. 2. Electrically operated Peristaltic Dosing Pump having silicon tubing shall be provided for product dosing 1Nos of air borne spray guns having air inlet and liquid connection mounted on specially designed header assembly.
3	Nitrogen Handling Unit	1. Inlet Nitrogen shall be filtered using 5 Micron pre filter. 2. Heating shall be done with electrical heater having heating load of 2 K.W. 3. Exhaust System: Exhausting of air from the spray chamber shall be passed through an air scrubber (filter). It shall be fitted with Differential pressure transmitter for indication of filter cleaning requirement. 4. The exhaust air draught shall be produced by a aspirator blower.

<u>4</u>	Solvent Recovery System	The solvent recovery system shall comprise of a plate type heat exchanger through which a refrigerant shall be recirculated and it shall exchange heat with the nitrogen gas to condense the solvent.. Oxygen Analyzer shall be connected on the Nitrogen line to measure the leakage in the system if any and ensure that oxygen ingress is limited to safe limits. It shall give an alarm to trip the system in case the oxygen concentration increases beyond the set point.
<u>5.</u>	<u>Control Panel</u>	The Mitsubishi PLC and with Touchscreen Interface of 7".. It shall have suitable interlocks for utility failure. The PLC have the following functions: 1. Control and Indicate Temperature of Inlet Air 2. Indicate Exhaust Air Temperature 3. Control and Indicate Spray Pump RPM 4. Control and Indicate Blower RPM 5. Control and Indicate Spray Atomization Pressure.

Price: UNISPRAY Laboratory Spray Dryer.

Sn	Price	Item
1.	Rs 28,50,000/-	For complete Nitrogen Closed Loop laboratory spray drying unit as described above with Exhaust Filter System and Control System as described above.
2.	<u>Rs. 1,75,000/-</u>	For 0.3Micron HEPA Filter Box comprising of 5Micron Pre Filter Followed by 0.3Micron HEPA Filter with indication of differential pressure across HEPA filter on PLC.
3.	Rs. 1,70,000/-	For additional Glass parts Set
4.	Rs. 7,500/-	For additional set of Silicon O-ring for whole machine
5.	Rs. 5,000/-	For additional '6' meter Extra Silicon tube
6.	Rs. 15,500/-	For additional Spare nozzle and needle set 1 mm
7.	Rs. 1,500/-	For each additional exhaust filter bag
8.	Rs. 2,500/-	For additional electrical heater
9.	Rs. 6,000/-	For additional Silicon O-ring set for nozzle
10.	Rs. 55,000/- per day per Engineer	For Installation & Commissioning at your premises.
11.	Rs. 25,000/-	For set of validation documents comprising of DQ, IQ & OQ

Terms and Conditions:

Prices : Prices offered are net-ex-works Mumbai exclusive of Packing, Carting, Crating, Forwarding, Freight and any other incidental charges will be extra to your account.

Taxes : **18% GST**

Packing : **2.5%**

Excise : **NIL**

Inspection : Final Inspection prior to dispatch will have to be carried out jointly by us and your representative at our Mumbai works only. You will be intimated as soon as the machines are ready for dispatch.

Transport & Insurance : **At Actual in clients Scope**

Delivery : Within 12-16 Weeks.

Payment : 1. 40% Advance on confirmation of order.
2. 60% Balance against proforma invoice through after FAT

Validity : This offer is valid for 30 days.

Warranty : We undertake to make good by replacement or repair, defects arising out of faulty design, materials or workmanship within 12 months of the date of dispatch, purely on ex-works basis i.e., the defective part will be returned by the buyer to our works and replacement taken by the buyer from our works. Bought-out components are guaranteed by us only to the extent of guarantees given to us by our suppliers. Electrical components, such as heaters, motors, contactors etc. rubber components and instruments such as pressure gauges, thermometers, etc. and other such consumables, etc. are however not covered under this Warranty. Warranty stands void if spare parts other than OEM are used.

Jurisdiction : Any dispute arising out of this quotation is subject to the **JURISDICTION OF MUMBAI COURT ONLY**. All dimensions are approximate.

We reserve the right of any technical deviations or modifications in design of all our products due to changes in suppliers situation.

Thanking you and awaiting for your favorable reply.

Yours truly,

For HUGOPHARM TECHNOLOGIES PVT LTD.

Hiren Panchal

8, Jogani Industrial Estate,

541, Senapati Bapat Marg,

Dadar West, Mumbai 400028

India

Tel: 022-24226882 / 022-30506882 / 30506884