

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICALS PVT LTD	SHEET NO 1 OF 13

Contact	Mr. Sunil Mirajkar / Mr. Dinesh Yadav
Business Address	Exemed Pharmaceuticals Plot No. 133 / 1, 133 / 2, GIDC Estate, Selvas Road, Vapi, Valsad, Gujarat, 396195 www.exemedpharma.com
Business Phone	+91 8980005464 : +91 9724198764 : Direct No: +91 260 6617715
E-mail	sunil.mirajkar@exemedpharma.com

Dear Sir

This is wrt your requirement of BIN BLENDER Fluid Bed Processor and are glad to quote as under:

1. UNIBLENDER800- BIN BLENDER: CAPACITY 400LIT/800LIT
2. POWDER TRANSFER SYSTEM
3. LIFTING CUM TIPPING DEVICE
4. UNISIFT36- SIFTER-36"
5. LIFTING CUM POSITIONING DEVICE
6. IPC BINS

We are also providing optional feature of keeping the equipment ready for bottoms spray in future.

Please feel free to contact us for any further query.

Regards

Hiren Panchal

For further assistance please contact:

Sales Office:

Hiren Panchal

HUGOPHARM TECHNOLOGIES PVT LTD

8, Jogani Industrial Estate,

541 , Senapati Bapat Marg,

Dadar (W), Mumbai: 400 028.

Tel: +91-22-24226882 / Fax: +91-22-24222815 / Email: sales@sbpanchal.com

**HUGOPHARM
TECHNOLOGIES PVT LTD**

QUOTATION

UNIBLENDER800-BIN BLENDER

QUOTATION REF NUMBER
HUGO/2805/2025-2

JOB NO. : -

REV : 00

CLIENT: **EXEMED PHARMACEUTICAL PVT LTD**

SHEET NO 2 OF 13



HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 3 OF 13

1. UNIBLENDER800: BIN BLENDER

Sr. No	Item	Description
1	General Construction	- The Bin blender shall be suitable for maximum 800lit capacity bins. - Bin Blender will be fabricated out of MS/SS304, with SS304 sheet Cladding. Main column in MS CHANNEL cladded with SS 304 sheet. - S.S. Tubular guard shall be provided. It shall have an interlock through a limit switch. "C" type locating arm with Teflon plates for easy entrance of bin into the Arm. - The arm shall have be having an inclination of 15Deg with rotating plane. - Motor & Gear Box will be covered with SS 304 sheet covering. - Finish : External – Matt Polished.
2	Drive Mechanism	- Upper & Downward movement with Hydraulic system. Hydraulic cylinder with 2 HP, 90 LMP Power-pack lifting Arm shall be provided with the machine. - Drive will be 2.0HP 1440 RPM Brake motor (Hindustan Motor) coupled to inline Helical Type Gear Box. Qty – 2nos. - Blender RPM shall vary from from 5-16 via a variable frequency drive.
3	Control Panel	Manual Control Panel shall be provided with the machine which shall do the following operations - Up down movement of the bin - Set the Timer for Blending. - Control of Rotational speed of the bin - Bring the Blender to vertical position at STOP. - Safety guard interlock. - Interlock for Bin Highest Position - Interlock for Bin Lowest Position - Interlock for Bin Mixing Position

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
		CLIENT: EXEMED PHARMACEUTICAL PVT LTD SHEET NO 5 OF 13
5.	Rs. 5,50,000/-	PLC Panel with MITSUBISHI PLC and Mitsubishi / Beijer 10" Touchscreen with color monitor. Including 21CFR HMI The PLC Shall perform the following functions 1. Up down movement of the bin 2. Set the Timer for Blending. 3. Control of Rotational speed of the bin 4. Bring the Blender to vertical position at STOP. 5. Safety guard interlock. The HMI shall have the following features complaint with requirement of 21CFR Part 11 Requirement: 1. Hierarchy Levels with password and Multiple User Level 2. Login for 10 users within a level 3. Printing facility 4. Audit Trails 5. Alarms History 6. Batch Data 7. Electronic Record and Storage 8. Report Generation and Printing NOTE: NO ELECTRONIC SIGNATURE IS POSSIBLE IN THIS SYSTEM ALSO MEMORY SHALL BE LIMITED TO STORE 5 BATCHES ON HMI. WE CAN OFFER TWO OPTIONS FOR DATA ACCESS IN TAMPER PROOF FORMAT. a. DATA SHALL HAVE TO BE BACKED UP ON A SEPARATE PEN DRIVE AND THE REPORTS BACK UP CAN BE TAKEN. HOWEVER THE PEN DRIVE SHALL HAVE TO BE AGAIN ATTACHED TO THE HMI FOR ACCESS TO DATA OR PRINTING THE DATA. b. A SEPARATE SOFTWARE SHALL BE PROVIDED WHICH SHALL HAVE TO BE INSTALLED ON CLIENT SUPPLIED PC WITH LAN CONNECTION FROM HMI TO PC WHERE THE BATCH RECORDS CAN BE ACCESSED FOR PRINTING IN FUTURE. NO DATA SHALL BE EDITED THROUGH THIS SOFTWARE. CLIENTS PC SHALL BE PROVIDED WITH SQL DATABASE AS A PRE REQUISITE

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 6 OF 13

1.	Rs. 85,000/-	For Installation & Commissioning: CLIENT'S SCOPE OF SUPPLY: 1. Level floor. 2. Foundation and necessary masonry work if required. 3. Shifting of equipment at site. 4. Steam connection along with necessary steam fittings such as steam trap, strainer etc. and steam controlling device. 5. Necessary unskilled help at your cost. 6. All the necessary electrical cables from the Clients MCCB to the individual equipment shall be in clients scope of supply 7. All pneumatic tubes to and fro from Power Panel to the machine shall be in client's scope of supply 8. All electrical power and signal cables from Clients MCC to the Individual equipment Power Panel/Operating Panel shall be in clients scope of supply. 9. Routing of Cable Trays
2.	Rs. 55,000/-	For Validation Documents Comprising of DQ, IQ and OQ
3.	Rs. 75,000/-	For all power and signal cables along with pneumatic tubes for the machine. Client shall have to bring in the main power cable to the power panel.

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 7 OF 13

2. **POWDER TRANSFER SYSTEM: 1000kg/hr**

Sr. No.	Item	Description
1	Design Basis	- Material to be conveyed : Grinded sugar - Conveying capacity : 1000kg/hr. - Bulk density : 0.8gm/cc.. - Working temperature : Up to 60 Deg C - Moisture : Nil - Material property : Non corrosive, sticky in presence of moisture, free flowing - No of pick up point : From container of FBD - No of discharge points : To storage silo/Multimill/Sifter - Conveying distance : - Horizontal : 5 mtr. - Vertical : 5 mtr. - No of bend : 3 nos. - Material of construction : Contact Parts Wetted S.S. 316. Non Contact Parts S.S. 304
2	Suction End	1. Suction nozzle: Qty. : 1 no. M O C : SS 316 2. Flexible suction pipe Qty. : 1 no. Length : 3 mtr maximum M O C : Flexible Food Grade FDA Approved 3. Long Radius bends for to avoid heavy friction during conveying. Qty. : 3 no. M O C : SS 316 Class : Sch. 10
3	Reverse Pulse Jet Bag Cleaning	Filter cleaning section shall be of reverse pulse jet and made from S.S. 304. Bag media shall be polyester non woven with water repellent treatment Filtering efficiency. : 99.9% down to 5μ size. It shall be provided with pressure gauge, water drain valve and a manometer..

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 8 OF 13

5	Clapet Valve	A Clapet Valve shall be provided at discharge of PTS with necessary spool pieces and adaptor to connect to down stream equipment.
6	Turbine Blower	One no. vacuum duty twin lobe roots blower complete with all standard accessories like base frame, silencer, vacuum release valve, set of V-belt drive, vacuum gauge and belt guard. This will be fitted with 7.5 HP flameproof electric motor. (Actual motor rating to be confirmed after confirmation of the layout)
7	Control Panel	The standard machine controls are Push Button Panel (PBP) The basic machine uses a dedicated panel with relay logic controls with a control voltage of 230 V AC unless otherwise specified.

PRICE : POWDER TRANSFER SYSTEM

S n	Price	Item
1.	Rs. 15,50,000/-	For Powder transfer system as described above.
2.	Rs. 25,000/-	For validation documents comprising of DQ/IQ and OQ
3.	Rs. 35,000/-	For Installation & Commissioning

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 9 OF 13

3. UNITIPP300: FBD BOWL LIFTING CUM TIPPING DEVICE

Sr. No	Item	Description
1	General Construction	The lifting cum tipping device shall charge the granules from Bowl to FBD to Sifter It shall be hydraulically operated. It shall have a capacity to lift 300kg capacity FBD Bowl filled with dried granules It shall have GMP design and all contact surfaces shall be crevice free and ground to smooth finish. It shall be made have contact parts made from S.S. 304 and non contact parts made from painted Mild Steel. A pneumatically actuated rotary valve shall provided for the tipper
2	Drive Mechanism	The vertical movement shall be provided with hydraulic double acting cylinder. A hydraulic power pack of 3HP shall be provided. The tilting movement shall be achieved using a hydraulic motor capable to tilt the bowl 180deg.
3	Safety	Pilot Check Valves and Non Return Valves shall be used in the hydraulic circuit for safety.
3	Control Panel	A stainless steel power panel shall consist of MCB, fuses, motor starters, contactors, pilot lamps. Suitable interlocks shall be provided for the motion of the elevator to limit its motion in up and down direction and also limiting the tilting motion.

PRICE: UNITIPP300: LIFTING CUM TIPPING DEVICE

Sr.	Price	Item
1	Rs. 12,50,000/-	For 250kg capacity FBD Bowl Lifting cum Tipping Device as described above with control panel.
2	Rs. 55,000/-	For Installation & Commissioning.
3	Rs. 25,000/-	For Validation Documents comprising of DQ/IQ and OQ

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 10 OF 13

4. Sifter-UNISIFT36

S.No	Item	Description
1	General Construction	1. The sifter shall be of GMP Design 2. All contact parts shall be made from S.S. 316 quality material and non contact parts shall be made from S.S. 304 3. A 1HP Motor shall be used to drive the sifter

4. PRICE: UNISIFT 36

1.	Rs. 4,50,000/-	For UNISIFT SIFTER – 36” as described above with 40Mesh sieve included
2.	Rs 9,500/- Each	For Each of lead free silicon molded sieve. Size 100#, 80#, 60#, 40#, 35#, 30#, 25#, 20#, 18#, 12# or as per client request.
3.	Rs. 15,000/-	For Installation and Commissioning
4.	Rs. 20,000/-	For Validation Documents

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 11 OF 13

5. UNILIFT750: LIFTING & POSITIONING DEVICE

Sr.	Price	Item
1	General Construction	1.The lifting device shall charge the material in Tablet Compression machine, Capsulation machine, Blister Packing Machine, Sifter and RMG. It shall be hydraulically operated. 2.It shall have a capacity to lift upto 75lit 0 IBC bins.. 3.Height of column shall be matched to meet the loading requirement at the highest elevation among all the equipment. 4. 4. It shall have GMP design and all contact surfaces shall be crevice free and ground to smooth finish. 5. It shall be made from Mild Steel and shall be cladde with S.S. 304. 6. Safety with pilot chuck valves and non-return valves 7. Power pack with filter breather, reservoir for oil, level indicator, pressure relief valve, and flow control valve, double acting solenoid valves. Flexible hydraulic hose – 2 Nos
2	Drive Mechanism	1. The vertical movement shall be provided with hydraulic double acting cylinder. A hydraulic power pack of 2HP,1440 rpm shall provide a lifting speed of 4cm/sec. 2. The lifting device shall swivel 0-270 degree.
3	Control Panel	1. A stainless steel power panel shall consist of MCB, fuses, motor starters, contactors, pilot lamps. 2. Suitable interlocks shall be provided for the motion of the elevator to limit its motion in up and down direction and also limiting the tilting motion.

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 12 OF 13

5. PRICE: UNILIFT750: LIFTING & POSITIONING DEVICE

SN	Price	Item
1	Rs. 7,50,000/-	For Lifting cum Positioning Device having capacity to lift upto 750lit bin as described with control panel. Note: Price does not include any bins.
2	Rs. 55,000/-	For Installation & Commissioning at Site
3	Rs. 25,000/-	For Validation Documents (In English Only) comprising of DQ/IQ and OQ

6. Intermediate Product Container (IPC)

Sn.	Item	Description
1	General Description	All the contact parts are made from S.S. 304 quality material. IPC shall be provided with handles for easy lifting and have conical bottom. Top lid shall be provided with air tight clamping arrangement. IPC shall be provided with manual butterfly at the discharge end.

5. Price: Intermediate Product Container

Sn.	Price	Item
1.	Rs. 3,25,000/-	For 750liter IPC as described above.
2.	Rs. 2,85,000/-	For 500liter IPC as described above
3.	Rs. 2,60,000/-	For 300 liter IPC as described above

HUGOPHARM TECHNOLOGIES PVT LTD	QUOTATION UNIBLENDER800-BIN BLENDER	QUOTATION REF NUMBER HUGO/2805/2025-2 JOB NO. : - REV : 00
	CLIENT: EXEMED PHARMACEUTICAL PVT LTD	SHEET NO 13 OF 13

TERMS & CONDITIONS:

Prices : Prices offered are net-ex-works Mumbai exclusive of Packing, Carting, Crating, Forwarding, Freight and any other incidental charges will be extra to your account.

Taxes : GST shall be charged extra as and if applicable at the time of dispatch.

Packing & Forwarding: 2.5% EXTRA

Inspection : Final Inspection prior to dispatch will have to be carried out jointly by us and your representative at our Mumbai works only. You will be intimated as soon as the machines are ready for dispatch.

Transport : Shall be paid by you directly to the transporter.

Delivery : Within 24 WEEKS.

Payment : 1. 40% Advance on confirmation of order.
2. 50% Balance against proforma invoice after FAT
3.10% After Installation and Commissioning. (Not exceeding 1 months after supply)

Validity : This offer is valid for 30 days.

Warranty : We undertake to make good by replacement or repair, defects arising out of faulty design, materials or workmanship within 12 months of the date of dispatch, purely on ex-works basis i.e., the defective part will be returned by the buyer to our works and replacement taken by the buyer from our works. Bought-out components are guaranteed by us only to the extent of guarantees given to us by our suppliers. Electrical components, such as heaters, motors, contactors etc. rubber components and instruments such as pressure gauges, thermometers, etc. and other such consumables, etc. are however not covered under this Warranty. Warranty stands void if spare parts other than OEM are used.

Jurisdiction : Any dispute arising out of this quotation is subject to the **JURISDICTION OF MUMBAI COURT ONLY**. All dimensions are approximate.

Design and Specification of all our products are subject to alteration, without notice.

Thanking you and awaiting for your favorable reply.

Yours truly,

For HUGOPHARM TECHNOLOGIES PVT LTD.

Hiren Panchal