



HUGOPHARM

Systems Engineered with Mind and Spirit

Hugopharm Technologies Pvt. Ltd.

Regd Office: 8, Jogani Industrial
Estate, 541 Senapati Bapat
Marg, Dadar (W), Mumbai 400028

Contact : Tel: 91-22-24226882 / 91-22-
24222815 ; sales@sbpanchal.com

Our Ref No: HUGO/JS/FDD2025/1706/4

17-06-2025

To,

Contact	Mr. Mohanish Rokade (Group Leder)
Business Address	Hetero Labs Limited Hyderabad
Business Phone	9619256055
E-mail	mohanish.r@hetero.com

We are glad to quote for the following R&D formulation line of equipment manufactured by us.

1. UNIFLUID NANO- RAPID FLUID BED DRYER
2. UNIFLUID Mini- Fluid Bed Particle Coater Granulator.

Sincerely,

For Hugopharm Technologies Pvt. Ltd.,

Hiren Panchal

Tel: 022-24226882 / 022-24222815

1. UNIFLUID NANO - FLUID BED DRYER (200gm-1000gm)

Sr. No	Item	Description
1.	General Construction	The machine body shall be fabricated from S.S. 304 quality material.
2.	Product Container cum Retarding Chamber	This chamber shall be fabricated from glass. It shall have a capacity of 1 kg.
3.	Air Circulation	The required draught shall be provided with totally enclosed fan cooled electric motor driven centrifugal impeller. The speed of the blower shall be controlled from front panel.
4.	Heating	The air shall be heated with coiled tube air heaters. The heating capacity shall be 2 K.W.
5.	Control	The process control switch board shall comprise of: Process timer, PID Temp. Controller, Air Flow Control Damper and Pilot Lamps.

- **All S.S. parts are buffed to mirror finish.**

PRICE : UNIFLUID NANO :- LAB MODEL FLUID BED DRYER.

Sr. No	Price	Description
1.	Rs.6,50,000/-	For "Table Top Model 200-1000 gm capacity electrically heated model Fluid Bed Dryer, having all contact parts made from glass. (COMPLETE 1 SET OF UNIFLUID NANO- Rapid Fluid Bed Dryer which includes Glass bowl and a bag)
2.	Rs. 25,000/- per day per Engineer	For Installation & Commissioning at your premises. Client shall provide To and Fro Travel Charges, local lodging, boarding and conveyance.
3.	Rs. 20,000/-	For set of validation documents comprising of DQ, IQ & OQ

OPTIONS FOR EXTRA ACCESSORIES

1.	Rs. 1,25,000/-	For additional change part for product container made from glass for handling products from 50gm to 200gm.
2.	Rs. 1,25,000/-	For additional product container made from S.S. 316 containing glass view port.
3.	Rs. 25,000/-	For Product Temperature Sensor (In S.S. bowl) with indication on the panel. The Product Temperature sensor shall be made from S.S. 316 and shall have quick release connector.
4.	Rs. 1,500 /-	For extra air discharge bags made from cotton cloth. (6lit bowl)
5.	Rs. 2,750/-	For extra air discharge bag made from polyester material. (6lit bowl)
6.	Rs. 5,500/-	For extra air discharge bag made from epitropic polyester material. (6lit bowl)
7.	Rs. 550 /-	For extra air discharge bags made from cotton cloth. (300ml bowl)
8.	Rs. 1,250/-	For extra air discharge bag made from polyester material. (300ml bowl)
9.	Rs. 2,500/-	For extra air discharge bag made from epitropic polyester material. (300ml bowl.)
10.	Rs. 8,500/-	For Surge Suppressor for Protection from any Electrical Power Surge.

UNIFLUID NANO WITH VARIOUS OPTIONS

UNIFLUID NANO with glass bowl



UNIFLUID NANO with interchangeable bowl



UNIFLUID NANO with S.S 316 bowl



UNIFLUID NANO with Product Temp Sensor

2. UNIFLUID MINI-Fluid Bed Particle Coater Granulator

Sn.	Item	Description
1.	<u>General Construction</u>	a. All the contact parts shall be made from S.S. 316 quality material and non-contact parts shall be made from S.S. 304 quality material. b. Product Container shall be sealed against expansion chamber with help of triclover clamp. c. Strategically mounted observation windows for viewing coating process.
3.	<u>Product Container</u>	a. It shall be made from S.S. 316 for Top-Spray Granulation /Bottom Spray / Drying applications b. It shall have capacity of 50gm to 200gm for Top Spray Granulation/Drying or Bottom Spray coating. c. It shall have a wurster column placed inside. The height of the column shall be adjustable depending on coating material d. Spray nozzle of atomizing air shall be of 0.6 mm size. e. Product Container shall have temperature sensing port. f. Product Container shall be mirror polished. g. The machine shall be supplied with 24x110# and 50 x 250#. h. Blind Ports shall be provided to operate the machine in drying mode.
4	<u>Inlet Air Filtration</u>	a. Air Handling Unit shall be made from S.S. 304. Air Handling Unit shall consists of:- b. 5-micronPre-Filter. All gaskets used will be in Silicon Rubber. c. Heating coil section 2 K.W. electric heaters. The heater box shall be duly insulated. d. Exhaust Air shall be passed through a HEPA Filter.
5	<u>Spraying System</u>	a. For Top spray nozzles shall be of 1 mm. (0.8mm Nozzles are available as an option). b. Electrically operated peristaltic pump shall be provided for supply of fluid dosing to media nozzle via suitable silicon tubing. c. Pump shall have 1-3000 ml./min flow rate.
6	<u>Filter Chamber</u>	a. There shall be dual bag filtration system. The partition type filtration system shall be designed for smooth uninterrupted coating process. b. Satin cotton bag shall be provided for filtration during granulation and drying. There shall be dual partition system of filter bag

		c. Epitropic bag shall be provided also for static charge intensive product coating. d. The filter bags shall be cleaned with automatic pneumatic shaking logic in PLC.
7	<u>Exhaust Blower</u>	a. Exhaust Blower shall be driven by inverter based 1 H.P. non-flameproof blower for drawing air through coater and enabling fluidization of particles. b. Required draught of air shall be produced by aluminum impeller housed in S.S. casing. c. Exhaust blower shall be fitted with inverter drive to control the fluidization air.
9	<u>Automation & Control</u>	Manual Control Panel shall be provided with along with the machine. The panel shall have provision to control the following: 1. Control and Indicate Blower Speed in % 2. Control & Indicate Inlet Air Temperature 3. Indicate Exhaust Air Temperature 4. Indicate Product Temperature 5. Control & Indicate Spray Pump RPM 6. Control & Indicate on Manual Gauge Spray Atomization Pressure

Price: UNIFLUID MINI- FLUID BED PARTICLE COATER GRANULATOR

<i>Sn.</i>	<i>Price</i>	<i>Item</i>
1.	Rs. 16,50,000/-	Fluid Bed Processing System with following: 1. Product Container. 2. Spray Nozzles. 3. Peristaltic pump. 4. Inlet 5 Micron Air Filtration System 5. Plate for Wurster Coating 6. Meshes for Bottom Spray 60#, 80#, 24x110# and 50x250# 7. Two Different Meshes for Top Spray 24x110# and 50x250# 8. Three different filter bags, PC Satin, Epitropic and Bonnet Bag
2.	Rs. 4,50,000/-	For Mitsubishi PLC with Touchscreen for controlling and monitoring the fluid bed process. The PLC shall be supplied with a Dot Matrix printer for online data recording.
3.	Rs. 5,50,000/-	For dehumidification system for controlling RH of the incoming air. The system shall comprise of chilled water generator which shall supply chilled water through the dehumidifier coil to control the RH. (Extra Space Required: 500mm x 800mm)
4.	Rs. 1,75,000/-	For exhaust air filter unit comprising of 10Micron Exhaust Air Filter housed in S.S. 304 box. It shall have indication of D.P. against Exhaust Filter on PLC for indication of cleaning of exhaust filter.
5.	Rs. 75,000/-	For Indication of spray rate in gm/min directly on the PLC. This eliminates the need for calibrating the peristaltic pump for different RPM and different viscosity solution.
6.	Rs 15,000/-	Extra for Flameproof blower motor
7.	Rs. 35,000/-	For Installation & Commissioning. CLIENT'S SCOPE OF SUPPLY: 1. Level floor. 2. Foundation and necessary masonry work if required. 3. Shifting of equipment at site. 4. Electrical wiring upto the equipment as per our instructions. 5. Steam connection along with necessary steam fittings such as steam trap, strainer etc. and steam controlling device. 6. Necessary unskilled help at your cost.
8.	Rs. 25,000/-	For set of validation documents comprising of DQ/IQ/OQ



Terms and Conditions:

Prices : Prices offered are net-ex-works Mumbai exclusive of Packing, Carting, Crating, Forwarding, Freight and any other incidental charges will be extra to your account.

Taxes : **GST (18%) shall be applied.**

Packing : **2.5% Extra is Packing And Forwarding Charges**

Excise : **NIL**

Inspection : Final Inspection prior to dispatch will have to be carried out jointly by us and your representative at our Mumbai works only. You will be intimated as soon as the machines are ready for dispatch.

Transport : **Extra to be paid by you directly to the transporter.**

Delivery : **Within 16-20 Weeks.**

Payment : 1. 40% Advance on confirmation of order.
2. Balance against proforma invoice through D.D.

Validity : This offer is valid for 30 days.

Warranty : We undertake to make good by replacement or repair, defects arising out of faulty design, materials or workmanship within 12 months of the date of dispatch, purely on ex-works basis i.e., the defective part will be returned by the buyer to our works and replacement taken by the buyer from our works. Bought-out components are guaranteed by us only to the extent of guarantees given to us by our suppliers. Electrical components, such as heaters, motors, contactors etc. rubber components and instruments such as pressure gauges, thermometers, etc. and other such consumables, etc. are however not covered under this Warranty. Warranty stands void if spare parts other than OEM are used.

Jurisdiction : Any dispute arising out of this quotation is subject to the **JURISDICTION OF MUMBAI COURT ONLY**. All dimensions are approximate.

We reserve the right of any technical deviations or modifications in design of all our products due to changes in suppliers situation.

Thanking you and awaiting for your favorable reply.

Yours truly,
For Hugopharm Technologies Pvt. Ltd.

Mr. Hiren Panchal
Tel: 022-24226882 / 022-24222815