

 HUGOPHARM Systems Engineered with Mind & Spirit	UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION	Docuement Ref. Number SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 00
	CLIENT: PURPLE LABS PVT LTD	SHEET NO 1 OF 9

Equipment: UNIFLUID PARTICLE COATER GRANULATOR

Document Reference No: SBP/URS/AC/1706/2025-1

Client: PURPLE LABS PVT LTD

Contact Person: MR VIJAY CHAUHAN-DIRECTOR

For further assistance please contact:

Sales Office:

Hiren Panchal

S.B. Panchal & Co

8, Jogani Industrial Estate,
541 , Senapati Bapat Marg,
Dadar (W), Mumbai: 400 028
Tel: +91-22-24226882
Fax: +91-22-24222815
Email: sales@sbpanchal.com

REVISION NO.	00					
ISSUED FOR	APPROVAL					
PREPD. BY/DATE	HAP 27/09/16					
CHKD. BY/DATE	HAP 27/09/16					
APPD. BY/DATE	ACP 27/09/16					

 HUGOPHARM Systems Engineered with Mind & Spirit	UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION	QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 02
	CLIENT: PURPLE LABS PVT LTD	SHEET NO 2 OF 9
Dear Sir, Please find below list of options available in standard UNIFLUID-Fluid Bed Particle Coater Granulator. Kindly provide the product data in the “Process DataSheet” Please choose from the various options given in “Vendor Specification Options” This document shall form the basis of URS and also Design Qualification. This documents needs to be signed on each page by relevant personnel from Project, Production, Engineering, Procurement Department. Sincerely, For S.B. Panchal & Co. Hiren Panchal		

 HUGOPHARM Systems Engineered with Mind & Spirit	UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 02	
			CLIENT: PURPLE LABS PVT LTD	

1.	Process Data Sheet: Design Basis * Please tick whatever is applicable:		
1.1	Purpose of FBPC	• Bottom Spray Active drug solution layering • Bottom Spray Seal Coat • Bottom Spray Sustain Release Products • Bottom Spray Enteric CoatingTimed Release • Top Spray Granulation of Powder • Top Spray Melt Granulation • Drying of Powders Please write here short note on application if not covered above:	
1.2	Activity/Potency of the Product being coated.	The products being used on the machine are of: • Low active (vitamins, supplements) • Medium active (eg. Asprin) • Highly active (eg. Morphine) • Exclusive (eg. Penicillin)	
1.3	Solvent Handled	The coater will be used for (Check all that apply): • Aqueous • Low LEL (Lower Explosion Limit) Solvents • High LEL Solvents • Melt Coat	
1.4	Size of Particles Handled	Minimum size of particles desired to process in FBPC_____ Maximum size of particles desired to process in FBPC_____ Bulk Density of the particle to be coated in FBPC_____	
1.5	Capacity	The FBPC shall be capable of producing _____(unit) of coated/granulated particles per BATCH. Maximum start processing capacity desired_____kg/batch Maximum end processing capacity desired after weight gain_____kg/batch Minimum start processing capacity desired_____kg/batch	

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1
				JOB NO. : -
		CLIENT: PURPLE LABS PVT LTD		REV : 02
		SHEET NO 4 OF 9		

Sr. No.	Description	Vendor Specification	User Confirmation
Equipment User Requirement Specification Data Sheet.			
2	Inlet Air Handling Unit		
2.1	Body Type	Single Skinned Double Skinned (Insulated)	
2.2	Material of Construction Inside	S.S. 304 M.S. Painted	
2.3	Material of Construction Outside	S.S. 304 M.S. Painted	
2.4	Primary Filter	20 Micron 10 Micron	
2.5	Secondary Filter	5 Micron 3 Micron	
2.6	Final Filter	0.3Micron HEPA	
2.7	Differential Pressure Across Filters	Gauge Transmitter (On PLC)	
2.8	Heating	Electrical Steam Thermic Fluid	
2.9	Dehumidifier	Yes No	
2.10	Humidifier	Yes No	
2.11	Temperature Control	On/Off PID	
2.12	Air Inlet CFM Indication	Yes No	
2.13	Inlet Air RH Indication	Yes No	

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 02
		CLIENT: PURPLE LABS PVT LTD		SHEET NO 5 OF 9

2.14	Air Inlet CFM Control	Yes No	
2.15	Inlet Air RH Control	Yes No Inlet Air Humidity: • Not critical • Dry at least to _____ °C Dew point • Within _____ °C to _____ °C Dew point	
2.16	Position of Ait Handling Unit	Behind Back Wall On Service Floor	
2.17	Approximate (INSULATED) duct length between AHU and Machine Bottom Chamber		
3	Bottom Chamber		
3.1	Material of Construction Inside		
3.2	Inlet Isolation Valve	On/Off % Opening	
3.3	Drain Required	Yes No	
4.	Product Container		
4.1	Material of Construction	S.S. 316 S.S. 316L S.S.304	
4.2	Bottom Mesh	Silicon Molded Not Molded	
4.3	Sampling Port	Yes No	

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 02
		CLIENT: PURPLE LABS PVT LTD		SHEET NO 6 OF 9

4.4	Product Temperature Sensor	Yes No	
4.5	Quick Remove Mesh	Yes No	
4.6	Inflatable Gaskets	Silicon Neoprene	
4.7	Loading/Unloading Philosophy for Product Container	Manual Automatic	
5	Filter Chamber Cum Retarding Chamber		
5.1	Inflatable Gasket	Silicon Neoprene	
5.2	Air Discharge Bags	P.C. Satin Antistatic Epitropic	
5.3	Automatic Bag Shaking	Yes No	
5.4	Shaking Cylinder Location	On Pillar On Top of Machine	
5.5	Exhaust Air Temperature Indication	Yes No	
5.6	Explosion Vent	FIKE-USA Local-S.B. Panchal & Co.	
5.7	Explosion Vent Relief	On Top Service Floor Behind Back Wall	
6	Exhaust Blower		
6.1	Impeller MOC	Aluminum	
6.2	Blower MOC	M.S. Painted	
6.3	Position of Ait Handling Unit	Behind Back Wall On Top Service Floor	

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1
				JOB NO. : -
		CLIENT: PURPLE LABS PVT LTD		REV : 02
SHEET NO 7 OF 9				
6.4	Approximate Duct Length between Machine to Exhaust Blower			
6.5	20 Micron Exhaust Police Filter	Yes No		
6.6	Silencer	Yes No		
6.7	Exhaust Scrubber	Yes No		
6.8	Solid Flow Monitor (Broken Bag Detector)	Yes No		
6.9	CIP Nozzles	Yes No		
6.10	CIP Tanks & Pump	Yes No		
7	Automation & Control			
7.1	Control Philosophy	PLC SCADA 21cfr Part 11 Compliance HMI 21CFR Compliant Industrial PC		
7.2	PLC Controls	Mistubishi		
7.3	Touchscreen	10.1" Mitsubishi 12"Mitsubishi		
7.4	Print Out	Yes No		
7.5	Print Parameters	List of Print Parameter Required		
7.6	Flameproof Design	Yes No		

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1
				JOB NO. : -
		CLIENT: PURPLE LABS PVT LTD	REV : 02	
8.	Spraying System			
8.1	Spray Nozzles	S.B. Panchal & Co.		
8.2	Spray Pump	Flowtech		
8.3	Solution Tank Heating	Yes (Steam/Electrical)		
		No		
8.4	Solution Tank Stirring	Pneumatic Motor		
		Electric Motor		
8.8	Spray Rate Indication in PLC (Solution Tank connected to weighing scale)	Yes		
		No		
9	WIP/CIP System			
9.1	WIP Nozzles	Yes	Client shall supply Pure Water for Wetting and Washing the Equipment through High pressure pump	
		No		
9.2	WIP High Pressure Pump	Yes	Client shall supply only pure water connection only	
		No		
9.4	Complete CIP System with Tank and Skid	Yes	Includes 3 Tank Skid Mounted Assembly for Detergent Dosing, Raw Water, Pure Water Connection for Cleaning	
		No		

 HUGOPHARM Systems Engineered with Mind & Spirit		UNIFLUID Fluid Bed Particle Coater Granulator USER REQUIREMENT SPECIFICATION		QUOTATION REF NUMBER SBP/URS/FBPC/1706/2025-1 JOB NO. : - REV : 02
		CLIENT: PURPLE LABS PVT LTD		SHEET NO 9 OF 9

10	Certifications		
10.1	CE Compliance	Yes No	Cost can increase 30% standard equipment and Lead Time 4 Months
10.2	CE Certified	Yes No	Cost can increase 50% of standard equipment and Lead Time 6 Months
10.3	Atex Compliant	Yes No	Cost can increase 2X standard equipment and Lead Time 6Months
10.4	Atex Certified	Yes No	Cost can increase 3X standard equipment and Lead Time 15- 18Months
10.5	Area Classification of Equipment	Zone1 Zone2 Safe Area	