


7.1.2 POSSIBLE COMBINATIONS FROM THREE

ALGORITHM

1. Start
2. Input three digits a, b, c
3. Store them in a list digits = [a, b, c]
4. For i from 0 to 2
 For j from 0 to 2
 For k from 0 to 2
 If $i \neq j$ AND $j \neq k$ AND $i \neq k$
 Print digits[i] digits[j] digits[k]
5. Stop



Code:

CODETANTRA

Home

aryan.kamdi.batch2025@sitnagpur.siu.edu.inSupportLogout

7.1.2. Possible Combinations from Three Digits02:49

Write a Python program to accept three digits and print all possible 3-digit combinations that can be formed using those three digits. Each digit should be used exactly once in each combination.

For three digits a , b , and c , there are 6 possible arrangements based on their indices: abc , acb , bac , bca , cab , cba .

Input Format:

- Single line contains three space-separated non-negative integers, a , b , and c , representing the three digits

Output Format:

- Print all possible 3-digit combinations
- Each combination should be printed as a 3-digit number on a separate line
- Print combinations as they appear (maintain leading zeros if first digit is 0)

Constraints:

Sample Test Cases

combinat...

1234567

```
a, b, c = input().strip().split()
digits = [a, b, c]
for i in range(3):
    for j in range(3):
        for k in range(3):
            if i != j and j != k and i != k:
                print(digits[i] + digits[j] + digits[k])
```

Average time0.017 s17.00 ms

Maximum time0.025 s25.00 ms

3 out of 3 shown test case(s) passed4 out of 4 hidden test case(s) passed

Test case 125 msDebug

Expected output

Actual output

1 2 31 2 3

123123

132132

213213

231231

312312

TerminalTest cases

< PrevResetSubmitNext >