

VESSEL PERFORMANCE REPORT

M/V XYZ

Ballast Voyage  
Singapore EOPL → Sungai Linggi

|                      |                       |
|----------------------|-----------------------|
| PERIOD               | 22 Apr – 30 Apr 2026  |
| DELIVERY DATE & TIME | 22 APR 2026, 00:01 LT |
| DATE                 | May 02 , 2026         |
| CONDITION            | Ballast               |
| CP SPEED             | 12.5 Kts (Eco)        |

REPORT SUMMARY

|                                                         |                                                                |                                                                |                                                    |
|---------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------|
| Reporting Days<br><b>9</b><br>Days                      | Total Distance<br><b>234.03 nm</b><br>Nautical Miles           | Avg Speed (Stmg)<br><b>10.35 Kts</b><br>CP Warranted: 12.5 Kts | Idle at Anchor<br><b>8</b><br>Days (Sungai Linggi) |
| LSFO Consumed<br><b>46.987 MT</b><br>Warranted: 49.5 MT | LSFO ROB (Close)<br><b>926.27 MT</b><br>After reporting period | MGO Consumed<br><b>4.274 MT</b><br>Total                       | Avg Daily LSFO<br><b>5.5 MT</b><br>MT/Day          |

- Vessel anchored at Singapore EOPL on 22 Apr. LSFO ROB opened at 970.68 MT / MGO 242.98 MT.
- 23 Apr: Vessel proceeded Sungai Linggi (Malacca manouvering) — 127.02 nm at avg 11.3 kts. Vessel was only maneuvering .
- 24 Apr: Arrived Sungai Linggi (02°15.8N, 101°59.9E). Anchored awaiting load instructions — 7 days at anchor.
- No heavy weather recorded.
- Total Consumption LSFO: 46.987 MT | ME: 12.477 MT | AE: 25.05 MT | Boiler: 9.46 MT | MGO: 4.274 MT

Warranted Speed & Consumption Table

| Speed          | RPM (Laden) | M/E VLSFO (MT/Day) | A/E FO (MT/Day) | Boiler | RPM (Ballast) | M/E VLSFO (MT/Day) | A/E FO (MT/Day) | Boiler |
|----------------|-------------|--------------------|-----------------|--------|---------------|--------------------|-----------------|--------|
| 12.5 Kts ★ ECO | 82-83       | 26.5               | 3               | 0      | 79-80         | 23.5               | 3               | 0      |
| 12.0 Kts       | 80-81       | 25.6               | 3               | 0      | 78-79         | 22.8               | 3               | 0      |
| 11.5 Kts       | 79-80       | 24.7               | 3               | 0      | 75-77         | 22.2               | 3               | 0      |
| 11.0 Kts       | 78-79       | 23.9               | 3               | 0      | 74-75         | 21.6               | 3               | 0      |
| 10.5 Kts       | 76-77       | 23.1               | 3               | 0      | 72-73         | 21.1               | 3               | 0      |
| 10.0 Kts       | 75-76       | 22.4               | 3               | 0      | 71-72         | 20.6               | 3               | 0      |

PORT / SPECIAL OPERATION CONSUMPTION

| Operation                          | VLSFO Total (MT/Day) | A/E (MT/Day) | Boiler (MT/Day) | Remarks                    |
|------------------------------------|----------------------|--------------|-----------------|----------------------------|
| Idle (in Port / at Anchorage) ★    | 5.5                  | 3            | 2.5             | ★ APPLICABLE — this voyage |
| Loading (including deballasting)   | 7.8                  | 3            | 4.8             | Condition depending        |
| Discharging (including running IG) | 32.0                 | 3            | 29              | Condition depending        |
| Inerting                           | 19.0                 | 3            | 16              | Condition depending        |
| Heating – to Maintain              | 12.0                 | 3            | 9               | Season depending           |
| Tank Cleaning (Cold Water)         | 13.5                 | 3            | 10.5            | Condition depending        |
| Tank Cleaning (Hot Water)          | 21.5                 | 3            | 18.5            | Condition depending        |
| Ballast Exchange                   | 6.5                  | 3            | 3.5             | Condition depending        |

Master Noon Report — Distance, Speed & Weather1200 LT daily position reports

| Date   | Latitude  | Longitude  | Post.   | Operation          | Cond.   | Stm Hrs | Dist nm | Avg Spd | CP Spd | RPM | Slip % | Wind Dir | Wind Spd | BF | Wave mtrs | Swl Dir | Swell mtr | Cur Dir | Cur Spd |
|--------|-----------|------------|---------|--------------------|---------|---------|---------|---------|--------|-----|--------|----------|----------|----|-----------|---------|-----------|---------|---------|
| 22-Apr | 02 01.9 N | 104 49.7 E | At Port | Idle               | Ballast | -       | -       | -       | -      | -   | -      | -        | -        | -  | -         | -       | -         | -       | -       |
| 23-Apr | 01 17.9N  | 103 19.9   | At Sea  | Manouvering        | Ballast | 0       | 127.02  | 11.3    | 12.5   | 80  | 5.5    | 5        | 6        | 2  | -         | -       | -         | 8       | -       |
| 24-Apr | 02 15.8N  | 101 59.9E  | At Port | Idle / Manouvering | Ballast | 0       | 107.01  | 11.7    | 12.5   | 0   | 5.6    | 5        | 4        | 2  | -         | -       | -         | 11      | -       |
| 25-Apr | 02 15.8N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 8        | 1        | 3  | -         | -       | -         | 4       | -       |
| 26-Apr | 02 15.8N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 4        | 3        | 2  | -         | -       | -         | 10      | -       |
| 27-Apr | 02 15.8N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 4        | 3        | 2  | -         | -       | -         | 10      | -       |
| 28-Apr | 02 15.8N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 6        | 2        | 2  | -         | -       | -         | 10      | -       |
| 29-Apr | 02 15.9N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 7        | 2        | 3  | -         | -       | -         | 10      | -       |
| 30-Apr | 02 15.9N  | 101 59.9E  | At Port | Idle               | Ballast | 0       | 0       | 11.7    | 12.5   | 0   | 0      | 8        | 6        | 3  | -         | -       | -         | 10      | -       |

Engine Summary — ROB & Consumption

No Additional Bunker yet received

| Date            | Lat.      | Long.      | Post.   | Operation        | Stm.<br>(Hrs) | Dist.<br>(nm) | Avg<br>Spd. | CP<br>Spd. | RPM | Slip% | ROB<br>LSFO | ROB<br>MGO | Rcvd.<br>LSFO | Rcvd.<br>MGO | Warr.<br>MT/D | M/E<br>LSFO | A/E<br>LSFO | Boiler<br>LSFO | M/E<br>MGO | A/E<br>MGO | Boil<br>MGO | FW<br>Cons. | FW<br>Rcvd<br>. | FW<br>ROB |
|-----------------|-----------|------------|---------|------------------|---------------|---------------|-------------|------------|-----|-------|-------------|------------|---------------|--------------|---------------|-------------|-------------|----------------|------------|------------|-------------|-------------|-----------------|-----------|
| 22-Apr<br>00:01 | —         | —          | —       | Delivery         | —             | —             | —           | —          | —   | —     | 973.56      | 246.95     | —             | —            | —             | —           | —           | —              | —          | —          | —           | —           | —               | 218       |
| 22-Apr<br>12:00 | 02 01.9 N | 104 49.7 E | At Port | Idle             | -             | -             | -           | -          | -   | -     | 970.68      | 242.98     | 0             | 0            | 5.5           | 0           | 2.19        | 0.69           | 0          | 0          | 3.97        | 5           | 0               | 218       |
| 23-Apr          | 01 17.9N  | 103 19.9   | At Sea  | Manouvering      | 0             | 127.02        | 11.3        | 12.5       | 80  | 5.5   | 959.73      | 246.54     | 0             | 0            | 5.5           | 9.107       | 3.71        | 0.83           | 0          | 0          | 0           | 6           | 0               | 212       |
| 24-Apr          | 02 15.8N  | 101 59.9E  | At Port | Idle/Manouvering | 0             | 107.01        | 11.7        | 12.5       | 0   | 5.6   | 949.29      | 246.44     | 0             | 0            | 5.5           | 3.37        | 3.2         | 0.87           | 0          | 0.1        | 0           | 8           | 0               | 204       |
| 25-Apr          | 02 15.8N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 945.42      | 246.44     | 0             | 0            | 5.5           | 0           | 2.7         | 1.17           | 0          | 0.004      | 0           | 9           | 0               | 195       |
| 26-Apr          | 02 15.8N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 941.67      | 246.44     | 0             | 0            | 5.5           | 0           | 2.6         | 1.15           | 0          | 0          | 0           | 9           | 0               | 186       |
| 27-Apr          | 02 15.8N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 937.8       | 246.44     | 0             | 0            | 5.5           | 0           | 2.68        | 1.19           | 0          | 0          | 0           | 10          | 0               | 176       |
| 28-Apr          | 02 15.8N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 933.92      | 246.34     | 0             | 0            | 5.5           | 0           | 2.67        | 1.21           | 0          | 0.1        | 0           | 8           | 0               | 168       |
| 29-Apr          | 02 15.9N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 930.03      | 246.24     | 0             | 0            | 5.5           | 0           | 2.68        | 1.21           | 0          | 0.1        | 0           | 8           | 0               | 160       |
| 30-Apr          | 02 15.9N  | 101 59.9E  | At Port | Idle             | 0             | 0             | 11.7        | 12.5       | 0   | 0     | 926.27      | 246.24     | 0             | 0            | 5.5           | 0           | 2.62        | 1.14           | 0          | 0          | 0           | 9           | 0               | 151       |
| TOTAL           | —         | —          | —       | —                | —             | 234.03        | —           | —          | 80  | —     |             |            | 0             | 0            | 5.5           | 12.477      | 25.05       | 9.46           | 0          | 0.304      | 3.97        | 72          | 0               | 1888.0    |

Voyage Summary – Actuals vs Charter Party Warranted

| Leg       | Duration | Distance  | Operation            | Avg. Speed | Status           |
|-----------|----------|-----------|----------------------|------------|------------------|
| 22-Apr    |          | 0 nm      | Idle – SGP EOPL      | 0.0 Kts    | Below Warranted  |
| 23-Apr    | 0 hr     | 127.02 nm | Manouvering          | 11.3 Kts   | Manouvering Only |
| 24-Apr    | 0 hr     | 107.01 nm | Manouvering/Anchor   | 11.7 Kts   | Manouvering Only |
| 25–30 Apr | 0        | 0 nm      | Idle – Sungai Linggi | 11.7 Kts   | Below Warranted  |
| TOTAL     |          | 234.03 nm | —                    | 10.35 Kts  |                  |

| Parameter            | CP Warranted   | Actual     |
|----------------------|----------------|------------|
| Speed (Steaming Avg) | 12.5 Kts (Eco) | 10.35 Kts  |
| Total LSFO Consumed  | 49.5 MT        | 46.987 MT  |
| Avg. Daily LSFO      | 5.5 MT/Day     | 5.5 MT/Day |
| MGO Consumed         | —              | 4.274 MT   |
| Idle Days at Anchor  | N/A            | 7 Days     |
| Total Distance       | —              | 234.03 nm  |
|                      |                |            |

Engine Summary – Consumption & Bunker ROB

Daily bunker consumption breakdown: ME, AE, Boiler. ROB tracking LSFO & MGO


| Date   | Operation   | Stm.<br>(Hrs) | Dist.<br>(nm) | Spd<br>(kts) | M/E<br>LSFO | A/E<br>LSFO | Boiler<br>LSFO | Total<br>LSFO | MGO   | RPM | BUNKER ROB SUMMARY  |           |
|--------|-------------|---------------|---------------|--------------|-------------|-------------|----------------|---------------|-------|-----|---------------------|-----------|
| 22-Apr | Idle        | 0             | 0             | 0            | 0           | 2.19        | 0.69           | 2.880         | 3.970 | —   | Opening LSFO ROB    | 970.68 MT |
| 23-Apr | Manouvering | 11.2          | 127.02        | 11.3         | 9.107       | 3.71        | 0.83           | 13.647        | 0.000 | 80  | Closing LSFO ROB    | 926.27 MT |
| 24-Apr | Manouvering | 9.1           | 107.01        | 11.7         | 3.370       | 3.20        | 0.87           | 10.440        | 0.1   | —   | Total LSFO Consumed | 46.987 MT |
| 25-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.70        | 1.17           | 3.870         | 0.004 | —   | Warranted LSFO      | 49.5 MT   |
| 26-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.60        | 1.15           | 3.750         | 0.0   | —   | Opening MGO ROB     | 242.98 MT |
| 27-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.68        | 1.19           | 3.870         | 0.0   | —   |                     |           |
| 28-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.67        | 1.21           | 3.880         | 0.1   | —   |                     |           |
| 29-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.68        | 1.21           | 3.890         | 0.1   | —   |                     |           |
| 30-Apr | Idle        | 0             | 0             | 11.7         | 0           | 2.62        | 1.14           | 3.760         | 0.0   | —   | Closing MGO ROB     | 246.24 MT |
| TOTAL  | —           | —             | 234.03        | —            | 12.477      | 25.05       | 9.46           | 46.987        | 4.274 | 80  | Total MGO Consumed  | 4.274 MT  |

Total Consumption: LSFO ME 12.477 MT | LSFO AE 25.05 MT | LSFO Boiler 9.46 MT | Total LSFO 46.987 MT | MGO Total 4.274 MT


Visual Analysis – Fuel ROB & Daily Consumption Trends

Daily bunker consumption vs CP warranted | ROB drawdown curve | Actual Speed | MGO ROB


Daily LSFO Consumption vs CP Warranted




LSFO ROB Drawdown Curve



Actual Speed vs CP Warranted Speed




MGO ROB



Time Utilization & Fuel Efficiency


Voyage time breakdown and LSFO consumption by system | 9-day reporting period

Voyage Time Utilisation (9 Days)



Idle - Sungai Linggi    Manoeuvring / Transit    Idle - Singapore EOPL

LSFO Consumption by System (46.99 MT)




Aux. Engines (AE)    Main Engine (ME)    Boiler




## Weather Analysis — Reported vs Actual | Wave , Wind Speed &amp; Current


Beaufort Scale — Reported vs Actual




Wind Speed (kts) — Reported vs Actual



Actual Wave Height &amp; Swell — metres



Current Speed (kts) — Actual Weather



Voyage Detail Map

