Site API — Dashboard Integration Guide

Public-site data (hero content, landing sections, SEO, pages, blogs, products) is owned by a single MongoDB document managed through the config portal. The dashboard reads this data via the endpoints below. All write endpoints (`POST` / `PUT` / `DELETE`) are also exposed so that the dashboard — or any other service — can update the same data the portal edits.

- **Base URL (local):** `http://localhost:1337`
- **Namespace:** all paths live under `/site/*`
- **Content type:** `application/json` for every body except asset upload (multipart)
- **Authoritative source for seeded shapes:** ../salescode-marketplace/src/scripts/seedSite.ts

---

Conventions

Write semantics

- **All `PUT`s replace the target in full.** There is no partial-patch. Fetch with `GET`, mutate the field you want, then `PUT` the complete object/array back.
- **List endpoints (sections, sidebar, client images) are also full-replace.** To add/remove one item, send the entire updated array.

Body wrappers

Most write endpoints wrap the payload under a single key so the backend can accept additional metadata in future without breaking the contract. The wrapper for each endpoint is listed in its section below. Pattern summary:

Endpoint family	Wrapper key
`/site/content`	`content`
`/site/sections`	`sections`
`/site/seo/:pageKey`	`seo`
`/site/pages/:pageKey`	`page`
`/site/blogs/bg-image`	`bgImage`
`/site/blogs/reorder`	`order`
`/site/blogs`, `/site/blogs/:id`	*raw* (no wrapper)
`/site/products/:id`	*raw* (no wrapper)
`/site/products/:id/sidebar`	`sidebar`
`/site/products/reorder`	`order`

Response shape

All endpoints return the updated resource so the client can re-render without a follow-up `GET`. Errors use the standard HTTP status + `{ "message": "..." }` shape.

ID semantics

- Resources with stable natural keys (`productId`, `pageKey`, `blogId`) are referenced by that key in the URL.
- Items inside lists (section items, sidebar entries, client images) carry a client-generated `id` and an `order` field. Preserve `id`s across edits; `order` is reassigned on every save to match array position.

---

1. Landing Content (hero block)

Single document containing the hero title, description, and image shown at the top of the landing page. Controller: ../salescode-marketplace/src/controller/siteContentController.ts.

`GET /site/content`

```
curl -X GET http://localhost:1337/site/content
```

Response

```
{
  "content": {
    "title": "AI for Sales, eB2B and NextGen SFA for CPG Sales",
    "description": "Sales Uplift Guaranteed with the Code of Future Ready Sales Teams and Trade
— designed by sales experts, specifically for consumer-packaged-goods distribution and retail
execution.",
    "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png"
  }
}
```

`PUT /site/content`

Body: `{ content: { title, description, image } }`

```
curl -X PUT http://localhost:1337/site/content \
  -H "Content-Type: application/json" \
  -d '{
    "content": {
      "title": "AI for Sales, eB2B and NextGen SFA for CPG Sales",
      "description": "Sales Uplift Guaranteed with the Code of Future Ready Sales Teams and
Trade — designed by sales experts, specifically for consumer-packaged-goods distribution and
retail execution.",
      "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png"
    }
  }'
```

---

2. Landing Sections

A unified, ordered list of content blocks on the landing page. Every block declares its own `kind` (`image | video | card | blog`) and `cardinality` (`single | multiple`). Item shape varies by kind. Controller: ../salescode-marketplace/src/controller/siteSectionsController.ts.

Section shape

```
{
  id: string,                                    // stable, client-generated
  label: string,                                 // display label
  kind: 'image' | 'video' | 'card' | 'blog',
  cardinality: 'single' | 'multiple',
```

```
  order: number,                                  // zero-based index in array
  enabled: boolean,                               // when false, section is hidden from the
public page (defaults to true)
  items: SectionItem[]                            // shape depends on `kind`
}
```

Item shapes (all items carry `id` and `order`)

Kind	Fields
`image`	`url`, `alt`, `caption?`
`video`	`url`, `title`, `description`, `thumbnail`
`card`	`title`, `subtitle`, `description`, `image`, `points: [{ heading, description }]`
`blog`	`blogId` only — the blog catalog (`/site/blogs`) owns `title/description/image/link/video`

`GET /site/sections`

```
curl -X GET http://localhost:1337/site/sections
```

`GET /site/sections/available-blogs`

Returns enabled catalog blogs that are **not** already featured in any blog-kind section — useful for the "pick a blog to feature" UI.

```
curl -X GET http://localhost:1337/site/sections/available-blogs
```

`PUT /site/sections`

Body: `{ sections: Section[] }` — full replace. Example uses the complete 9-section seed.

```
curl -X PUT http://localhost:1337/site/sections \
  -H "Content-Type: application/json" \
  -d '{
    "sections": [
      {
        "id": "cpg-brands", "kind": "image", "label": "Top CPG Brands",
        "cardinality": "multiple", "order": 0,
        "items": [
          { "id": "cpg-1", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Coca-Cola",  "caption": "", "order": 0 },
          { "id": "cpg-2", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Nestlé",     "caption": "", "order": 1 },
          { "id": "cpg-3", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "PepsiCo",    "caption": "", "order": 2 },
          { "id": "cpg-4", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Unilever",   "caption": "", "order": 3 }
        ]
      },
```

```
      {
        "id": "data-safe", "kind": "image", "label": "Your Data is Safe",
        "cardinality": "multiple", "order": 1,
        "items": [
          { "id": "ds-1", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "ISO 27001", "caption": "ISO 27001 certified", "order": 0 },
          { "id": "ds-2", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "SOC 2",     "caption": "SOC 2 Type II",       "order": 1 },
          { "id": "ds-3", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "GDPR",      "caption": "GDPR compliant",      "order": 2 }
        ]
      },
      {
        "id": "cpg-leaders", "kind": "video", "label": "CPG Leaders",
        "cardinality": "multiple", "order": 2,
        "items": [
          { "id": "leader-1", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov", "title": "Interview with a CPG Leader",
"description": "Insights from a leading CPG executive on AI-driven sales.", "thumbnail":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"order": 0 },
          { "id": "leader-2", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov", "title": "What CPG leaders look for",
"description": "Building future-ready sales teams.",                      "thumbnail":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"order": 1 }
        ]
      },
      {
        "id": "future-ready", "kind": "card", "label": "Future Ready Solutions",
        "cardinality": "multiple", "order": 3,
        "items": [
          {
            "id": "fr-1", "title": "AI-native execution", "subtitle": "Built for CPG sales",
            "description": "Every workflow is AI-first — from planning to in-store execution.",
            "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
            "points": [
              { "heading": "Real-time signals",      "description": "Act on what is happening
now, not last week." },
              { "heading": "Predictive assortments", "description": "Right SKU, right store,
right time." }
            ],
            "order": 0
          },
          {
            "id": "fr-2", "title": "Scales with you", "subtitle": "From single brand to global",
            "description": "Designed for 100 stores or 100,000.",
            "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
            "points": [],
```

```
            "order": 1
          }
        ]
      },
      {
        "id": "featured-blogs", "kind": "blog", "label": "Featured Blogs",
        "cardinality": "multiple", "order": 4,
        "items": [
          { "id": "blog-1", "blogId": "blog-1", "order": 0 },
          { "id": "blog-2", "blogId": "blog-2", "order": 1 },
          { "id": "blog-3", "blogId": "blog-3", "order": 2 }
        ]
      },
      {
        "id": "integrations", "kind": "image", "label": "Integrations",
        "cardinality": "single", "order": 5,
        "items": [
          { "id": "integrations-diagram", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Integrations", "caption": "Integration ecosystem diagram", "order": 0 }
        ]
      },
      {
        "id": "plug-in", "kind": "video", "label": "Plug-In",
        "cardinality": "single", "order": 6,
        "items": [
          { "id": "plug-in-video", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov", "title": "Plug-In overview", "description": "How
SalesCode plugs into your existing stack.", "thumbnail":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"order": 0 }
        ]
      },
      {
        "id": "cpg-leadership", "kind": "video", "label": "CPG Leadership",
        "cardinality": "single", "order": 7,
        "items": [
          { "id": "leadership-video", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov", "title": "CPG Leadership", "description":
"Leadership perspectives from top CPG brands.", "thumbnail":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"order": 0 }
        ]
      },
      {
        "id": "salescode-experience", "kind": "video", "label": "SalesCode Experience Center",
        "cardinality": "single", "order": 8,
        "items": [
          { "id": "experience-video", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov", "title": "SalesCode Experience Center",
"description": "Tour of the SalesCode Experience Center.", "thumbnail":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"order": 0 }
```

```
        ]
      }
    ]
  }'
```

---

3. SEO (per page)

One SEO record per page. Valid `:pageKey` values: `landing`, `blog`, `contact-us`, `client`, `about-us`. Controller: ../salescode-marketplace/src/controller/siteSeoController.ts.

SEO shape

```
{
  metaTitle: string,
  metaDescription: string,
  keywords: string[],
  ogTitle: string,
  ogDescription: string,
  ogImage: string,
  twitterTitle: string,
  twitterDescription: string,
  twitterImage: string,
  canonicalUrl: string,
  focusKeyphrase: string,
  robots: string                                    // e.g. "index, follow"
}
```

`GET /site/seo`

Returns all SEO records keyed by `pageKey`.

```
curl -X GET http://localhost:1337/site/seo
```

`GET /site/seo/:pageKey`

```
curl -X GET http://localhost:1337/site/seo/landing
```

`PUT /site/seo/:pageKey`

Body: `{ seo: { ... } }`

```
curl -X PUT http://localhost:1337/site/seo/landing \
  -H "Content-Type: application/json" \
  -d '{
    "seo": {
      "metaTitle": "SalesCode — AI for Sales, eB2B and NextGen SFA for CPG Sales",
      "metaDescription": "Sales Uplift Guaranteed with the Code of Future Ready Sales Teams and
Trade — built for CPG distribution.",
      "keywords": ["sales", "ai", "cpg", "sfa", "eb2b"],
      "ogTitle": "SalesCode — AI for CPG Sales",
      "ogDescription": "Next-gen SFA and eB2B for consumer goods teams.",
      "ogImage":
```

```
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
      "twitterTitle": "SalesCode — AI for CPG Sales",
      "twitterDescription": "Next-gen SFA and eB2B for consumer goods teams.",
      "twitterImage":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
      "canonicalUrl": "https://salescode.ai/",
      "focusKeyphrase": "AI for CPG sales",
      "robots": "index, follow"
    }
  }'
```

---

4. Pages

Per-page content for `about-us`, `contact-us`, `client`. The `blog` page is handled via the blogs endpoints below; `landing` is handled via content + sections. Controller: ../salescode-marketplace/src/controller/sitePagesController.ts.

Page shapes

`contact-us`

```
{ title: string, description: string, image: string }
```

`client`

```
{
  title: string,
  description: string,
  bannerImage: string,
  images: [{ id, url, alt, caption, order }]
}
```

`about-us`

```
{ title: string, description: string, bannerImage: string, video: string }
```

`GET /site/pages`

```
curl -X GET http://localhost:1337/site/pages
```

`GET /site/pages/:pageKey`

```
curl -X GET http://localhost:1337/site/pages/about-us
```

`PUT /site/pages/:pageKey`

Body: `{ page: { ... } }` — shape varies per page key.

```
# contact-us
curl -X PUT http://localhost:1337/site/pages/contact-us \
  -H "Content-Type: application/json" \
  -d '{
```

```
    "page": {
      "title": "Get in touch",
      "description": "Book a demo or talk to our team. We typically respond within one business
day.",
      "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png"
    }
  }'
```

```
# client
curl -X PUT http://localhost:1337/site/pages/client \
  -H "Content-Type: application/json" \
  -d '{
    "page": {
      "title": "Trusted by CPG leaders",
      "description": "The brands and distributors that run their sales on SalesCode.",
      "bannerImage":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
      "images": [
        { "id": "client-1", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Client One",   "caption": "", "order": 0 },
        { "id": "client-2", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Client Two",   "caption": "", "order": 1 },
        { "id": "client-3", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Client Three", "caption": "", "order": 2 },
        { "id": "client-4", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Client Four",  "caption": "", "order": 3 },
        { "id": "client-5", "url":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
"alt": "Client Five",  "caption": "", "order": 4 }
      ]
    }
  }'
```

```
# about-us
curl -X PUT http://localhost:1337/site/pages/about-us \
  -H "Content-Type: application/json" \
  -d '{
    "page": {
      "title": "About SalesCode",
      "description": "Built by sales experts, for sales teams. Our mission is to guarantee sales
uplift for CPG through AI-powered execution.",
      "bannerImage":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
      "video":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov"
    }
  }'
```

5. Blogs

Authoritative blog catalog + the background image shown above the public blog page. Controller: ../salescode-marketplace/src/controller/siteBlogsController.ts.

Blog shape

```
{
  id: string,                    // server-assigned on POST
  image: string,
  video: string,
  link: string,                  // e.g. "/blog/ai-reshaping-cpg"
  title: string,
  description: string,
  type: BlogCategory | '',       // '' = uncategorized; drives the public filter tabs
  order: number,                 // index within the catalog
  enabled: boolean               // when false, item is hidden from sections picker
}

type BlogCategory =
  | 'ai-powered-eb2b'
  | 'ai-sales-agent'
  | 'experience-center'
  | 'expert-stories'
  | 'nextgen-sfa'
  | 'product-launch';
```

`type` is optional on create/update — omit it or send `''` to leave the blog uncategorized. An invalid value returns `400`.

5a. Catalog CRUD

`GET /site/blogs`

```
curl -X GET http://localhost:1337/site/blogs
```

`GET /site/blogs/:blogId`

```
curl -X GET http://localhost:1337/site/blogs/blog-1
```

`POST /site/blogs`

Raw fields (no wrapper). Server assigns `id` and `order`.

```
curl -X POST http://localhost:1337/site/blogs \
  -H "Content-Type: application/json" \
  -d '{
    "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
    "video":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov",
    "link": "/blog/field-ops-kpis",
    "title": "Field ops KPIs that actually drive uplift",
    "description": "Move beyond vanity metrics — the handful of KPIs that predict distribution
```

```
success.",
    "type": "expert-stories",
    "enabled": true
  }'
```

`PUT /site/blogs/:blogId`

Raw partial fields.

```
curl -X PUT http://localhost:1337/site/blogs/blog-1 \
  -H "Content-Type: application/json" \
  -d '{
    "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
    "video":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943854781_Screen%20Recording%202026-04-
22%20at%2012.20.29%C3%A2%C2%80%C2%AFPM.mov",
    "link": "/blog/ai-reshaping-cpg",
    "title": "How AI is reshaping CPG sales",
    "description": "Five ways AI-driven sales execution is changing the game for consumer goods
teams.",
    "enabled": true
  }'
```

`PUT /site/blogs/reorder`

Body: `{ order: blogId[] }` — full list in desired order.

```
curl -X PUT http://localhost:1337/site/blogs/reorder \
  -H "Content-Type: application/json" \
  -d '{ "order": ["blog-1", "blog-2", "blog-3", "blog-4"] }'
```

`DELETE /site/blogs/:blogId`

Blog will also be removed from any blog-kind sections that reference it.

```
curl -X DELETE http://localhost:1337/site/blogs/blog-4
```

5b. Blog page background image

`GET /site/blogs/bg-image`

```
curl -X GET http://localhost:1337/site/blogs/bg-image
```

`PUT /site/blogs/bg-image`

Body: `{ bgImage: string }`

```
curl -X PUT http://localhost:1337/site/blogs/bg-image \
  -H "Content-Type: application/json" \
  -d '{
    "bgImage":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png"
  }'
```

6. Products

Product catalog + per-product sidebar. Seeded on first run — the UI can update and reorder but does not expose create/delete. `category` is one of `applications | ai-agents | plugins | integrations`. Controller: ../salescode-marketplace/src/controller/siteProductsController.ts.

Product shape

```
{
  productId: string,             // stable natural key, used in URLs
  name: string,
  title: string,
  subtitle: string,
  description: string,
  image: string,
  highlight: string,             // e.g. "5-18% Sales Uplift" - optional ribbon text
  category: 'applications' | 'ai-agents' | 'plugins' | 'integrations',
  order: number,
  enabled: boolean,
  sidebar: SidebarItem[]         // see shape below - stored on product, edited via its own
endpoint
}
```

Sidebar item shape

```
{ id: string, label: string, route: string, icon: string, order: number, enabled: boolean }
```

6a. Catalog

`GET /site/products`

```
curl -X GET http://localhost:1337/site/products
```

`GET /site/products/:productId`

```
curl -X GET http://localhost:1337/site/products/sfa
```

`PUT /site/products/:productId`

Raw partial fields (no wrapper). `productId` itself cannot be changed via this endpoint.

```
curl -X PUT http://localhost:1337/site/products/sfa \
  -H "Content-Type: application/json" \
  -d '{
    "name": "NextGen SFA",
    "title": "Sales Force Automation",
    "subtitle": "AI-powered field sales automation",
    "description": "AI-powered field sales automation",
    "image":
"https://d3k6auglia2ji4.cloudfront.net/thumbnails/1776943889142_11zon_resized%20(26).png",
    "highlight": "5-18% Sales Uplift",
    "category": "applications",
```

```
    "enabled": true
  }'
```

`PUT /site/products/reorder`

Body: `{ order: productId[] }` — full list in desired order.

```
curl -X PUT http://localhost:1337/site/products/reorder \
  -H "Content-Type: application/json" \
  -d '{
    "order": [
      "sfa", "retail-execution", "analytics", "ebtb",
      "scai-sales-agent", "scai-coach", "ai-promo-copilot", "ai-vision-ir",
      "promo-engine", "new-outlets", "travel-expense", "sales-incentive", "ai-target-engine",
"ai-task-engine",
      "upi-payments", "whatsapp", "digital-wallet", "marketing-automation"
    ]
  }'
```

6b. Per-product sidebar

`GET /site/products/:productId/sidebar`

```
curl -X GET http://localhost:1337/site/products/sfa/sidebar
```

`PUT /site/products/:productId/sidebar`

Body: `{ sidebar: SidebarItem[] }` — full replace.

```
curl -X PUT http://localhost:1337/site/products/sfa/sidebar \
  -H "Content-Type: application/json" \
  -d '{
    "sidebar": [
      { "id": "sfa-overview",     "label": "Overview",     "route": "/products/sfa/overview",
"icon": "", "order": 0, "enabled": true },
      { "id": "sfa-features",     "label": "Features",     "route": "/products/sfa/features",
"icon": "", "order": 1, "enabled": true },
      { "id": "sfa-integrations", "label": "Integrations", "route":
"/products/sfa/integrations", "icon": "", "order": 2, "enabled": true },
      { "id": "sfa-pricing",      "label": "Pricing",      "route": "/products/sfa/pricing",
"icon": "", "order": 3, "enabled": true }
    ]
  }'
```

---

7. Asset Upload

Uploads an image or video and returns a CDN URL that can be dropped into any of the payloads above (e.g. into `content.image`, a card's `image`, a blog's `video`). Controller: ../salescode-marketplace/src/controller/siteUploadController.ts.

`POST /site/upload`

Multipart form — field name must be `file`.

```
curl -X POST http://localhost:1337/site/upload \
  -F "file=@/absolute/path/to/local/image.png"
```

Response

```
{ "url": "https://d3k6auglia2ji4.cloudfront.net/thumbnails/<generated>.png" }
```

Endpoint Index

Method	Path	Wrapper	Purpose
GET	/site/content	—	Hero content
PUT	/site/content	content	Replace hero content
GET	/site/sections	—	Landing sections
GET	/site/sections/available-blogs	—	Blogs not yet featured
PUT	/site/sections	sections	Replace all sections
GET	/site/seo	—	All SEO records
GET	/site/seo/:pageKey	—	One page's SEO
PUT	/site/seo/:pageKey	seo	Replace one page's SEO
GET	/site/pages	—	All page contents
GET	/site/pages/:pageKey	—	One page's content
PUT	/site/pages/:pageKey	page	Replace one page's content
GET	/site/blogs	—	Blog catalog
GET	/site/blogs/:blogId	—	One blog
POST	/site/blogs	*raw*	Create a blog
PUT	/site/blogs/:blogId	*raw*	Update a blog
DELETE	/site/blogs/:blogId	—	Delete a blog
PUT	/site/blogs/reorder	order	Reorder blog catalog
GET	/site/blogs/bg-image	—	Blog page bg image
PUT	/site/blogs/bg-image	bgImage	Replace blog page bg image
GET	/site/products	—	Product catalog
GET	/site/products/:productId	—	One product
PUT	/site/products/:productId	*raw*	Update one product
PUT	/site/products/reorder	order	Reorder product catalog
GET	/site/products/:productId/sidebar	—	Product sidebar
PUT	/site/products/:productId/sidebar	sidebar	Replace product sidebar

`POST`	`/site/upload`	multipart	Upload asset, returns CDN URL