

CoLogic Technologies — Complete Project Structure

Overview

This is a full-stack React + Express + tRPC application with database integration, authentication, and production-ready design.

Directory Structure

Root Level Files

Plain Text

<code>.gitignore</code>	→ Git configuration (excludes node_modules, dist, etc)
<code>.gitkeep</code>	→ Empty placeholder file
<code>.prettierignore</code>	→ Prettier code formatter configuration
<code>.prettierrc</code>	→ Prettier formatting rules
<code>components.json</code>	→ shadcn/ui component configuration
<code>drizzle.config.ts</code>	→ Database migration configuration
<code>ideas.md</code>	→ Project notes and ideas
<code>package.json</code>	→ Dependencies and scripts
<code>pnpm-lock.yaml</code>	→ Locked dependency versions
<code>tsconfig.json</code>	→ TypeScript configuration (main)
<code>tsconfig.node.json</code>	→ TypeScript configuration (Node.js)
<code>vite.config.ts</code>	→ Vite bundler configuration
<code>vitest.config.ts</code>	→ Vitest testing framework configuration
<code>todo.md</code>	→ Project task tracking

Client (Frontend) — `/client`

Entry Point

Plain Text

<code>client/</code>	
├─ <code>index.html</code>	→ Main HTML file (loads React app)
└─ <code>main.tsx</code>	→ React app initialization with tRPC provider

Source Code

Plain Text

```
client/src/
├── App.tsx           → Main app component (routes, layout)
├── const.ts          → Constants (login URL, config)
├── index.css         → Global styles (Tailwind, design tokens)
├── main.tsx          → React entry point
├── _core/
│   └── hooks/
│       └── useAuth.ts → Authentication hook (user state, login/logout)
├── components/
│   ├── AIChatBox.tsx → AI chat interface component
│   ├── DashboardLayout.tsx → Sidebar dashboard layout
│   ├── DashboardLayoutSkeleton.tsx → Loading skeleton for dashboard
│   ├── ErrorBoundary.tsx → Error handling wrapper
│   ├── Footer.tsx → Footer with contact info
│   ├── ManusDialog.tsx → Dialog component
│   ├── Map.tsx → Google Maps integration
│   ├── Navigation.tsx → Top navigation bar
│   └── ui/ → shadcn/ui components (50+ pre-built)
│       ├── accordion.tsx
│       ├── alert.tsx
│       ├── button.tsx
│       ├── card.tsx
│       ├── dialog.tsx
│       ├── form.tsx
│       ├── input.tsx
│       ├── label.tsx
│       ├── select.tsx
│       ├── table.tsx
│       ├── tabs.tsx
│       ├── textarea.tsx
│       └── ... (40+ more UI components)
├── contexts/
│   └── ThemeContext.tsx → Dark/light theme management
├── hooks/
│   ├── useComposition.ts → React composition utilities
│   ├── useMobile.tsx → Mobile breakpoint detection
│   ├── usePersistFn.ts → Persistent function reference
│   └── useScrollReveal.ts → Scroll animation trigger
```

```
├── lib/
│   ├── trpc.ts          → tRPC client configuration
│   └── utils.ts         → Utility functions
└── pages/
    ├── Home.tsx         → Homepage with hero section
    ├── Services.tsx     → Services listing page
    ├── About.tsx        → About company page
    ├── Contact.tsx      → Contact form page
    ├── Blog.tsx         → Blog listing (placeholder)
    ├── Careers.tsx      → Careers page (placeholder)
    ├── ComponentShowcase.tsx → UI component demo page
    └── NotFound.tsx     → 404 error page
```

Public Assets

Plain Text

```
client/public/
├── .gitkeep          → Placeholder
└── __manus__/
    ├── debug-collector.js → Debug collector script
    └── version.json      → Version info
```

Server (Backend) — /server

Main Entry Point

Plain Text

```
server/
├── index.ts          → Server startup (Express + tRPC)
├── routers.ts        → tRPC procedure definitions (API routes)
├── db.ts             → Database query helpers
└── storage.ts        → S3 file storage helpers
```

Core Infrastructure (`_core`)

Plain Text

```
server/_core/
├── index.ts          → Server initialization
```

```
|— context.ts          → tRPC context (user, auth)
|— cookies.ts         → Session cookie management
|— env.ts             → Environment variables
|— oauth.ts           → Manus OAuth integration
|— trpc.ts            → tRPC router setup
|
|— llm.ts             → LLM (AI) integration
|— imageGeneration.ts → Image generation API
|— voiceTranscription.ts → Audio-to-text conversion
|— dataApi.ts         → External data API integration
|— map.ts             → Google Maps backend integration
|— notification.ts    → Owner notifications
|— sdk.ts             → Manus SDK initialization
|— systemRouter.ts    → System-level procedures
|— vite.ts            → Vite dev server integration
|
└— types/
    |— cookie.d.ts     → Cookie type definitions
    └— manusTypes.ts   → Manus platform types
```

Testing

Plain Text

```
server/
└— auth.logout.test.ts → Example vitest test file
```



Database — /drizzle

Plain Text

```
drizzle/
|— schema.ts          → Database table definitions (Drizzle ORM)
|— relations.ts       → Table relationships
|— drizzle.config.ts  → Migration configuration
|
|— 0000_thick_mesmero.sql → Initial database migration
|
└— meta/
    |— _journal.json    → Migration history
    └— 0000_snapshot.json → Schema snapshot
```



Shared Code — /shared

Plain Text

```
shared/
├── const.ts           → Shared constants (error messages, timeouts)
├── types.ts           → Shared TypeScript types
├── _core/
│   └── errors.ts      → Error definitions
```



Configuration Files

File	Purpose
package.json	Dependencies, scripts, project metadata
pnpm-lock.yaml	Locked versions of all dependencies
tsconfig.json	TypeScript compiler options
vite.config.ts	Vite bundler configuration
vitest.config.ts	Test runner configuration
drizzle.config.ts	Database migration setup
components.json	shadcn/ui component paths
.prettierrc	Code formatting rules
.gitignore	Git exclusions



Logs — /.manus-logs

Plain Text

```
./manus-logs/
├── devserver.log      → Dev server startup and errors
├── browserConsole.log → Client-side console logs
```

└─ networkRequests.log	→ HTTP requests and responses
└─ sessionReplay.log	→ User interaction events

Key Features & Integrations

Authentication

- **Manus OAuth** integration (`server/_core/oauth.ts`)
- Session management with cookies (`server/_core/cookies.ts`)
- Protected procedures with `protectedProcedure`

Database

- **Drizzle ORM** for type-safe queries
- MySQL/TiDB support
- Automatic migrations with `pnpm db:push`

Frontend Components

- **50+ shadcn/ui components** pre-installed
- **Tailwind CSS 4** for styling
- **Responsive design** with mobile-first approach

Backend Services

- **tRPC** for type-safe API routes
- **LLM integration** (AI chat, text generation)
- **Image generation** API
- **Voice transcription** (Whisper API)
- **Google Maps** integration
- **S3 file storage** for media

Testing

- **Vitest** for unit testing
- Example test: `server/auth.logout.test.ts`



Important Files to Know

File	What It Does
client/src/App.tsx	Route definitions and main layout
client/src/pages/Home.tsx	Homepage with hero section
server/routers.ts	All API endpoints (tRPC procedures)
drizzle/schema.ts	Database table definitions
server/db.ts	Database query helpers
client/src/index.css	Global styles and design tokens
package.json	Run <code>pnpm dev</code> to start dev server



Common Commands

Markdown

```
# Install dependencies
pnpm install

# Start development server
pnpm dev

# Build for production
pnpm build

# Run tests
pnpm test

# Push database changes
pnpm db:push

# Format code
pnpm format
```



File Count Summary

- **Frontend Components:** 60+ (UI library + custom)
 - **Pages:** 7 (Home, Services, About, Contact, Blog, Careers, 404)
 - **Server Procedures:** Multiple (defined in `server/routers.ts`)
 - **Database Tables:** Defined in `drizzle/schema.ts`
 - **Total Source Files:** ~150+ (excluding node_modules)
-

Design & Styling

- **Global Styles:** `client/src/index.css`
 - **Theme:** Dark/Light mode support via `client/src/contexts/ThemeContext.tsx`
 - **Typography:** Apple system font stack
 - **Color Palette:** Navy (#0B1F3A), Green (#2ECC71), Light gray (#F5F7FA)
 - **Components:** Tailwind CSS + shadcn/ui
-

Environment Variables

Automatically injected by Manus platform:

- `DATABASE_URL` — Database connection string
 - `JWT_SECRET` — Session signing key
 - `VITE_APP_ID` — OAuth application ID
 - `OAUTH_SERVER_URL` — OAuth backend
 - `BUILT_IN_FORGE_API_KEY` — Manus API key
 - `VITE_FRONTEND_FORGE_API_KEY` — Frontend API key
-

Quick Navigation

To modify:

- **Homepage:** Edit `client/src/pages/Home.tsx`
- **Navigation:** Edit `client/src/components/Navigation.tsx`
- **Styles:** Edit `client/src/index.css`
- **API routes:** Edit `server/routers.ts`
- **Database:** Edit `drizzle/schema.ts` , then run `pnpm db:push`

- **Footer:** Edit `client/src/components/Footer.tsx`