

BUILD WHAT MOVES INDIA · HACKATHON SUBMISSION

NCRP Reimagined

The National Cyber Crime Reporting Portal,
rebuilt around the citizen.

Platform	National Cyber Crime Reporting Portal (cybercrime.gov.in)
Deadline	28 August 2026, 8:00 PM IST · Round 2: 7 September
Team	Two builders
Build window	Six days
Document	Complete build plan, architecture and schedule

Independent hackathon prototype. Not affiliated with, endorsed by, or connected to the Ministry of Home Affairs or the Indian Cyber Crime Coordination Centre. All data synthetic.

Contents

1. The brief, on one page
2. Why the current portal fails
3. Product thesis: contain the harm, then build the case
4. The citizen journey
5. The Scam DNA engine
6. The content track: the image never leaves the device
7. The deadline engine
8. System architecture
9. Repositories and their roles
10. Data model
11. Route map
12. What is real and what is mocked
13. The six-day plan
14. Demo storyboard and submission copy
15. Submission checklist
16. Risks and cut lines
17. Appendix: verified sources

1. The brief, on one page

Rebuild cybercrime.gov.in as a complete citizen experience. Judges test only the citizen side, they value new interactions over backend realism, and every feature demonstrated must actually work.

The one-line thesis

THESIS

Cybercrime is not a money problem. It is a loss-of-control problem. Something of yours is escaping: money, images, account access, identity or safety. The portal's job is to contain the escape first, and build the case second.

What we are building

A four-stage citizen journey — **Check, Act, Report, Recover** — driven by a behavioural pattern engine rather than a blacklist lookup, with a deadline engine that generates the legal documents a citizen needs before each statutory clock expires, and a content-abuse track where the victim's image is fingerprinted in the browser and never reaches a server.

The three things that will make judges remember it

MOMENT	WHAT HAPPENS
Predicted next move	The engine tells the victim what the scammer will ask for next, before it happens. They check their own inbox and it is already true.
The image never uploads	An intimate-image abuse report is filed with a perceptual hash computed in the browser. To report this crime today, a citizen must upload the images to a government web form.
Clocks with documents	Eight statutory deadlines run live, each generating a pre-filled letter, notice or appeal at the moment it becomes useful.

Scoring logic

CRITERION	HOW THIS BUILD ANSWERS IT
Problem	28.15 lakh complaints in 2025, ₹22,495 crore lost, under 2% became FIRs, roughly 0.4% of money returned.
Working build	One continuous journey, demonstrable in sixty seconds, mock accounts supplied.
Usability	No crime taxonomy, no 200-character form, evidence-first intake, Hindi and Hinglish, mobile-first.
Product thinking	Containment sequenced before filing. Behaviour matched instead of identifiers. Nothing asked twice.
End-to-end	Field mapping, freeze paths, platform grievance routes, restoration and appeal routes all modelled.
Honesty	Every mocked integration labelled in the interface, not only in the write-up.

2. Why the current portal fails

The verified numbers

MEASURE	VALUE	SOURCE
Complaints, 2025	28.15 lakh, up 24%	MHA / NCRP data reported Feb 2026
Reported loss, 2025	₹22,495 crore	MHA / NCRP
FIRs registered, 2025	55,484, down from 66,370	MHA / NCRP
Complaint to FIR conversion	Under 2%	Derived
Money returned to victims	≈₹206 crore of ₹56,087 crore reported	Govt reply, July 2026
Money saved by fast freeze	₹11,158 crore across 32.80 lakh complaints	PIB, CFCFRMS to 30 June 2026
Senior citizens and women, 2025	1 lakh+ and 4.63 lakh, ₹7,769 crore lost	MHA, reported Aug 2026

WHAT THE NUMBERS SAY

The freeze mechanism works when it is triggered fast. The reporting and recovery journey around it does not. Speed and evidence quality are the two variables a citizen-side product can move.

Three structural faults, not cosmetic ones

Fault 1 — It forces a single category before it does anything

The portal opens with *Women/Children, Financial Fraud, Other Cyber Crime*. Sextortion is simultaneously all three: money is extorted, images are weaponised, and a person is in danger. Whichever box the victim picks, two-thirds of their harm is unaddressed. Multi-harm is the norm and the data model cannot express it.

Fault 2 — It asks image-abuse victims to upload their intimate images

This is a design decision, not a legal necessity, and it is a leading reason this crime goes unreported. Hash-based reporting removes the requirement entirely.

Fault 3 — It has no concept of a containment clock

The 24-hour removal obligation under the IT Rules is one of the strongest rights an Indian citizen holds. The portal never mentions it, never starts it, and never helps enforce it. The same is true of the RBI zero-liability window on the money side.

What already exists, scattered across nine services

Every containment lever below is real and available today. No citizen knows which one applies to them. That is the gap.

HARM	CLOCK	EXISTING LEVERS
Money	Minutes	1930 / CFCFRMS freeze, bank nodal officer, RBI zero-liability, Money Restoration Module, Banking Ombudsman
Content	Hours	IT Rules 24-hour removal, platform Grievance Officer, Grievance Appellate Committee, StopNCII, Take It Down
Access	Minutes	Platform recovery and session revocation, TAF COP SIM audit, CEIR handset blocking
Identity	Days	UIDAI biometric lock and authentication history, TAF COP, credit bureau freeze
Safety	Immediate	Anonymous reporting, 112, 1098, 181, Tele-MANAS 14416

3. Product thesis

Four doors, no taxonomy

The homepage asks what happened, not what crime it was. Wording matters: an image-abuse victim must know where to click without reading a legal category.

DOOR	STATE OF MIND
Check if something is a scam	Not harmed yet. Thirty seconds, no login.
Something is happening right now	Active threat, active access, live coercion.
I've already lost money, access or private content	Harm done, containment urgent.
Track a report	Filed already, wants to know what is happening.

Five harm tracks, running in parallel

The classifier returns one *or more* tracks. A sextortion case opens the money, content and safety tracks at once, each with its own clock and its own containment checklist.




Figure 1 — One intake, multiple simultaneous harm tracks, one cockpit.

4. The citizen journey




Figure 2 — Check, Act, Report, Recover. One incident carried through all four.

Stage 1 — Check

Five ways in: upload a screenshot, paste a message or link, enter a phone number, UPI ID or handle, describe it by voice, or press *I'm not sure what to upload*. No login, no account, no category.

Stage 2 — Act

If the triage answers show harm has occurred, the site chrome disappears and the page becomes a single ordered checklist. Containment is sequenced by track. Freeze before filing, always.

Stage 3 — Report

The complaint is assembled from what was already gathered. One question per page, then a check-your-answers screen. The citizen confirms rather than re-enters.

Stage 4 — Recover

Not a status page. A machine: every statutory clock the citizen owns, each with a pre-filled document, plain-language status, the ability to add evidence later, an escalation route, and a standing warning about fake recovery agents.

GOVERNING RULE

One incident. Nothing is ever asked twice. Everything captured during Check flows into Act, Report and Recover without re-entry.

5. The Scam DNA engine

Phone numbers, UPI IDs and domains rotate within hours. The behavioural script does not. Matching the script is what lets the portal recognise a scam it has never seen the identifiers for.




Figure 3 — Eight steps. Raw text never reaches the model; only redacted text does.

A worked example: the task scam script

Unsolicited job offer

-> a few genuinely paid micro-tasks

(trust is bought cheaply)

-> prepaid "merchant" task

(first deposit of your own money)

-> dashboard shows a large fake balance

(makes the next deposit feel safe)

-> withdrawal blocked

(blamed on an incomplete task set)

-> tax / GST / unlocking fee demanded

(there is no last step)

If the citizen is at *withdrawal blocked*, the engine states plainly: they will now demand a tax or unlocking fee framed as the final step. The victim recognises it instantly, because it is already sitting in their chat. That recognition is what converts a warning into a decision not to pay.

The verdict contract

FIELD	RULE
Risk	High, Medium or Unclear. Never "safe".
Pattern and confidence	Named pattern with a confidence figure, or none.
Three signals	Quoted from the citizen's own material. Never generic advice.
Exact matches	Found or not found, stated explicitly either way.
Likely next move	The single most probable next demand.
Do not	Actions that make it materially worse.
Safe verification	How to check independently, never via a link they were sent.

NON-NEGOTIABLE

No database match must never render as "safe". Every identifier is unknown until the first victim reports it. A checker that says "safe" to the first fifty victims of a new campaign is worse than no checker at all.

6. The content track

Money can be frozen and returned. An image that spreads cannot be recalled. This track carries the portal's founding mandate and it is the part no competing submission will build.

The mechanism

The victim selects the image. A perceptual hash is computed in the browser. Only the fingerprint is transmitted. The complaint, the platform notices and the evidence reference all travel as hashes.




Figure 4 — Hash-based reporting. The dashed path is the one that does not exist.

Why this works, with precedent

SERVICE	EVIDENCE
StopNCII.org	Hashes generated on device, shared with participating platforms. Operated by the UK Revenge Porn Helpline. Over 300,000 images removed, 90%+ removal rate. Ships Hindi and Bengali interfaces.
Take It Down (NCMEC)	Same model for content taken under 18. Anonymous. Image never uploaded.
eSafety Commissioner, Australia	A regulator that can compel removal on the victim's behalf. India has the 24-hour rule but no assisted enforcement layer. That layer is what this portal becomes.

Design rules for dignity and safety

- **Anonymous by default** on content, safety and minor pathways.
- **Quick exit button.** Escape leaves for an innocuous page and clears history state. Standard on domestic-violence services worldwide, absent here.
- **Never require the content.** Hash it, describe it, or link it. Uploading is opt-in, never a gate.
- **Age-aware routing.** Under 18 routes to POCSO framing, Take It Down and Childline 1098.
- **Do-no-harm defaults for sextortion**, stated before anything else: do not pay, do not delete, do not engage. Paying escalates. Deleting destroys the evidence.
- **Tele-MANAS 14416 surfaced** on these paths. Sextortion has driven teenagers in India to suicide. A portal that handles this crime and offers no mental-health route is negligent.
- **Trauma-informed copy.** No minimum character counts, no special-character restrictions, no legal jargon.

DEMO ETHICS

Use obviously synthetic placeholder media — a landscape photo standing in for the hashed image. Nothing explicit, nothing real, and say so on screen. The restraint costs nothing and judges notice it.

7. The deadline engine

Every right the citizen holds has a clock, and every clock has exactly one document that must go out before it expires. This is what turns a status page into a recovery machine.




Figure 5 — Clocks on the left, the document each one triggers on the right.

Full clock catalogue

CLOCK	DURATION	TRACK	BASIS (VERIFY BEFORE SHIPPING)
Zero-liability window	3 working days	Money	RBI circular 6 July 2017, limiting customer liability in unauthorised electronic banking transactions. A 2026 draft proposes 5 calendar days.
Bank shadow reversal	10 working days	Money	Same circular, reversal timeline.
Platform takedown	24 hours	Content	IT Rules 2021, Rule 3(2)(b) — removal within 24 hours of a complaint by or for the individual.
Grievance acknowledgement	24 hours	Content	IT Rules 2021, Rule 3(2)(a).
Grievance resolution	15 days	Content	IT Rules 2021, Rule 3(2)(a).
GAC appeal	30 days	Content	IT Rules 2021, Rule 3A — appeal within 30 days of the Grievance Officer's decision.
Money Restoration Module	30 days	Money	MHA Money Restoration Module under CFCFRMS; MHA SOP of January 2026.
Banking Ombudsman	After 30 days	Money	RBI Integrated Ombudsman Scheme 2021.

COMPLIANCE REQUIREMENT

Verify every legal citation against the primary source before submission, and render the basis string in the interface so a reviewer can check it. Legal text is rule-based and human-curated; the model formats language only, it never invents a deadline.

Documents generated

DOCUMENT	CONTENTS
Bank nodal officer letter	Addressed via IFSC lookup, cites the zero-liability circular, states the transaction set and the date of notification.
Shadow reversal follow-up	Sent when the 10-day reversal has not occurred.
Platform takedown notice	One per platform, addressed to the named Grievance Officer, cites Rule 3(2) (b), references the hash.
GAC appeal draft	Generated when a takedown clock expires unmet.
MRM data sheet	Prefilled with the acknowledgement number and transaction set.
Ombudsman complaint	Generated after 30 days of bank silence.

8. System architecture




Figure 6 — Six layers. Everything below the API line is replaceable at implementation time.

Three decisions that de-risk the week

Each of these replaces a technically superior choice with a faster one, and names the superior choice as the production path. Together they save roughly two days.

TEMPTING CHOICE	WHAT WE DO INSTEAD	REASON
Microsoft Presidio for PII	Custom TypeScript module, already written	Presidio is Python. A sidecar costs half a day of infrastructure. 130 lines with a Luhn check covers Aadhaar, PAN, UPI, cards, phones and IFSC.
PDQ compiled to WebAssembly	blockhash-core, pure JavaScript on canvas	The demonstrable claim is that the image never leaves the device. That holds for any perceptual hash. Emscripten could consume a day.
pgvector for similarity	In-memory cosine	Fifteen patterns, not fifteen million. Postgres still holds cases and accounts.

9. Repositories and their roles

Use now — installed

PACKAGE OR REPO	ROLE IN THE PIPELINE
<code>statelystai/xstate</code> + <code>@xstate/react</code>	Drives Check to Act to Report to Recover. Prevents the UI reaching an impossible state when the journey branches.
<code>blockhash-core</code>	Perceptual hashing in the browser on canvas ImageData. The content track depends on it.
<code>ai</code> + <code>@ai-sdk/openai</code> + <code>zod</code>	Vision ingest, transcription, and structured extraction with schema validation.
<code>drizzle-orm</code> + <code>@neondatabase/serverless</code>	Schema, migrations and queries against serverless Postgres.
<code>recharts</code> , <code>date-fns</code> , <code>lucide-react</code>	Atlas charts, clock arithmetic, iconography.
<code>jose</code> , <code>shadcn/ui</code>	Signed-cookie sessions for the judge accounts; component primitives.

Study the patterns, do not install

REPO	WHAT TO BORROW
<code>alphagov/govuk-frontend</code>	Accessible form components, error summaries, warning panels, readable validation. Do not import the stylesheet — it will fight Tailwind and look British.
<code>alphagov/forms-runner</code>	One question per page, branching, check-your-answers, save and resume.
<code>mysociety/fixmystreet</code>	Report lifecycle, status updates, public-service status design.
<code>datameet/maps</code>	India state and district GeoJSON, CC BY 4.0. Only if a map survives. First candidate to cut.

Production path, not round one

REPO	WHERE IT BELONGS
<code>microsoft/presidio</code>	Production PII detection and anonymisation as a Python sidecar. Note the correct organisation — an incorrect <code>data-privacy-stack/presidio</code> path circulates and does not exist.
<code>facebook/ThreatExchange</code> , <code>/pdq</code> and <code>/vpdq</code>	The production hashing standard and the interoperability format that platform matching actually uses. BSD licensed.
<code>pgvector/pgvector</code>	Similarity search once the corpus is large enough to need an index.
<code>AI4Bharat/IndicLID</code> , <code>IndicTrans2</code>	Language identification including Romanised input, and translation across the 22 scheduled languages. Do not self-host for round one — use the model provider's multilingual capability and name these as the scale path.

Do not deploy

REPO	WHY NOT
MISP/MISP , OpenCTI , IntelOwl	Serious threat-intelligence platforms, far too infrastructure-heavy for a two-person consumer prototype. Read their indicator and campaign models. Do not spend the week configuring them.

External services to provision

SERVICE	PURPOSE	STATUS
OpenAI API	Vision ingest, extraction, embeddings, transcription	REQUIRED
Neon	Serverless Postgres, free tier	REQUIRED
Vercel	Hosting, public browser link	REQUIRED
Google Safe Browsing	Live URL reputation	OPTIONAL
PhishTank, URLhaus (abuse.ch)	Live phishing and malware URL feeds; URLhaus requires an Auth-Key	OPTIONAL

10. Data model




Figure 7 — The incident is the spine. Everything else hangs off it.

TABLE	COLUMNS
users	id, email, passwordHash, displayName — seeded mock accounts for judges
incidents	id, userId nullable, anonymous, language, createdAt, redactedNarrative, evidence jsonb, answers jsonb, patternSlug, stageld, risk, tracks array
actions	id, incidentId, track, order, title, body, status, completedAt
clocks	id, incidentId, kind, startAt, dueAt, satisfied
documents	id, incidentId, kind, payload jsonb, generatedAt
complaints	id, incidentId, ackNumber (14 digits), status, statusPlain, events jsonb
hashes	id, incidentId, algo, hashHex, mediaType
indicators	id, type, value, reportCount, firstSeen, patternSlug

READ THE HASHES TABLE AGAIN

There is no media column. The image never reaches the server. This is a design statement, not an omission, and it should be said out loud in the demo video.

11. Route map

```
src/app/
  page.tsx                Home: four doors, universal check bar, atlas strip
  check/page.tsx          Upload, paste, voice, "I'm not sure what to upload"
  check/[id]/page.tsx     Scam DNA result
  triage/[id]/page.tsx    "What have you already done?" branching
  act/[id]/page.tsx       IMMEDIATE ACTION MODE, full screen, chrome removed
  report/[id]/page.tsx    One question per page, prefilled
  report/[id]/review/page.tsx Check your answers
  report/[id]/submitted/page.tsx Acknowledgement and what happens next
  recover/[caseId]/page.tsx My Recovery Plan: clocks, documents, status, evidence
  documents/[docId]/print/page.tsx Print-CSS document output, no PDF library needed
  atlas/page.tsx          Global Scam Pattern Atlas
  atlas/[slug]/page.tsx   Pattern page, "Does this resemble what happened to you?"
  track/page.tsx          Acknowledgement-number lookup, no login
  help-someone/page.tsx   Assisted mode, reporting for a family member
  login/page.tsx          Mock credentials for judges
  api/ingest/route.ts     Screenshots, text, voice -> redact -> extract
  api/dna/route.ts        Exact match, behavioural match, stage, next move
  api/hash/route.ts       Accepts a hash only, never media
  api/incident/[id]/route.ts CRUD, save and resume
  api/documents/route.ts  Letters, notices, appeals

src/lib/      redact.ts * clocks.ts * dna.ts playbooks.ts documents.ts hash.ts db.ts auth.ts
src/data/     patterns.ts * indicators.ts platforms.ts banks.ts seed.ts
src/machines/ journey.ts *
src/components/ ClockCard ActionStep RiskVerdict StageTimeline EvidenceDrop QuickExit

* already written and type-checking clean
```

12. What is real and what is mocked

Honesty is a scored criterion. Label mocked integrations inside the interface, not only in the write-up. Stubbing openly beats faking convincingly.

GENUINELY FUNCTIONAL

- Evidence extraction from uploaded screenshots and pasted text
- PII redaction before any model call or database write
- Behavioural pattern matching, stage detection and next-move prediction
- Live URL reputation checks against public feeds
- Perceptual hashing in the browser
- All deadline arithmetic, computed from the cited circulars and rules
- All document generation
- Save and resume, acknowledgement lookup, mock authentication

MOCKED AND DISCLOSED

- Complaint submission to the real portal
- Bank freeze actions and the 1930 pathway
- Platform takedown delivery, StopNCII and Take It Down handoff
- Money Restoration Module and Grievance Appellate Committee submission
- Police status transitions and all suspect and case data

DELIBERATELY ABSENT

- Administrator or investigator dashboard — explicitly not graded
- Institutional packet-generation screens
- Any live government integration
- A generic chatbot
- An unsourced live crime heatmap
- A binary safe-or-scam verdict

PERSISTENT FOOTER, EVERY PAGE

Independent hackathon prototype. Not affiliated with MHA or I4C. All data synthetic. No national emblem, no I4C logo, no implication of endorsement.

13. The six-day plan

Dev-A is the full-stack developer: routes, database, authentication, interface, deploy. Dev-B owns intelligence: the AI pipeline, corpus, documents, atlas and the demo.




Figure 8 — Feature freeze at the end of Wednesday. Friday is buffer only.

DAY	DEV-A — FULL STACK	DEV-B — INTELLIGENCE
Sat 22 tonight	Neon project, Drizzle schema, migrations, jose cookie auth, seeded users, deploy to Vercel today	OpenAI key, /api/ingest with vision and text wired to redact.ts, extraction schema
Sun 23	Check UI with four input modes, result page, XState wired to routes	DNA pipeline end to end: extract, exact match, behavioural match, stage, next move
Mon 24	Triage questions, Immediate Action Mode, ClockCard and ActionStep components	Containment playbooks for all five tracks, clock instantiation from clocks.ts
Tue 25	Report flow one question per page, check answers, acknowledgement, Recovery cockpit	Document generators and print route: bank letter, takedown notice, GAC appeal, MRM sheet
Wed 26	Atlas pages, Hindi and Hinglish, mobile pass, seeded judge accounts	Content track hashing and 24-hour clocks, StopNCII handoff, 15-pattern corpus, six synthetic screenshots
Thu 27	Both: bug bash on a real phone, clean-browser login test, rehearsal, record the video, write the summary, submit by 6 PM	
Fri 28	Buffer only. The wall is 8:00 PM IST with no grace period.	

TWO RULES THAT DECIDE WHETHER YOU FINISH

Deploy tonight, not Wednesday. A broken deploy discovered on day six has killed more hackathon entries than bad ideas.

Keep CODEX.md from the first commit. A running log of what Codex generated versus what you changed. It is a submission requirement and you will not reconstruct it on Thursday.

Cut lines, in order

1. The map on the Atlas page. Charts alone carry it.
2. Voice input. Text and screenshots carry the demo.
3. Hinglish handling, keeping English and Hindi.
4. Identity and safety track depth — route to them correctly, show one real action each, label as partial.

Do not cut the content track hashing. It is the differentiator, and it is under a day of work.

14. Demo storyboard and submission copy

The video — two minutes, hard cap

TIME	SHOT
0:00–0:08	The problem in one line, over the numbers: 28 lakh complaints, under 2% become FIRs, 0.4% of money returned.
0:08–0:45	Citizen journey. Upload a synthetic WhatsApp task-scam screenshot. Scam DNA names the pattern and predicts the next demand. Select "I already paid". Immediate Action Mode. Prefilled complaint. Recovery plan with the bank letter already generated.
0:45–0:56	Content track. Image hashed in the browser, clocks start, and the line: the image never left the phone.
0:56–1:00	Atlas, with sources visible.
1:00–1:32	Build decisions: behavioural matching over blacklist lookup, one incident reused across four stages, XState for journey control, redaction before any model call.
1:32–1:52	What is real and what is mocked, stated plainly.
1:52–2:00	Closing line.

Draft summary — 250 words

India's National Cyber Crime Reporting Portal asks a person in crisis to classify their own crime, then fill a form with a 200-character minimum and no special characters. In 2025 it received 28.15 lakh complaints covering ₹22,495 crore in losses. Fewer than 2% became FIRs. Roughly 0.4% of the money came back.

We rebuilt it as a four-stage citizen journey: Check, Act, Report, Recover.

You show us what you received — a screenshot, a message, a voice note. A behavioural matching engine identifies the scam's script rather than looking up an identifier, because numbers and UPI IDs rotate hourly while the script does not. It tells you what the scammer will ask for next. It never says "safe" when it simply has no match.

Then it asks what you have already done, and orders your containment accordingly: freeze before filing, secure the email before the bank, preserve evidence before deleting anything. Your complaint is assembled from what you already gave us. Nothing is asked twice.

Afterwards you get a recovery plan, not a status page: eight statutory clocks running live, each generating the pre-filled letter, notice or appeal that must go out before it expires.

For intimate image abuse, the image is fingerprinted in your browser. Only the hash is transmitted. Today, reporting this crime requires uploading the images to a government web form.

Independent prototype. Synthetic data. Every mocked integration labelled in the interface.

15. Submission checklist

REQUIREMENT	DETAIL
Live public link	Must open in a browser without any access request. If it does not open in a browser, it does not exist.
Video	Two minutes maximum. Minute one as a citizen, minute two on how it was built. Both teammates may present.
Summary	250 words on what it is and why it is better than the current service.
Mock credentials	Working demo account supplied in the form. Test from a clean browser profile before submitting.
Partner email	Each teammate enters the other's registered email. Both must have registered separately. No exceptions are made for mismatches.
Email consistency	The same email identifies you in round two on 7 September. A different address is treated as a different entrant.
Codex contribution	Documented in the write-up and in <code>CODEX.md</code> .
Deadline	28 August 2026, 8:00 PM IST. The form closes with no grace period.

16. Risks and cut lines

RISK	LIKELIHOOD	MITIGATION
Deploy fails late in the week	Medium	Deploy a hello-world on night one and keep it green every day.
Scam DNA quality is weak on real screenshots	Medium	Build the corpus first, test against the six synthetic screenshots daily, tune prompts on Sunday not Thursday.
Scope creep across five harm tracks	High	Two tracks deep, three routed and labelled partial. Written into the plan, not decided under pressure.
Legal text is wrong	Medium	All legal content is human-curated and rule-based with a rendered source string. The model formats language only.
Judges cannot log in	Low	Test the supplied credentials from a clean browser profile on Thursday morning, before recording.
Video runs over two minutes	High	Script it to 1:50, rehearse twice, record on Thursday not Friday.
The content track is mishandled	Low	Synthetic placeholder media only, stated on screen. Nothing explicit, nothing real.

The competitive read

Over five thousand entries, cut to 250, then to ten. "An AI that checks whether this is a scam" will be a crowded lane — Scam DNA is the strongest version of that idea, but it is still the lane most teams will choose. "Report image abuse without ever uploading the image" is an empty lane. The scam track makes the build legible. The content track makes it memorable. Ship both.

17. Appendix: verified sources

CLAIM	SOURCE
2025 complaint and loss figures; FIR counts	MHA / NCRP data as reported February 2026
₹11,158 crore saved, 32.80 lakh complaints, to 30 June 2026	Press Information Bureau, July 2026
Money Restoration Module and Grievance Redressal Module	mrmm-ncrp.mha.gov.in and ncrp-grievanceredressal.mha.gov.in; MHA review, June 2026
Zero liability within three working days	RBI circular dated 6 July 2017 on limiting customer liability in unauthorised electronic banking transactions
24-hour removal obligation; 30-day GAC appeal	IT (Intermediary Guidelines and Digital Media Ethics Code) Rules 2021, Rules 3(2)(a), 3(2)(b) and 3A
On-device hashing, 300,000+ images removed, 90%+ removal rate	StopNCII.org, operated by the Revenge Porn Helpline / SWGfL
Under-18 hash-based removal, anonymous, image never uploaded	Take It Down, National Center for Missing & Exploited Children
Check-before-you-act consumer pattern	ScamShield, Government Technology Agency of Singapore, with a 24/7 helpline on 1799
Public scam statistics dashboard with provenance	Scamwatch, Australian Competition and Consumer Commission
Personal recovery plan with pre-filled letters and progress tracking	IdentityTheft.gov, United States Federal Trade Commission
Perceptual hashing algorithms, BSD licensed	facebook/ThreatExchange, PDQ and vPDQ
Indic language identification and translation	AI4Bharat, IIT Madras — IndicLID and IndicTrans2

Figures are drawn from public reporting and government releases current to August 2026. Verify every legal citation against its primary source before submission. Nothing in this document is legal advice.