

SQL PROJECT ON PIZZA SALES

A SLICE OF DATA



WELCOME TO PIZZAHUT


EVERY PIZZA TELLS A DATA STORY!



HEY, MY NAME IS ARYAN! IN THIS PROJECT, I USE SQL QUERIES TO ANALYZE PIZZA SALES DATA AND SOLVE REAL-WORLD BUSINESS QUESTIONS.

LET'S EXPLORE THE DATA!

RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.




```sql
SELECT
    COUNT(Order_id) AS total_orders
FROM
    orders;
```

Result Grid

total_orders
21350

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.



```sql
SELECT
    ROUND(SUM(order_details.quantity * pizzas.price),
            2) AS total_sales
FROM
    order_details
        JOIN
    pizzas ON pizzas.pizza_id = order_details.pizza_id
```

Result Grid

total_sales
817860.05

IDENTIFY THE HIGHEST-PRICED PIZZA.


```sql
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

Result Grid | Filter Rows:

name	price
The Greek Pizza	35.95



IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.




```sql
SELECT
    pizzas.size,
    COUNT(order_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

Result Grid | Filte

size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES




```sql
SELECT
    pizza_types.name, SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY quantity DESC
LIMIT 5;
```

Result Grid | Filter Rows:

name	quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371


JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.



```sql
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```

Result Grid | Filter Rows:

category	quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050




DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.


```
3 •  SELECT
4        HOUR(time) AS HOUR, COUNT(order_id) AS order_count
5    FROM
6        orders
7    GROUP BY HOUR(time);
```

Result Grid | Filter

HOUR	order_count
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336



JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS.



```sql
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```

Result Grid | Filter Rows

category	COUNT(name)
Chicken	6
Classic	8
Supreme	9
Veggie	9

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

```sql
SELECT ROUND(AVG(quantity), 0) AS avg_daily_quantity
FROM (
    SELECT
        orders.date,
        SUM(order_details.quantity) AS quantity
    FROM orders
    JOIN order_details
        ON orders.order_id = order_details.order_id
    GROUP BY orders.date
) AS order_quantity;
```

Result Grid

avg_daily_quantity
138

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.

```sql
SELECT
    pizza_types.name,
    SUM(order_details.quantity * pizzas.price) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```




Result Grid | Filter Rows:

name	revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

```sql
SELECT
    pizza_types.category,
    ROUND(SUM(order_details.quantity * pizzas.price) / (SELECT
                    ROUND(SUM(order_details.quantity * pizzas.price),
                                2) total_sales
                FROM
                    order_details
                        JOIN
                    pizzas ON pizzas.pizza_id = order_details.pizza_id) * 100,
            2) AS revenue
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    order_details ON order_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```



ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

```sql
SELECT date,
SUM(revenue) OVER (ORDER BY date) AS cumulative_rev
FROM
(SELECT orders.date,
SUM(order_details.quantity * pizzas.price) AS revenue
FROM order_details JOIN pizzas
ON order_details.pizza_id = pizzas.pizza_id
JOIN orders
ON orders.order_id = order_details.order_id
GROUP BY orders.date) AS sales;
```

Result Grid | Filter Rows:


date	cumulative_revenue
2015-01-01	2713.8500000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.350000000002
2015-01-11	25862.65
2015-01-12	27781.7
2015-01-13	29831.300000000003

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.

```sql
SELECT name, category, revenue
FROM (
    SELECT
        category,
        name,
        revenue,
        RANK() OVER (
            PARTITION BY category
            ORDER BY revenue DESC
        ) AS rn
    FROM (
        SELECT
            pizza_types.category,
            pizza_types.name,
            SUM(order_details.quantity * pizzas.price) AS revenue
        FROM pizza_types
        JOIN pizzas
            ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN order_details
            ON order_details.pizza_id = pizzas.pizza_id
        GROUP BY
            pizza_types.category,
            pizza_types.name
    ) AS a
) AS b
WHERE rn <= 3
ORDER BY category, revenue DESC;
```

Result Grid | Filter Rows:

name	category	rev
The Thai Chicken Pizza	Chicken	43434.25
The Barbecue Chicken Pizza	Chicken	42768
The California Chicken Pizza	Chicken	41409.5
The Classic Deluxe Pizza	Classic	38180.5
The Hawaiian Pizza	Classic	32273.25
The Pepperoni Pizza	Classic	30161.75
The Spicy Italian Pizza	Supreme	34831.25
The Italian Supreme Pizza	Supreme	33476.75
The Sicilian Pizza	Supreme	30940.5
The Four Cheese Pizza	Veggie	32265.700000
The Mexicana Pizza	Veggie	26780.75
The Five Cheese Pizza	Veggie	26066.5



THANK YOU AND ENJOY A SLICE OF DATA!