INCHI PILOT GATEWAY

Mapped Website Feature Blueprint

Product UX • Commercial Workflow • Supplier Readiness • Buyer Matching

A practical site specification based on the official InChi pilot brief, with marketplace-inspired recommendations clearly distinguished from approved requirements.

Prepared for: Product UX & Commercial Workflow Analyst

Version 1.0 • 27 October 2026 • Working draft for team and BNCS review

How to use this blueprint

Follow the map in order: sitemap → journey → page/module requirements → field dictionary → workflow states → acceptance criteria → UAT. Features in the official brief are distinguished from proposed enhancements and decisions requiring BNCS/mentor approval.

Scope note: this is a supervised, non-production pilot blueprint. It is not legal advice, a final technical architecture approval, or confirmation that every proposed enhancement is approved.

1. Executive summary

The official InChi Pilot Gateway brief describes a bounded pilot for authorised BNCS users. Its core purpose is to organise supplier and product records, assess China-readiness, capture buyer requirements, support explainable AI-assisted matching, track commercial opportunities and provide a traceable dashboard and audit history. The pilot also requires role-based access, security testing, QA, UAT and technical handover.

Area	What the site must enable	Status
Supplier/product registry	Structured supplier and product records; English and Mandarin-ready profile fields.	Brief requirement
China-readiness	Evidence capture, missing-information warnings, assessment and human review.	Brief requirement
Buyer requirements	Structured demand capture; approved eligibility and scoring rules.	Brief requirement
Matching desk	Explainable ranked candidates, eligibility checks, missing data and human disposition.	Brief requirement
Opportunity pipeline	Turn approved matches into tracked opportunities; record interactions and stages.	Brief requirement
Dashboard/audit	Defined dashboard indicators and material-action history.	Brief requirement
Security/quality	Role access, testing, UAT, deployment and handover evidence.	Brief requirement

Product principle

InChi assists authorised users. It does not autonomously approve suppliers, guarantee regulatory compliance or make commercial decisions. Material policy, scoring and workflow decisions require BNCS/appointed-mentor approval.

Source basis: the InChi Pilot Gateway Official Eight-Week Build Manual and the proposed eight-stage user journey discussed earlier. Suggestions are labelled as proposed where not explicit in the brief.

2. Mapped sitemap and navigation

Use a stable left navigation, a consistent page header, visible status labels and role-appropriate actions. Treat this as the proposed first-version sitemap.

Navigation	Sub-pages / key views	Primary user goal
Dashboard	Overview; pending tasks; recent activity; metric filters	See what needs attention
Suppliers	List; create/edit; detail; evidence/documents; history	Maintain supplier records
Products	List; create/edit; detail; specifications; documents	Maintain products linked to suppliers
Readiness Assessments	Assessment form; missing information; review queue; decision history	Assess and review readiness
Buyer Requirements	List; create/edit; requirement detail; criteria/preferences	Capture buyer demand
Matching Desk	Run status; ranked candidates; explanations; warnings; compare; disposition	Review possible matches
Opportunities	Pipeline/list; detail; interactions; next action; outcome	Track commercial follow-up
Audit & Reports	Audit log; dashboard metrics; approved exports	Trace actions and review activity
Administration	Users/roles; approved rules/reference data; system status	Controlled administration

Persistent UI elements

- Top bar: current workspace, signed-in user, notifications/task indicator, help and logout.
- Page header: title, breadcrumb, record status and one primary action.
- List pages: search, filters, sort, pagination and empty-state guidance.
- Detail pages: summary, evidence, history and role-appropriate actions.
- Forms: required-field markers, inline validation, save draft, cancel and submit/review.
- Use the same status vocabulary in lists, detail pages, dashboard and notifications.

Scope boundary

The brief describes an authorised-user pilot, not a public marketplace. Do not assume public seller signup, open product listings, checkout, payment, escrow, live chat or logistics booking are in scope.

3. End-to-end user journey map

The eight stages below map the user action to the system response and the evidence required to proceed.

Stage	User action	System response	Exit evidence / gate
1. Access workspace	Sign in and open assigned work area.	Authenticate; enforce role permissions; show dashboard/tasks.	Authenticated session; access allowed.
2. Register supplier & product	Create company/product records and add evidence.	Validate fields; save draft; flag missing/duplicate data.	Saved records with IDs and completeness state.
3. Assess China-readiness	Complete assessment and provide evidence.	Show gaps, progress and items needing review.	Submitted assessment or request for more info.
4. Capture buyer requirement	Enter specifications, quantity, market and constraints.	Validate required inputs; separate eligibility from preferences.	Requirement meets approved matching gate.
5. Generate match	Run matching against a requirement.	Apply hard filters; score eligible candidates; explain results and gaps.	Ranked results plus matching-run record.
6. Review & decide	Compare evidence; accept, reject, hold or request info.	Enforce permissions; record decision and reason.	Human disposition recorded.
7. Manage opportunity	Track approved match, contacts, stage and next action.	Update pipeline and interaction history.	Next action or outcome recorded.
8. Monitor & audit	Review dashboard and history.	Calculate approved metrics; show material actions.	Traceable review and handover evidence.

Rules that apply across the journey

- A failed step must explain what happened, what was saved and how to recover.
- Draft, submitted, reviewed and approved are different states.
- A matching result is advisory; an authorised human records disposition.
- A record may be complete but fail eligibility or require review.
- Material changes and decisions must be traceable to actor, time and reason where appropriate.

4. Access, dashboard and role permissions

MVP — brief-aligned

Required behaviours / design scope

- Secure login/logout and authenticated workspace.
- Role-aware navigation and action permissions; proposed roles: Platform Administrator, Commercial Analyst, Reviewer/Approver, Read-only Auditor (confirm exact roles with BNCS).
- Dashboard task queue: pending assessments, incomplete records, buyer requirements needing review, matching runs and active opportunities.
- Loading, empty, error, access-denied and success states for every data view.
- Permission checks must be enforced by backend/API as well as the interface.

Acceptance criteria

- Valid authorised users reach their workspace; unauthorised users cannot access protected routes or APIs.
- Dashboard totals match approved metric definitions and filters.
- Restricted actions cannot be performed through direct API calls.
- Empty, loading, failed and permission-denied states are tested.

5. Supplier registry

MVP — brief-aligned

Required behaviours / design scope

- Supplier list with search, filters, sort, pagination and record status.
- Create/edit supplier; save draft; supplier detail; evidence/document section; owner and review history.
- Possible company fields: legal/trading name, registration country, address, registration reference, contact details, industry, description and supplier type.
- Conditional capability fields: product categories, manufacturer/distributor role, capacity, MOQ, export markets and supporting certificates.
- Duplicate warning; no silent merge or deletion; show missing fields and evidence status.

Acceptance criteria

- Supplier records have stable IDs and a clear record status.
- Required submission fields are validated at the right workflow gate.
- Document uploaded is not automatically document verified.
- Material changes appear in history with actor and timestamp.

6. Product catalogue

MVP — brief-aligned

Required behaviours / design scope

- Products are linked to supplier records and searchable/filterable.
- Possible fields: product name/category/description, model, materials, dimensions, technical attributes, origin, MOQ, indicative price range, capacity, lead time, certificates and documents.
- Use category-specific fields; do not make every field mandatory for every product type.
- Show supplier link and supplier review status; display unknown/missing data as unknown/missing.

Acceptance criteria

- Product must link to an existing supplier.
- Category-specific validation is applied consistently.
- The system never invents missing product details or treats missing data as verified.
- Any re-review triggered by changes follows an approved rule.

7. China-readiness assessment

MVP — brief-aligned

Required behaviours / design scope

- Assessment questionnaire, evidence references, missing-information list and corrective actions.
- Submit for review; reviewer queue; return for more information; resubmission; decision reason and history.
- Keep four concepts separate: record completeness, assessment progress, readiness outcome and review status.
- Possible state sequence: Draft → In progress → Submitted → Under review → More information required → Resubmitted → Reviewed; final labels require approval.
- Maintain a policy register for criteria that depend on market/category: source, version, effective date, applicability, owner and approval status.

Acceptance criteria

- Complete form does not automatically mean China-ready.
- Reviewer decision requires correct permission and required reason/comment.
- Missing evidence is explicit and actionable.
- Resubmission preserves prior review history.

8. Buyer requirement capture

MVP — brief-aligned

Required behaviours / design scope

- Capture buyer organisation, target market, product category, specifications, quantity/order frequency, target price/budget, required documents/certifications, delivery location/date, lead time, preferences and notes.
- Save draft; validate; assign owner; show status and completeness.
- Mark every criterion as mandatory eligibility or preference.
- Mandatory rules exclude ineligible candidates; preferences contribute to ranking only under approved weights.
- Do not run matching until the requirement meets the approved minimum completeness gate.

Acceptance criteria

- Mandatory criteria and preferences are visually and logically distinct.
- Missing mandatory inputs show field-specific guidance.
- Edits after matching are versioned or otherwise traceable.
- Only approved criteria and weights are used.

9. AI-assisted matching desk

MVP — brief-aligned

Required behaviours / design scope

- Run matching; show queued/running/completed/failed status.
- Recommended logic: validate requirement → apply approved hard filters → score eligible candidates using approved weights → optional semantic comparison → explanation and data gaps.
- Ranked candidates with eligibility pass/fail, score where applicable, explanation, evidence links and missing-information warnings.
- Show zero eligible candidates honestly; distinguish ineligible, not assessed and insufficient data.
- Rules-only fallback may be used only if approved and must be clearly labelled.
- Record run ID, timestamp, requirement version, data/rule versions, explanation and limitations.

Acceptance criteria

- Failing a mandatory condition cannot be offset by a high preference score.
- Results explain why candidates ranked or were excluded, where feasible.
- Service failure and fallback are visible and logged.
- No automated final supplier approval or commercial commitment.

10. Human review and decision

MVP — brief-aligned

Required behaviours / design scope

- Compare buyer requirement with supplier capabilities and evidence.
- Show eligibility results, match explanation, missing evidence and reviewer comments.
- Potential actions: accept for next step, reject, hold/defer, request more information—confirm vocabulary and allowed transitions.
- Confirmation for consequential actions; require decision reason where approved.
- Only authorised roles can decide; record actor, time, outcome and reason.

Acceptance criteria

- Unauthorised decision actions are blocked in UI and API.
- Decision and required reason save consistently.
- UI shows success only after server confirms the saved state.
- Failed save does not falsely mark a match approved.

11. Opportunity pipeline

MVP — brief-aligned

Required behaviours / design scope

- Create an opportunity only from an approved match.
- Track owner, stage, linked buyer/supplier, interactions, notes, next action/date and outcome.
- Illustrative stages: Approved match → Initial contact → Requirement clarification → Commercial discussion → Outcome recorded. BNCS must approve actual stages.
- Provide list/board view, filters, detail timeline and closure reason.
- Payment, order execution, escrow and logistics booking are out of scope unless formally approved.

Acceptance criteria

- Unapproved match cannot create opportunity.
- Stage transitions follow approved rules and record actor/time.
- Closed opportunities have an outcome; next-action dates follow defined rules.

12. Dashboard, audit, bilingual profile and administration

MVP capability; details need approval

Required behaviours / design scope

- Metrics: supplier/product counts, incomplete records, readiness status, pending buyer requirements, matching runs and opportunities by stage.
- Define each metric’s formula, time window, source, exclusions, refresh timing and owner.
- Audit event: actor, timestamp, action, object ID, outcome, reason and before/after values where appropriate.
- English and Mandarin-ready profile fields; distinguish source and translated text; translation status and human review.
- Admin may manage users/roles, approved reference data and approved criteria versions, subject to permissions.

Acceptance criteria

- Dashboard reconciles with test dataset.
- Audit history is searchable within approved scope and protected from silent editing.
- Sensitive data is not exposed unnecessarily in screens/logs.
- Missing translations are labelled; machine translation is not presented as verified without review.
- Only authorised admins change access/rules.

13. Starter field dictionary

Proposed starter schema for discussion, not a final database contract. Conditional means it depends on product category, market, role or approved policy.

Entity	Field	Type	Required? / validation
Supplier	supplier_id	System ID	System-generated, unique, immutable.
Supplier	legal_name	Text	Required at submission; trim spaces; duplicate warning.
Supplier	country_of_registration	Controlled country list	Required at submission; use consistent codes.
Supplier	address / registration_reference	Structured/text	Conditional; confirm exact data needs and access controls.
Supplier	contact_name/email	Text/email	Conditional; validate format and restrict personal data access.
Supplier	supplier_type	Controlled enum	Required; proposed values need approval.
Supplier	record_status	Controlled enum	System-managed; separate from readiness outcome.
Product	product_id / supplier_id	System ID / foreign key	Unique product ID; supplier link required.
Product	name / category	Text/list	Required; category drives conditional fields.
Product	specifications	Structured attributes	Category-dependent; define with data/technical owners.
Product	MOQ / price / lead time	Numeric + unit/currency	Conditional; units and currency must be explicit.
Assessment	assessment_id	System ID	Unique assessment instance.
Assessment	completeness_status	Derived enum	Completeness only; not readiness decision.
Assessment	assessment_status	Controlled enum	Draft/in progress/submitted/review states; approve final set.
Assessment	readiness_outcome	Approved enum	Human/policy-derived; never infer from completeness.
Assessment	evidence_refs / reviewer_decision	Document refs + enum/text	Capture source, decision, actor, timestamp and reason as approved.
Requirement	requirement_id	System ID	Unique; immutable.
Requirement	market/category/specs/quantity	Controlled + structured	Required fields and units approved by market/category.
Requirement	mandatory_criteria	Structured rules	Hard eligibility; approved criteria version.
Requirement	preferences/weights	Structured rules	Ranking only; version and approver recorded.
Match run	run_id / rule_version	System ID / version ID	Records run inputs, timestamp and criteria version.
Match result	eligibility / score / explanation	Enum + numeric/text	Unknown/not assessed is not pass; explanation required where scored.
Opportunity	opportunity_id / stage / owner	ID + enum + user	Created only from approved match; transitions traceable.
Audit event	actor/action/object/time	Structured event	Protect from silent alteration; avoid logging secrets.

Maintain these columns in your working spreadsheet

Entity • field label • API/database name • description • type • required/conditional • allowed values • validation • default • source of truth • data sensitivity • role access • editability • status impact • error message • owner • approval status • test ID.

14. Workflow states and transitions

These are proposed names to make the product concrete; confirm the final terminology and guards before engineering implementation.

Object	Proposed states	Example guards / rules
Supplier	Draft → Incomplete/Ready for review → Under review → More info required / Reviewed	Submission requires minimum fields; review requires permission.
Product	Draft → Incomplete/Ready for review → Under review → Reviewed	Must link to supplier; category controls required fields.
Assessment	Draft → In progress → Submitted → Under review → More info required → Resubmitted → Reviewed	Outcome separate from status; history retained.
Buyer requirement	Draft → Incomplete/Ready for review → Approved for matching → Active/Closed	Matching requires minimum fields and approved criteria.
Matching run	Queued → Running → Completed / Failed / Partial / Fallback used	Record inputs, versions, result status and errors.
Match disposition	Awaiting human review → Accepted / Rejected / On hold / More info required	Authorised reviewer; reason and time recorded.
Opportunity	Approved match → Initial contact → Clarification → Commercial discussion → Outcome recorded	Illustrative stages; transitions approved by BNCS.

Decisions to settle before development

- Which roles can create, edit, submit, review, approve, reject, reopen or close each object?
- Can submitted records be edited, or must they be returned for changes?
- What happens to prior matching results if supplier or buyer data changes?
- Which transitions require comments, reasons or a second reviewer?
- How are stale assessments, expired evidence and superseded rules handled?
- Can decisions be reversed? If yes, what reason and audit trail are mandatory?

15. Error, empty and exception-state catalogue

Scenario	Interface behaviour	System expectation
No records match	Explain filters return zero; offer clear-filters/create action if permitted.	Do not imply a system failure if the list is simply empty.
Missing fields	Highlight fields and expected inputs.	Block submission only at approved gate; preserve safe draft.
Possible duplicate	Show likely duplicate and compare option.	Never silently merge or delete.
Invalid/expired evidence	Show status and reason where known.	A file upload does not equal verified evidence.
No eligible matches	Explain no candidate passed hard filters; show reasons where appropriate.	Do not promote ineligible suppliers to fill the list.
Matching service unavailable	Show failed state; retry safely; use fallback only if approved.	Label fallback and log failure.
Partial data	Show unknown fields and limitations.	Unknown is not a pass.
Permission denied	Explain access is restricted; request access if applicable.	Enforce backend/API permission.
Save/submit failure	Explain action was not confirmed; preserve draft if safe; retry.	Do not show success until server confirms.
Concurrent edit	Warn that record changed; refresh/reconcile.	Do not silently overwrite newer changes.
Missing translation	Show source text and missing translation status.	Do not fabricate Mandarin text.
Audit/report error	Explain report failed; offer retry or narrower filter.	Do not display stale values as current without a label.

16. Sample user stories and acceptance criteria

US-01 — Save supplier draft

As an analyst, I want to save an incomplete supplier profile as a draft so I can collect information without implying it is complete.

- Given create permission, a draft can be saved when submission-only fields are missing.
- Missing fields are listed when submission is attempted.
- A stable ID is created and the record appears in the supplier list.

US-02 — Submit readiness

As an analyst, I want to submit a readiness assessment for review.

- Submission is blocked if approved mandatory fields are missing.
- Submitted-by and submitted-at are recorded.
- Completeness does not automatically set readiness outcome.

US-03 — Create buyer requirement

As an analyst, I want to separate mandatory conditions from preferences.

- Each criterion has a clear type.
- Matching cannot run until the approved minimum fields exist.
- Criteria/weight version is recorded with the run.

US-04 — Review match results

As a reviewer, I want to understand why each supplier ranked.

- Results show eligibility, score if applicable, explanation and gaps.
- Hard-rule failure cannot be offset by preference score.
- Fallback is labelled and logged.

US-05 — Record disposition

As an authorised reviewer, I want to record a decision and reason.

- Only permitted roles can decide.
- Decision includes actor, timestamp and required reason.
- Opportunity action is available only after approved disposition.

US-06 — Inspect audit history

As an auditor, I want to understand who changed what and when.

- Log identifies actor, action, record, timestamp and outcome.
- Relevant before/after values appear where approved and safe.
- Ordinary users cannot silently alter audit history.

17. Marketplace inspiration: adapt, don't clone

Reference pattern	Potential adaptation for InChi	Caution
Alibaba-style supplier profiles	Structured company/product details, capability sections, evidence, completeness and comparison.	Do not imply verification unless the process/evidence exists.
RFQ / sourcing form	Guided buyer form with quantity, specs, market, certificates and delivery.	Use approved fields; separate hard eligibility from preferences.
Supplier search/filter	Search by category, market, capabilities and status.	Respect permissions; do not expose private records publicly.
Trust/evidence indicators	Document status, source, review date, expiry and outcome.	Upload is not the same as verified compliance.
Tmall Global qualification review	Clear onboarding and evidence/review steps for overseas businesses.	Do not copy fees, deposits or consumer retail mechanics.
Pinduoduo help/rules navigation	Accessible process guidance and clear rules/help information.	Do not add group-buying or social-commerce mechanics.
Modern SaaS dashboard	Task queue, clear statuses, activity history and defined metrics.	Never fabricate metrics to populate the dashboard.

Research boundary

Marketplace rules differ by platform, seller location, category, route and contract. Use official sources in a policy register; do not turn general marketplace rules into InChi eligibility logic without source, applicability check and BNCS/mentor approval.

18. Technical, data and integration boundaries

The official manual recommends a baseline of Next.js/React/TypeScript frontend, Spring Boot application backend, PostgreSQL, and a separate Python/FastAPI matching service, with role-based authentication, GitHub pull-request workflow, containerised local setup and non-production staging. Final stack choices and material deviations require approval.

Component	Product/UX implication	Coordinate with
Frontend	Specify screen behaviour, validation, tables, empty/error/success states.	Frontend engineer
Application API	Specify field names, requiredness, status transitions, permissions and error responses.	Backend engineer
Data model	Stable IDs, entity links, controlled enums, versions and migrations.	Data engineer + backend
Matching service	Input/output schema, rule version, explanation, failure/fallback and evaluation.	Matching engineer + QA
Security	Least privilege, document access, safe logs and permission testing.	Cybersecurity owner
QA/UAT	Acceptance criteria linked to tests and evidence.	QA owner

Conceptual entity relationships

Supplier 1—many Products; Supplier 1—many Assessments; Buyer Requirement 1—many Matching Runs; Matching Run 1—many Match Results; an approved match/disposition can create an Opportunity; major entities relate to Audit Events. This is a conceptual map, not a final database schema or API contract.

19. Roles and approval gates

Role	Expected contribution	Boundary
Product UX & Commercial Workflow Analyst (you)	Journeys, field dictionary, states, wireframes, user stories, acceptance criteria, exception states and UAT scenarios.	Do not invent commercial rules, readiness policy or weights.
Technical Project Coordinator	Sprint/backlog, dependencies, decision log, integration and escalation.	Record material decisions in agreed repository.
Frontend engineer	Screens, forms, tables, UI states and interactions.	Needs agreed fields, statuses and actions.
Backend engineer	APIs, validation, persistence, transitions and permission enforcement.	Needs stable contracts and approved transitions.
Data engineer	Data structures, queries, migration impact and data quality.	Needs agreed field meanings and relationships.
AI/matching engineer	Eligibility filters, weighted scoring, explanations, fallback and evaluation.	Weights and policy criteria require approval.
QA engineer	Independent test coverage, regression, UAT evidence and defect tracking.	Demo alone is not documented acceptance.
Cybersecurity owner	Permission/security review, tests and residual risk reporting.	Sensitive changes must not bypass review.
BNCS / appointed mentor	Approves material policy, scoring, architecture, security and scope decisions.	Intern proposals are not approved policy until confirmed.

Decision log template

ID	Question / choice	Recommendation	Approver/status	Affected pages/tests
D-001	Readiness outcome labels	Pending review	BNCS/mentor — Open	Assessment, dashboard, matching
D-002	Eligibility vs preference rules	Pending review	BNCS/mentor — Open	Requirement, matching, QA
D-003	Opportunity stages	Pending review	BNCS/mentor — Open	Pipeline, dashboard, QA

20. Eight-week roadmap and feature freeze

Week / period	Focus	Product/UX deliverables	Exit evidence
1 • 19–23 Oct	Scope/discovery	Journey, role assumptions, initial fields/states, risks/questions.	Reviewable baseline and decision log.
2 • 26–30 Oct	UX/data/workflow specification	Sitemap, field dictionary v1, wireframes, states, acceptance criteria.	Engineers/QA can identify expected behaviour.
3 • 2–6 Nov	Supplier/product registry	List/detail/forms, validation, errors and review actions.	Registry flow demonstrated.
4 • 9–13 Nov	Readiness and buyer demand	Assessment, requirement, review states, approved eligibility/scoring criteria.	Rules/fields/interfaces approved before AI integration.
5 • 16–20 Nov	AI-assisted matching	Results, explanations, warnings, human disposition, fallback and evaluation.	Explainable matching demo.
6 • 23–27 Nov	Opportunity/dashboard	Pipeline, interactions, metric definitions, bilingual profile.	End-to-end walkthrough; feature freeze after Week 6.
7 • 30 Nov–4 Dec	Hardening and UAT	Edge cases, regression, permission/security evidence.	Release candidate and limitations.
8 • 7–11 Dec	Demo and handover	Workflow pack, data dictionary, user guidance, limitations and backlog.	Final demonstration and handover.

Dates reflect the supplied official plan; confirm any changes with the project coordinator.

21. UAT checklist

For each test record ID, preconditions, data, steps, expected/actual result, pass/fail, defect reference, evidence location and tester.

ID	Scenario	Expected result
UAT-01	Authorised user logs in	Correct workspace and actions shown.
UAT-02	Unauthorised user opens restricted route/API	Access denied; no protected data/action.
UAT-03	Supplier missing submission fields	Draft works if permitted; submission identifies missing fields.
UAT-04	Product without supplier link	Save/submit blocked per approved relationship rules.
UAT-05	Readiness assessment lacks evidence	Blocked or flagged per approved rules; gaps visible.
UAT-06	Reviewer requests more information	Status/reason saved; submitter sees next action.
UAT-07	Requirement mixes mandatory and preference criteria	Distinction preserved in UI and matching contract.
UAT-08	All candidates fail hard filters	No eligible matches; no false-positive ranking.
UAT-09	Matching service fails	Failure visible; approved fallback labelled/logged.
UAT-10	Candidate has missing data	Unknown not treated as pass; warning shown.
UAT-11	Reviewer decides	Permission enforced; actor/time/reason recorded.
UAT-12	Opportunity created from unapproved match	Action blocked.
UAT-13	Opportunity stage changed	Only valid transitions work; history updated.
UAT-14	Dashboard filter applied	Totals match defined query/test dataset.
UAT-15	Audit history inspected	Material event visible to authorised user.
UAT-16	Translation missing	Missing status shown; source content available.
UAT-17	Save fails	No false success; recovery/retry path.
UAT-18	Concurrent edit	User warned; no silent overwrite.

22. China-market policy register

The site may need market/category-specific requirements, but this blueprint does not establish which legal or platform rules apply to a given product. Maintain a policy register instead of hard-coding assumptions.

Register field	Purpose
Policy ID/title	Unique reference and plain-language name.
Official source/URL	Primary authority/platform source; avoid relying only on third-party summaries.
Version/effective date/checked date	Track which version was used and when it was checked.
Market/route/category	Identify where the rule applies.
Applicability rationale	Explain why the rule applies to this supplier/product/route.
Evidence required	Field, document, declaration or review needed.
System treatment	Block, warn, request info or route to review—only as approved.
Owner/approver/status	Accountable owner and approval state.
Review cadence/change history	Keep rules current and tests traceable.

Critical boundary

Do not claim legal compliance or automatically label a product compliant from a checklist alone. Applicability may depend on product classification, route, documentation, labelling, standards, customs, tax and current law. Escalate uncertain applicability to BNCS and qualified specialists.

23. Risks, non-goals and Phase 2

Risk / non-goal	Mitigation
Unapproved readiness criteria	Maintain approval register; do not implement unresolved material rules.
Completeness confused with approval	Separate completeness, assessment progress, outcome and review status.
Opaque AI ranking	Show explanations, gaps, versions, evaluation and limitations.
Missing data creates false confidence	Use unknown/not assessed; never convert missing evidence into pass.
Policy changes over time	Version source, owner, applicability and review date.
Overbuilding marketplace features	Freeze scope after Week 6; defer checkout, payments, chat and logistics unless approved.
Sensitive data exposure	Least privilege, controlled document access, safe logs and security review.
Undefined dashboard metrics	Approve formula, source, time window, exclusions and owner.

Possible Phase 2 candidates — only after approval

- External supplier self-service onboarding and document submission.
- Public/partner supplier discovery portal.
- Expanded translation management and bilingual search.
- Notifications for stale records or document expiry.
- Approved trade/customs/logistics/regulatory data integrations.
- Advanced reporting, CRM or communication integrations after security and data-governance review.

24. Your immediate action plan

Your role is to define what users need to do, what the system must show, which approved rules govern each step, and how the team proves that a feature works.

Order	Deliverable	Minimum contents	Review with
1	Sitemap/navigation	Modules, pages, role access and main actions.	Coordinator + frontend
2	Journey map	Eight stages, user/system actions, gates and exceptions.	Coordinator + backend + QA
3	Field dictionary v1	Supplier, product, assessment, buyer requirement, match, opportunity, audit.	Backend + data + matching
4	Workflow state map	States, transitions, guards, roles, reasons and reopen rules.	Backend + QA + BNCS for policy
5	Wireframes	List, create/edit, detail, review, matching, opportunity and audit.	Frontend + team
6	Acceptance criteria	Normal, boundary, empty, failure and permission cases.	QA + engineers
7	Decision/policy register	Question, options, recommendation, approver, status and affected features.	Coordinator + BNCS/mentor
8	UAT pack	Test IDs, steps, expected results, evidence and defects.	QA + business reviewer

First practical milestone

Prepare the sitemap, the eight-stage journey map and the field dictionary for Supplier, Product, Readiness Assessment and Buyer Requirement. Mark unapproved rules as OPEN instead of guessing. These artefacts will make the next engineering discussion concrete.

Stakeholder questions

- What are the exact user roles and permissions?
- Which fields are mandatory at draft, submission and approval?
- Who approves China-readiness criteria and category-specific evidence requirements?
- Which conditions are hard eligibility filters versus weighted preferences?
- What scoring weights, explanations and fallback behaviour are approved?
- What decision labels and opportunity stages should the site use?
- Which dashboard metrics are required and how are they calculated?
- What data is sensitive, who can see it and what must be audited?
- What is explicitly out of scope before the Week 6 feature freeze?

End of blueprint. This is a working product specification guide; confirm material policy, scoring, architecture, security and scope decisions with designated owners before implementation.