

ASSIGNMENT ①

NAME → ARYAN GUPTA

Roll No. → 2312 000 1400 42

Sec. → B1

Sem. → 3

SUB. → W.T

SUBMITTED To → Dh. Sagar Monga

① Design & create a web page giving the following train details →

- * Train Name
- * Starting Place
- * Destination
- * Arrival & Departure time
- * Fare

```
<html>
```

```
<head>
```

```
<title> Time Table & Fare List </title>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<table border = "1" cellpadding = "15" style = "border-collapse: collapse" >
```

```
<caption>
```

```
Time table & fare list
```

```
</caption>
```

```
<tr>
```

```
<th>
```

```
Train Name
```

```
</th>
```

```
<th> Starting Place </th>
```

```
<th> Destination </th>
```

```
<th> Arrival & Departure Time </th>
```

```
<th> Fare </th>
```

```
</tr>
```

<th>

<td> Inter city Express </td>

<td> Bareilly Junction </td>

<td> New Delhi </td>

<td> 4:55 A.M - 10:20 A.M </td>

<td> 107 </td>

</th>

<th>

<td> Kashi Vishwanath Express </td>

<td> Banaras </td>

<td> New Delhi </td>

<td> 1:30 P.M - 5:45 A.M </td>

<td> 200 </td>

</th>

</table>

</center>

</body>

</html>

- ② Construct a specimen of a corporate web page. Divide the screen into two frames. The frame on the left will be a menu consisting of hyperlinks. Clicking on any of these links will lead to a new page, which must open in ~~se~~cond frame, which is on the right hand side.

<html>

<head>

<title> Corporate web page </title>

~~<head>~~

<style>

lframe

{ box-sizing: border-box;

display: inline-block;

width: 30%;

border-height: 2px solid black;

margin: 0px;

}

rframe

{ box-sizing: border-box;

border: none;

width: 69%;

margin: 0px;

}

```
body, h1
```

```
{ margin: 0px;  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div id = "hFrame">
```

```
<ol>
```

```
<li> <a href = "home.html"  
target = "hFrame">
```

Home

```
<a>
```

```
</li>
```

```
<li> <a href = "contact.html" target = "hFrame">
```

Contact

```
<a>
```

```
</li>
```

```
<li> <a href = "about.html" target = "hFrame">
```

About us

```
<a>
```

```
</li>
```

```
</ol>
```

```
</div>
```

```
<iframe name = "hFrame"> </iframe>
```

```
</body>
```

```
</html>
```


* home.html →

```
# <html>
    <head>
        <title> Home </title>
    </head>
    <body>
        <h1> This is Home Section </h1>
    </body>
</html>
```

* contact.html →

```
<html>
    <head>
        <title> Contact </title>
    </head>
    <body>
        <h1> This is Body Section </h1>
    </body>
</html>
```

* about.html →

```
<html>
    <head>
        <title> About </title>
    </head>
    <body>
        <h1> This About Section </h1>
    </body>
</html>
```

- ③ Develop a website that list of popular car companies, including sub-lists of their car brands with prices & discounts. Organize & present this info. effectively -

```
<html>
```

```
<head>
```

```
<title> Cars Deals </title>
```

```
</head>
```

```
<body>
```

```
<ul>
```

```
<li>
```

```
<h3> Mahindra Suzuki </h3>
```

```
<ul>
```

```
<li>
```

```
<h3> Fronx </h3>
```

```
<ul>
```

```
<li> Price : 7,52,000 </li>
```

```
<li> Dis count : 50,000 </li>
```

```
</ul>
```

```
</li>
```

```
<li>
```

```
<h3> Bheja </h3>
```

```
<ul>
```

```
<li> Price : 8,34,000 </li>
```

```
<li> Dis count : 70,000 </li>
```

```
</ul>
```

```
</li>
```

```
</ul>
```

```
</li>
```


<h1> Tata </h1>

<h3> Maruti </h3>

 Price : 14,99,000

 Discount : 1,50,000

<h3> Suzuki </h3>

 Price : 15,49,000

 Discount : 1,75,000

<h1> Toyota </h1>

<h3> Fortuner </h3>

 Price : 47,64,000

 Discount : 2,00,000

 LC 300

 Price: 2,10,00,000

 Discount: 10,00,000

</body>

</html>

- ④ Implement & apply various CSS styles to different paragraphs of a web page. Analyze the visual impact of these styles.

<html>

<head>

<title> CSS Styles </title>

~~</head>~~

<style>

para1

{ text-align: center;

color: blue;

background-color: brown;

font-size: 20px;

}

para2

{ text-align: justify;

color: ~~blue~~ blue;

background-color: aquamarine;

font-weight: 700;

font-size: 50px;

}

```
# para 3
```

```
{ text-align: right;
```

```
color: blanchedalmond;
```

```
background-color: blueviolet;
```

```
font-style: italic;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<p id = "para1">
```

```
</p>
```

```
<p id = "para2">
```

```
</p>
```

```
<p id = "para3">
```

```
</p>
```

```
</body>
```

```
</html>
```

⑤ Design & ~~code~~ construct a form as shown in the provided figure.

<html>

<head>

<title> Feedback Form </title>

<style>

span

{ display: ~~block~~ inline-block;

font-weight: bold;

margin-top: 10px;

}

</style>

<script>

handleClear = () => {

document.getElementById('form').
reset();

}

</script>

</head>

<body>

<form id = "form">

<h1> Feedback Form </h1>

Please fill out this form to help us
improve our site

<bh>

 Name :

<input type = "text" name = "name" id =
"nameInput" >

<bh>

 Comments

<bh>

<textarea name = "comment" id = "commentInput"
rows = "10" > </textarea>

<bh>

 E-mail Address :

<input type = "text" name = "email" id = "emailInput" >

<bh>

 Things you liked

<bh>

<input type = "checkbox" name = "likes" id = "cb1"
value = "Design" >

<label for = "cb1" > Site Design </label>

<input type = "checkbox" name = "likes" id = "cb2"
value = "Links" >

<label for = "cb2" > Links </label>


```
<input type="checkbox" name="likes" id="cb3"
value="Ease">
```

```
<label for="cb3"> Ease of use </label>
```

```
<input type="checkbox" name="likes" id="cb4"
value="Images">
```

```
<label for="cb4"> Images </label>
```

```
<input type="checkbox" name="likes" id="cb5"
value="Source Code">
```

```
<label for="cb5"> Source Code </label>
```

```
<br>
```

```
<span> How did you get to our site? </span>
```

```
<br>
```

```
<input type="radio" id="h1" name="get2site"
value="Search Engine">
```

```
<label for="h1"> Search Engine </label>
```

```
<input type="radio" id="h2" name="get2site"
value="Links from Another site">
```

```
<label for="h2"> Links from Another site </label>
```

~~<input type = "checkbox">~~

<input type = "radio" id = "h3" name = "get 2 site"
value = "Reference in a book">

<label for = "h3"> Reference in a Book </label>

<input type = "radio" id = "h4" name = "get 2 site"
value = "Other">

<label for = "h4"> Other </label>

 Rate Our site :

<select name = "Rating" id = "Rating">

<option value = "10"> 10 </option>

<option value = "9"> 9 </option>

<option value = "8"> 8 </option>

<option value = "7"> 7 </option>

⋮

⋮

<option value = "1"> 1 </option>

</select>

<bh>

<bh>

<button> Submit </submit>

<button onClick = "handleClear"> Clear ~~</button>~~ </button>

</form>

</body>

</html>