

C:\Users\ASUS\Desktop\OS_CD24005\2>cd ..

C:\Users\ASUS\Desktop\OS

C:\Users\ASUS\Desktop\OS
C:\Users\ASUS\Desktop\OS

C:\Users\ASUS\Desktop\OS

C:\Users\ASUS\Desktop\OS
Volume in drive D is Ne
Volume Serial Number is

C:\Users\ASUS\Desktop\OS
LAPTOP-LCU90K2P

C:\Users\ASUS\Desktop\OS

C:\Users\ASUS\Desktop\OS
Folder PATH listing for
Volume serial number is
C:.

```
2
└── 1
    ├── CD24005
    └── temporary
```

C:\Users\ASUS\Desktop\OS


C:\Users\ASUS\Desktop\OS

C:\Users\ASUS\Desktop\OS


C:\Users\ASUS\Desktop\OS
The system cannot find the file www.google.com.

C:\Users\ASUS\Desktop\OS_CD24005>start www.google.com

C:\Users\ASUS\Desktop\OS_CD24005>firewall.cpl



```
\Users\ASUS\Desktop\OS_CD24005>rem 1 one
\Users\ASUS\Desktop\OS_CD24005>cd 2
\Users\ASUS\Desktop\OS_CD24005\2>rem 1 to c
\Users\ASUS\Desktop\OS_CD24005\2>cd ..
\Users\ASUS\Desktop\OS_CD24005>cd 2
\Users\ASUS\Desktop\OS_CD24005\2>del 1
\Users\ASUS\Desktop\OS_CD24005\2\1\*, Are y
\Users\ASUS\Desktop\OS_CD24005\2>cd ..
\Users\ASUS\Desktop\OS_CD24005>Vol D:
Volume in drive D is New Volume
Volume Serial Number is BA81-CFD6
\Users\ASUS\Desktop\OS_CD24005>hostname
PTOP-LCU90K2P
\Users\ASUS\Desktop\OS_CD24005>charmap
\Users\ASUS\Desktop\OS_CD24005>tree
Folder PATH listing for volume OS
Volume serial number is DE22-9DC4
.
--2
  |__1
    --CD24005
      --temporary
\Users\ASUS\Desktop\OS_CD24005>calc
\Users\ASUS\Desktop\OS_CD24005>control
\Users\ASUS\Desktop\OS_CD24005>desk.cpl
\Users\ASUS\Desktop\OS_CD24005>start ww.google.com
The system cannot find the file ww.google.com
\Users\ASUS\Desktop\OS_CD24005>start www.google.com
```



Settings



Aaryan Hasoriya
aryanhasoriya18@outlook.com

System > Display

Find a setting



- Home
- System
- Bluetooth & devices
- Network & internet
- Personalization
- Apps
- Accounts
- Time & language
- Gaming
- Accessibility
- Privacy & security
- Windows Update

Brightness & color



Brightness
Change brightness for the built-in display



Night light
Use warmer colors to help block blue light

Off ☐



Color profile
Determine how colors appear on your screen



HDR
[More about HDR](#)

Scale & layout



Scale
Change the size of text, apps, and other items

125% (Recommended)



Display resolution
Adjust the resolution to fit your connected display

1920 x 1200 (Recommended)



Display orientation

Landscape



Multiple displays
Choose the presentation mode for your displays

Users\ASUS\Desktop\OS_CD24005>desk.cpl

```
Users\ASUS\Desktop\OS_CD24005>control
```



Calculator



Standard



0

MC

MR

M+

M-

MS

Mv

%

CE

C

 $1/x$ x^2 $\sqrt[n]{x}$ \div

7

8

9

 \times

4

5

6

 $-$

1

2

3

 $+$ \pm/\square

0

.

 $=$

```
C:\Users\ASUS\Desktop\OS_CD24005>hostname
LAPTOP-LCU90K2P

C:\Users\ASUS\Desktop\OS_CD24005>chardmap

C:\Users\ASUS\Desktop\OS_CD24005>tree
Folder PATH listing for volume OS
Volume serial number is DE22-9DC4
C:..
|_2
|   |_1
|       |_CD24005
|           |_temporary

C:\Users\ASUS\Desktop\OS_CD24005>calc
```

```
C:\Users\ASUS\Desktop\OS_CD24005>tree
Folder PATH listing for volume OS
Volume serial number is DE22-9DC4
C:..
|_2
|   |_1
|_CD24005
|_temporary
```

C:\Users\ASUS

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C

C


C

C

C

C

C



C:\Users\ASUS\Desktop\OS_CD24005>cd 2

C:\Users\ASUS\Desktop\OS_CD24005\2>rem 1 to one

C:\Users\ASUS\Desktop\OS_CD24005\2>cd ..

C:\Users\ASUS\Desktop\OS_CD24005>cd 2

C:\Users\ASUS\Desktop\OS_CD24005\2>del 1

C:\Users\ASUS\Desktop\OS_CD24005\2\1*, Are you sure (Y/N)? Y

C:\Users\ASUS\Desktop\OS_CD24005\2>cd ..

C:\Users\ASUS\Desktop\OS_CD24005>Vol D:

Volume in drive D is New Volume

Volume Serial Number is BA81-CFD6

C:\Users\ASUS\Desktop\OS_CD24005>hostname

LAPTOP-LCU90K2P

C:\Users\ASUS\Desktop\OS_CD24005>charmap

```
C:\Users\ASUS\Desktop\OS_CD24005>hostname  
LAPTOP-LCU90K2P
```

```
C:\Users\ASUS\Desktop\OS_CD24005>|
```



```
C:\Users\ASUS\Desktop\OS_CD24005>Vol D:  
Volume in drive D is New Volume  
Volume Serial Number is BA81-CFD6  
  
C:\Users\ASUS\Desktop\OS_CD24005>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2>cd ..
```

```
C:\Users\ASUS\Desktop\OS_CD24005>cd 2
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2>del 1
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2\1\*, Are you sure (Y/N)? Y
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005>rem 1 one
```

```
C:\Users\ASUS\Desktop\OS_CD24005>cd 2
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2>rem 1 to one
```

```
C:\Users\ASUS\Desktop\OS_CD24005\2>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005>mkdir 1 2
```

```
C:\Users\ASUS\Desktop\OS_CD24005>move 1 2  
1 dir(s) moved.
```

```
C:\Users\ASUS\Desktop\OS_CD24005>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005>mkdir temporary  
  
C:\Users\ASUS\Desktop\OS_CD24005>mkdir temporary  
A subdirectory or file temporary already exists.  
  
C:\Users\ASUS\Desktop\OS_CD24005>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005>mkdir CD24005
```

```
C:\Users\ASUS\Desktop\OS_CD24005>|
```

```
C:\Users>cd ASUS
```

```
C:\Users\ASUS>|
```

Microsoft Windows [Version 10.0.26100.3194]
(c) Microsoft Corporation. All rights reserved.

C:\Users\ASUS>cd ..

C:\Users>|

About Windows



Windows 11

Microsoft Windows

Version 24H2 (OS Build 26100.3194)

© Microsoft Corporation. All rights reserved.

The Windows 11 Home Single Language operating system and its user interface are protected by trademark and other pending or existing intellectual property rights in the United States and other countries/regions.

This product is licensed under the [Microsoft Software License Terms](#) to:

ASUS

org name

OK

Hyper-V Requirements:

```
C:\Users\ASUS\Desktop\OS_CD24005>time
```

```
The current time is: 22:02:59.86
```

```
Enter the new time:
```

```
C:\Users\ASUS\Desktop\OS_CD24005>date
```

```
The current date is: Mon 01/19/2026
```

```
Enter the new date: (mm-dd-yy)
```

```
C:\Users\ASUS\Desktop\OS_CD24005>slmgr - dli
```

```
C:\Users\ASUS\Desktop\OS_CD24005>winver
```

E Wireless LAN WiFi 6 P

ne: Wi-Fi

Yes

192.168.196.25

196.152

e:03:339e:1a9c:49b8

00:3153:649e:6117:f56e:

00:3153:649e:6a6e:312d:

apter V9

ne: McAfee VPN

Media disconnected

roperties:

ization Support

Properties:

ization Support

only

SMM Security Mitigations 1.0

Mode Based Execution Control

APIC Virtualization

Services Configured:

Hypervisor enforced Code Integrity

Services Running:

Hypervisor enforced Code Integrity

App Control for Business policy: Enforced

App Control for Business user mode policy:

Security Features Enabled:

A hypervisor has been detected. Features 1

```
[01]: 192.168.196.152
[02]: fe80::ec03:339e:1a9c:49b8
[03]: 2402:8100:3153:649e:6117:f56e:7490:262f
[04]: 2402:8100:3153:649e:6a6e:312d:7edb:cac4
[02]: TAP-Windows Adapter V9
Connection Name: McAfee
Status: Media
```

```
Virtualization-based security: Status: Running
Required Security Properties:
Base Virtualization Support
Available Security Properties:
Base Virtualization Support
Secure Boot
DMA Protection
UEFI Code Readonly
SMM Security Mitigation
Mode Based Execution Control
APIC Virtualization
Services Configured:
Hypervisor enforced Code Integrity
Services Running:
Hypervisor enforced Code Integrity
App Control for Business policy
App Control for Business user
Security Features Enabled:
```

Hyper-V Requirements:

A hypervisor has been detected. Features required for Hyper-V will not be displayed.

```
C:\Users\ASUS\Desktop\OS_CD24005>time
The current time is: 22:02:59.86
Enter the new time:
```

```
C:\Users\ASUS\Desktop\OS_CD24005>date
The current date is: Mon 01/19/2026
Enter the new date: (mm-dd-yy)
```

```
C:\Users\ASUS\Desktop\OS_CD24005>slmgr - dli
```



```
C:\Users\ASUS\Desktop\OS_CD24005>date
The current date is: Mon 01/19/2026
Enter the new date: (mm-dd-yy) |
```

```
C:\Users\ASUS\Desktop\OS_CD24005>time
The current time is: 22:02:59.86
Enter the new time: |
```

C:\Users\ASUS\Desktop\OS_CD24005>systeminfo

Host Name: LAPTOP-LCU90K2P
OS Name: Microsoft Windows 11 Home Single Language
OS Version: 10.0.26100 N/A Build 26100
OS Manufacturer: Microsoft Corporation
OS Configuration: Standalone Workstation
OS Build Type: Multiprocessor Free
Registered Owner: ASUS
Registered Organization: N/A
Product ID: 00342-42763-15037-AAOEM
Original Install Date: 10/27/2025, 8:12:10 AM
System Boot Time: 1/19/2026, 7:38:09 PM
System Manufacturer: ASUSTeK COMPUTER INC.
System Model: ASUS Vivobook 16 V3607VU_V3607VU
System Type: x64-based PC
Processor(s): 1 Processor(s) Installed.
[01]: Intel64 Family 6 Model 186 Stepping 2 GenuineIntel ~2200 Mhz
BIOS Version: American Megatrends International, LLC. V3607VU.301, 3/13/2025
Windows Directory: C:\Windows
System Directory: C:\Windows\system32
Boot Device: \Device\HarddiskVolume1
System Locale: en-us;English (United States)
Input Locale: 00004009
Time Zone: (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi
Total Physical Memory: 15,980 MB
Available Physical Memory: 10,074 MB
Virtual Memory: Max Size: 18,924 MB
Virtual Memory: Available: 12,479 MB
Virtual Memory: In Use: 6,445 MB
Page File Location(s): C:\pagefile.sys
Domain: WORKGROUP
Logon Server: \\LAPTOP-LCU90K2P
Hotfix(s): 2 Hotfix(s) Installed.
[01]: KB5051987
[02]: KB5052085
Network Card(s): 2 NIC(s) Installed.
[01]: Realtek 8852BE Wireless LAN WiFi 6 PCI-E NIC
Connection Name: Wi-Fi
DHCP Enabled: Yes
DHCP Server: 192.168.196.25
IP address(es)
[01]: 192.168.196.152
[02]: fe80::ec03:339e:1a9c:49b8
[03]: 2402:8100:3153:649e:6117:f56e:7490:262f
[04]: 2402:8100:3153:649e:6a6e:312d:7ed6:cac4

```
C:\Users\ASUS\Desktop\OS_CD24005>title output
```

```
C:\Users\ASUS\Desktop\OS_CD24005>|
```

```
C:\Users\ASUS\Desktop\OS_CD24005> color help
Sets the default console foreground and background colors.
```

```
COLOR [attr]
```

attr Specifies color attribute of console output

Color attributes are specified by TWO hex digits -- the first corresponds to the background; the second the foreground. Each digit can be any of the following values:

0 = Black	8 = Gray
1 = Blue	9 = Light Blue
2 = Green	A = Light Green
3 = Aqua	B = Light Aqua
4 = Red	C = Light Red
5 = Purple	D = Light Purple
6 = Yellow	E = Light Yellow
7 = White	F = Bright White

If no argument is given, this command restores the color to what it was when CMD.EXE started. This value either comes from the current console window, the /T command line switch or from the DefaultColor registry value.

The COLOR command sets ERRORLEVEL to 1 if an attempt is made to execute the COLOR command with a foreground and background color that are the same.

Example: "COLOR fc" produces light red on bright white

```
C:\Users\ASUS\Desktop\OS_CD24005>color b
```

The /f parameter is implied when a value greater than 0 is specified for the /t parameter.
/d [p|u:]xx:yy Provide the reason for the restart or shutdown.
p indicates that the restart or shutdown is planned.
u indicates that the reason is user defined.
If neither p nor u is specified the restart or shutdown is unplanned.
xx is the major reason number (positive integer less than 256).
yy is the minor reason number (positive integer less than 65536).

Reasons on this computer:
(E = Expected U = Unexpected P = planned, C = customer defined)

Type	Major	Minor	Title
U	0	0	Other (Unplanned)
E	0	0	Other (Unplanned)
E P	0	0	Other (Planned)
U	0	5	Other Failure: System Unresponsive
E	1	1	Hardware: Maintenance (Unplanned)
E P	1	1	Hardware: Maintenance (Planned)
E	1	2	Hardware: Installation (Unplanned)
E P	1	2	Hardware: Installation (Planned)
E	2	2	Operating System: Recovery (Unplanned)
E P	2	2	Operating System: Recovery (Planned)
E P	2	3	Operating System: Upgrade (Planned)
E	2	4	Operating System: Reconfiguration (Unplanned)
E P	2	4	Operating System: Reconfiguration (Planned)
P	2	16	Operating System: Service pack (Planned)
	2	17	Operating System: Hot fix (Unplanned)
P	2	17	Operating System: Hot fix (Planned)
	2	18	Operating System: Security fix (Unplanned)
P	2	18	Operating System: Security fix (Planned)
E	4	1	Application: Maintenance (Unplanned)
E P	4	1	Application: Maintenance (Planned)
E P	4	2	Application: Installation (Planned)
E	4	5	Application: Unresponsive
E	4	6	Application: Unstable
U	5	15	System Failure: Stop error
U	5	19	Security issue (Unplanned)
E	5	19	Security issue (Unplanned)
E P	5	19	Security issue (Planned)
E	5	20	Loss of network connectivity (Unplanned)
U	6	11	Power Failure: Cord Unplugged
U	6	12	Power Failure: Environment
P	7	0	Legacy API shutdown


```
C:\Users\ASUS\Desktop\OS_CD24005>shutdown
Usage: shutdown [/i | /l | /s | /sg | /r | /g | /a | /p | /h | /e | /o] [/hybrid] [/soft] [/fw] [/f]
        [/m \\computer] [/t xxx] [/d [p|u:]xx:yy [/c "comment"]]
```

```
No args      Display help. This is the same as typing /?.
/?           Display help. This is the same as not typing any options.
/i           Display the graphical user interface (GUI).
              This must be the first option.
/l           Log off. This cannot be used with /m or /d options.
/s           Shutdown the computer.
/sg          Shutdown the computer. On the next boot, if Automatic Restart Sign-On
              is enabled, automatically sign in and lock last interactive user.
              After sign in, restart any registered applications.
/r           Full shutdown and restart the computer.
/g           Full shutdown and restart the computer. After the system is rebooted,
              if Automatic Restart Sign-On is enabled, automatically sign in and
              lock last interactive user.
              After sign in, restart any registered applications.
/a           Abort a system shutdown.
              This can only be used during the time-out period.
              Combine with /fw to clear any pending boots to firmware.
/p           Turn off the local computer with no time-out or warning.
              Can be used with /d and /f options.
/h           Hibernate the local computer.
              Can be used with the /f option.
/hybrid      Performs a shutdown of the computer and prepares it for fast startup.
              Must be used with /s option.
/fw          Combine with a shutdown option to cause the next boot to go to the
              firmware user interface.
/e           Document the reason for an unexpected shutdown of a computer.
/o           Go to the advanced boot options menu and restart the computer.
              Must be used with /r option.
/m \\computer Specify the target computer.
/t xxx       Set the time-out period before shutdown to xxx seconds.
              The valid range is 0-315360000 (10 years), with a default of 30.
              If the timeout period is greater than 0, the /f parameter is
              implied.
/c "comment" Comment on the reason for the restart or shutdown.
              Maximum of 512 characters allowed.
/f           Force running applications to close without forewarning users.
              The /f parameter is implied when a value greater than 0 is
              specified for the /t parameter.
/d [p|u:]xx:yy Provide the reason for the restart or shutdown.
              p indicates that the restart or shutdown is planned.
              u indicates that the reason is user defined.
              If neither p nor u is specified the restart or shutdown is
```

	a batch program.
GPRESULT	Displays Group Policy information for machine or user.
HELP	Provides Help information for Windows commands.
ICACLS	Display, modify, backup, or restore ACLs for files and directories.
IF	Performs conditional processing in batch programs.
LABEL	Creates, changes, or deletes the volume label of a disk.
MD	Creates a directory.
MKDIR	Creates a directory.
MKLINK	Creates Symbolic Links and Hard Links
MODE	Configures a system device.
MORE	Displays output one screen at a time.
MOVE	Moves one or more files from one directory to another directory.
OPENFILES	Displays files opened by remote users for a file share.
PATH	Displays or sets a search path for executable files.
PAUSE	Suspends processing of a batch file and displays a message.
POPD	Restores the previous value of the current directory saved by PUSH.D.
PRINT	Prints a text file.
PROMPT	Changes the Windows command prompt.
PUSHD	Saves the current directory then changes it.
RD	Removes a directory.
RECOVER	Recovers readable information from a bad or defective disk.
REM	Records comments (remarks) in batch files or CONFIG.SYS.
REN	Renames a file or files.
RENAME	Renames a file or files.
REPLACE	Replaces files.
RMDIR	Removes a directory.
ROBOCOPY	Advanced utility to copy files and directory trees
SET	Displays, sets, or removes Windows environment variables.
SETLOCAL	Begins localization of environment changes in a batch file.
SC	Displays or configures services (background processes).
SCHTASKS	Schedules commands and programs to run on a computer.
SHIFT	Shifts the position of replaceable parameters in batch files.
SHUTDOWN	Allows proper local or remote shutdown of machine.
SORT	Sorts input.
START	Starts a separate window to run a specified program or command.
SUBST	Associates a path with a drive letter.
SYSTEMINFO	Displays machine specific properties and configuration.
TASKLIST	Displays all currently running tasks including services.
TASKKILL	Kill or stop a running process or application.
TIME	Displays or sets the system time.
TITLE	Sets the window title for a CMD.EXE session.
TREE	Graphically displays the directory structure of a drive or path.
TYPE	Displays the contents of a text file.

```
C:\Users\ASUS>cd Desktop
```

```
C:\Users\ASUS\Desktop>cd OS_CD24005
```

```
C:\Users\ASUS\Desktop\OS_CD24005>help
```

For more information on a specific command, type HELP command-name

ASSOC	Displays or modifies file extension associations.
ATTRIB	Displays or changes file attributes.
BREAK	Sets or clears extended CTRL+C checking.
BCDEDIT	Sets properties in boot database to control boot loading.
CACLS	Displays or modifies access control lists (ACLs) of files.
CALL	Calls one batch program from another.
CD	Displays the name of or changes the current directory.
CHCP	Displays or sets the active code page number.
CHDIR	Displays the name of or changes the current directory.
CHKDSK	Checks a disk and displays a status report.
CHKNTFS	Displays or modifies the checking of disk at boot time.
CLS	Clears the screen.
CMD	Starts a new instance of the Windows command interpreter.
COLOR	Sets the default console foreground and background colors.
COMP	Compares the contents of two files or sets of files.
COMPACT	Displays or alters the compression of files on NTFS partitions.
CONVERT	Converts FAT volumes to NTFS. You cannot convert the current drive.
COPY	Copies one or more files to another location.
DATE	Displays or sets the date.
DEL	Deletes one or more files.
DIR	Displays a list of files and subdirectories in a directory.
DISKPART	Displays or configures Disk Partition properties.
DOSKEY	Edits command lines, recalls Windows commands, and creates macros.
DRIVERQUERY	Displays current device driver status and properties.
ECHO	Displays messages, or turns command echoing on or off.
ENDLOCAL	Ends localization of environment changes in a batch file.
ERASE	Deletes one or more files.
EXIT	Quits the CMD.EXE program (command interpreter).
FC	Compares two files or sets of files, and displays the differences between them.
FIND	Searches for a text string in a file or files.
FINDSTR	Searches for strings in files.
FOR	Runs a specified command for each file in a set of files.
FORMAT	Formats a disk for use with Windows.
FSUTIL	Displays or configures the file system properties.
FTYPE	Displays or modifies file types used in file extension associations.
GOTO	Directs the Windows command interpreter to a labeled line in