



Design how it works.

Brand Identity System v3 — UX × product design × systems thinking.
Grey UX layer palette, Highlighter accent, dotted annotation language,
layer mark + flat wordmark, 3D meerkat mascot (separate).

Contents

01	Strategic Foundation	3
02	Verbal Identity	5
03	Brand Principle — The UX Layer	6
04	Color System	7
05	Dotted Line Language	8
06	Mascot — 3D Meerkat	9
07	Logo, Wordmark & Icon	11
08	Typography	12
09	Landing Page	13
10	Voice & Touchpoints	15
11	Guidelines & Assets	16
12	Launch Checklist	17

SECTION 01

Strategic Foundation

Category & Position

Lamina is a skill for **developers who build with AI coding agents** — Cursor, Claude Code, Codex, Gemini, Pi. It helps you know what to build and iterate faster: edge cases, UX gaps, and product states handled upfront in a contract your agent implements, then verified visually after you ship. Not for designers. Not a UI generator. Never writes your app source.

PROBLEM	WHAT LAMINA HANDLES
Edge cases discovered late	Scenarios and recovery paths in the design contract
Invalid product states	Entities, invariants, permissions, lifecycle rules
UX gaps in flows	Navigation, forms, empty/error states tied to domain
Built ≠designed	Visual walkthrough — subagents read flows from screenshots

Onliness Statement

Lamina is the ONLY open-source skill built for developers who code with AI — iterate faster on knowing what to build, with edge cases and product states handled upfront and verified visually after you ship. Plugs into Cursor, Claude Code, Codex, Gemini, Pi. Any stack, any UI library.

Brand Pillars

PILLAR	EXPRESSION IN V3 IDENTITY
Know what to build	Outcome-first copy — faster iteration, fewer rewrites
Design is how it works	Product behavior, not pixels or code
Edge cases upfront	Scenarios in contract, not discovered in prod
Structure before surface	Grey wireframe world, dotted annotations
Unopinionated	Any UI skill, framework, library, coding agent
Visual verification	Subagents read flows from screenshots

Enemy & Trueline

Enemy: The Rewrite Loop — shipping fast, then discovering edge cases, UX gaps, and invalid product states mid-sprint or in production.

Know what to build. Iterate faster — without worrying about edge cases, UX issues, or product states. Lamina handles them upfront and verifies what you shipped.

Taglines

Tagline	Role
Design how it works.	Primary
Know what to build. Iterate faster.	Position / hero sub
Design is how it works — not just how it looks.	Philosophy / README
Flows before pixels.	Developer shorthand
100% open source.	Trust / GitHub

Core selling points

Point	Proof
Iterate faster on what to build	Edge cases, states, UX gaps in design contract
Design is how it works	Only AI skill for product behavior — not pixels
100% open source	Apache 2.0 license, inspect and extend
Any UI design skill	Impeccable, UI UX Pro Max, your own
Any framework	Next.js, Angular, Astro, Svelte, mobile
Any UI library	Tailwind, Chakra, shadcn, MUI
Any AI coding tool	Cursor, Claude Code, Codex, Gemini, Pi
Visual flow understanding	Subagents read screenshots on verify

Brand Architecture

lamina.dev	← master brand
└─ Layer mark	← logo (favicon, navbar, lockup)
└─ Wordmark	← lamina flat type
lamina.dev — Rebrand mascot	← personality only (landing, empty states)
└─ UX annotation system	← dotted lines, mono labels
└─ run.yaml contract	← domain + workflows + flows + scenarios
└─ Lamina Skill	← Cursor / Claude / Codex / Pi / Gemini

SECTION 02

Verbal Identity

Elevator Copy

One line: Lamina helps you know what to build and iterate faster — edge cases, UX gaps, and product states handled upfront, verified visually after you ship.

One paragraph: AI UI tools make things pretty. Coding agents write the code. Neither stops you from shipping broken flows or discovering edge cases mid-sprint. Lamina designs how your app works — invariants, workflows, scenarios, and recovery paths in a build contract your coding agent can implement. Then verify catches what slipped through, including visual walkthrough from screenshots. 100% open source. Any stack, any UI skill, any coding agent.

Messaging Matrix

AUDIENCE	MESSAGE	PROOF
Primary ICP — AI-assisted devs	Stop discovering edge cases after your agent ships	Scenarios in run.yaml before code
Solo / indie devs	Know what to build before you prompt	Design contract → coding agent handoff
Eng teams on AI tools	Fewer rework loops across the squad	Shared run.yaml contract + verify
Not primary	Designers, PMs, visual-only workflows	—

Swap Test

If you can replace "Lamina" with Notion or Linear and the copy still works, rewrite it.

SECTION 03

The UX Layer Principle

Grey is the brand. Highlighter is the only color. Dotted lines mean UX thinking happened here.

Visual hierarchy

LAYER	VISUAL	JOB
Background	Dark grey scale	Neutral UX structure
Content	Dotted wireframe cards	Flows, personas, specs
Accent	Highlighter #FACC15	Active path, CTAs, labels
Mascot	3D meerkat (full color)	Personality, warmth

Why grey + one accent (branding skill)

- **Airey:** Color supports structure — grey form is primary
- **Hyndman:** Grey = still/calm (wireframe); meerkat = sparkling (personality)
- **Sharp:** Grey + dotted lines + highlighter = distinctive asset combo
- **Highlighter semantics:** UX workshop markup — not luxury gold, not SaaS blue

What we signal

WE ARE

Know what to build · iterate faster · edge cases upfront · visual verify · open source

WE ARE NOT

UI styling · app source writes · pretty prototypes · AI magic

SECTION 04

Color System

Grey scale — the UX layer

Void
#09090B · Page bg

Base
#111113 · Sections

Surface
#1A1A1D · Cards

Elevated
#242428 · Hover

Border
#2E2E33 · Solid

Dotted
#3F3F46 · Annotations

Muted
#71717A · Labels

Text
#FAFAFA · Primary

Highlighter — only foreground color

Highlighter
#FACC15 · CTA, active path, focus

Highlighter muted
rgba(250,204,21,0.22) · Tinted bg

Usage rules

ELEMENT	COLOR
Page background	Void #09090B
Cards / wireframe boxes	Surface + dashed #3F3F46 border
Active flow path	Highlighter dashed border
CTA buttons	Highlighter bg, Void text
Body text on dark	#FAFAFA / #A1A1AA
Meerkat	Full color in 3D render only — tan, gold chest
Forbidden	Blue, purple, green, rainbow, gradients on UI

SECTION 05


Dotted Line Language

The dotted annotation system is a distinctive brand asset. Use on landing page, docs, marketing — wherever UX thinking is shown.

Rules

ELEMENT	SPEC
Default border	1.5px dashed #3F3F46
Active / primary flow	1.5px dashed #FACC15
Labels	Uppercase mono — PERSONA, FLOW, EDGE CASE, PRIMARY PATH
Connectors	Dashed arrows between steps
Section dividers	Dashed line + centered uppercase label

Example



CSS

```
:root {
  --ux-dash: 1.5px dashed #3F3F46;
  --ux-dash-active: 1.5px dashed #FACC15;
}
.ux-card { border: var(--ux-dash); border-radius: 8px; background: #1A1A1D; }
.ux-card--active { border: var(--ux-dash-active); }
.ux-label { font-family: monospace; font-size: 10px;
  text-transform: uppercase; letter-spacing: 0.08em; color: #71717A; }
.ux-label--active { color: #FACC15; }
```


SECTION 06

Mascot — 3D Meerkat

Character: Cute, sentinel, competent. Watches flows, catches edge cases. Tan fur, gold/highlighter chest chevron. Lives in a grey wireframe world — the only full-color organic element.

Logo vs mascot

ASSET	FORMAT	USE
Layer mark	SVG vector	Favicon, navbar, header lockup, GitHub avatar
3D meerkat	Rendered PNG/WebP	Landing sections, empty states, 404, social

Rule: Mascot never appears in the logo, wordmark, or favicon. Personality and product identity stay separate.

Landing page poses (max 4)

Hero — Sentinel

Upright, watching wireframe demo. Right side of hero.

How it works — Pointing

Gesturing at a flow step or persona card.

Edge cases — Curious

Leaning in, examining a dotted edge-case card.

CTA — Welcoming

Small wave beside install block.

Pose rules

- Same render style across all poses (lighting, material, camera)
- Dark grey (#09090B) background in every render
- Pose reacts to UX content — never decorative
- Max one meerkat per viewport height
- Never use mascot in logo lockup, favicon, or navbar — layer mark only

Personality

TRAIT	EXPRESSION
Sentinel	Upright alert pose — watches the flow
Thorough	Examines edge cases others skip
Curious	"But what if...?" energy
Cute but competent	Approachable, not derpy or kawaii

Voice example

"Hold on — what happens when the invite expires? Adding that to edge cases before we hand off."

ChatGPT prompt (3D poses)

Cute 3D meerkat mascot for Lamina.dev. Sentinel pose [or: pointing / curious lean / welcoming wave]. Tan fur, charcoal eye patches, gold #FACC15 chevron on chest. Dark charcoal background #09090B. Clean 3D render, soft lighting, not hyper-realistic. No text, no UI elements. Square format.

SECTION 07

Logo, Wordmark & Icon



Layer mark semantics

READ	MEANING
Leaf (lamina)	Thin layer — literal name, structure before surface
Letter L	Lamina — ownable monogram in the silhouette
Wireframe cards	Overlapping UX planes — flows before pixels

Wordmark rules

RULE	SPEC
Case	lamina lowercase only
Weight	600
Tracking	-0.04em on lamina
Font	Geist Sans + Geist Mono (Inter/JetBrains fallback)
Forbidden	No bevel, no gradient, no layer-dot on i, no title case

Checklist

TEST	PASS
B&W	Layer mark + wordmark readable without color
16px favicon	Mark silhouette holds — two interlocking cards
Swap test	Not Linear, Notion, Buffer, or generic AI tool
Hand test	Grey + dotted lines + highlighter = Lamina without logo
Mascot rule	Meerkat never in lockup — marketing only

SECTION 08

Typography

ROLE	FAMILY	USE
Display / UI	Geist Sans	Headlines, body, buttons
UX labels	Geist Mono	PERSONA, EDGE CASE, flow IDs

Scale

LEVEL	SIZE	USE
Display	48px / 600	Hero headline
H1	32px / 600	Page titles
Body	16px / 400	Prose
UX label	10px / 400 mono uppercase	Annotation labels
Code	14px / 400 mono	Spec output

```
:root {  
  --font-sans: 'Geist Sans', 'Inter', system-ui, sans-serif;  
  --font-mono: 'Geist Mono', 'JetBrains Mono', monospace;  
}
```

SECTION 09

Landing Page

[mark] lamina

Docs · GitHub · [Install skill](#)

Design how it works.

Know what to build. Iterate faster. Open source.

[3D meerkat
sentinel pose]

HANDLED UPFRONT

edge cases · product states · UX gaps

[Install skill](#)

DESIGN → BUILD → VERIFY

[Design contract](#)

[Your stack](#)

[Visual verify](#)

Section map

SECTION	CONTENT	MEERKAT POSE
Hero	Headline + handled-upfront wireframe	Sentinel (right)
What you stop worrying about	Edge cases · states · UX gaps · drift	None
Why Lamina	7 selling points (open source, any stack, etc.)	None
How it works	Design → implement → verify with visual capture	Pointing
Install	Per-agent commands	Welcoming wave

Hero copy

ELEMENT	COPY
H1	Design how it works.
Sub	Know what to build. Iterate faster.
ICP line	For developers who build with AI coding agents.
Body	Edge cases, UX gaps, and product states handled upfront — verified visually after you ship. Open source.
CTA primary	Install the skill
CTA secondary	Read the docs

How it works

STEP	LABEL	COPY
1	DESIGN	Domain model, actors, workflows, flows, scenarios → run.yaml
2	IMPLEMENT	Your coding agent, any stack, any UI library
3	VERIFY	Actor walks, visual screenshot capture, invariants, a11y → findings

Why Lamina (selling points block)

POINT	ONE LINE
Iterate faster	Know what to build — edge cases upfront, not in prod
Design is how it works	Only AI skill for product behavior — not pixels
Open source	Apache-2.0 — inspect, fork, extend
UI design skills	Works alongside Impeccable, UI UX Pro Max, yours
Frameworks	Next.js, Angular, Astro, Svelte, mobile
UI libraries	Tailwind, Chakra, shadcn, MUI
Coding agents	Cursor, Claude Code, Codex, Gemini, Pi
Your stack	Not opinionated on context, memory, UI workflow

SECTION 10

Voice & Touchpoints

ATTRIBUTE	SOUNDS LIKE	NEVER SOUNDS LIKE
Precise	"Map the onboarding flow"	"Magical AI experiences"
Structural	"Three personas, fourteen edge cases"	"Beautiful, stunning"
Dev-native	Specs, flows, states, guards	Marketing fluff

Touchpoints

TOUCHPOINT	DIRECTION
Website	Grey bg, dotted UX demo, 3D meerkat poses, no UI screenshots
GitHub	Layer mark avatar, wireframe diagram in README
Docs	Dotted annotation components, mono UX labels
Empty states	3D meerkat + one-line UX tip
Social	Edge case threads, dotted flow snippets

SECTION 11

Asset Inventory

ASSET	PATH
Brand identity PDF	brand/lamina-brand-identity.pdf
Color tokens	brand/assets/colors/palette.json
Logo mark (master)	brand/logo.svg
Logo mark (asset)	brand/assets/logo/lamina-mark.svg
Wordmark lockups	brand/assets/wordmark/
Favicon	brand/assets/favicon/
3D meerkat renders	brand/assets/mascot/ (poses)
SKILL.md template	brand/templates/SKILL.md
README template	brand/templates/README.md

CSS tokens (complete)

```
:root {
  --void: #09090B;
  --base: #111113;
  --surface: #1A1A1D;
  --elevated: #242428;
  --border: #2E2E33;
  --border-dotted: #3F3F46;
  --text-muted: #71717A;
  --text: #FAFAFA;
  --highlighter: #FACC15;
  --highlighter-muted: rgba(250, 204, 21, 0.22);
  --ux-dash: 1.5px dashed var(--border-dotted);
  --ux-dash-active: 1.5px dashed var(--highlighter);
  --font-sans: 'Geist Sans', 'Inter', system-ui, sans-serif;
  --font-mono: 'Geist Mono', 'JetBrains Mono', monospace;
}
```


SECTION 12

Summary & Launch Checklist

ELEMENT	V3 DECISION
Category	Product design skill for developers who build with AI
ICP	Developers using AI coding agents — not designers or PMs
Subline	Know what to build. Iterate faster.
Visual principle	Grey = UX layer. Highlighter = only accent.
Annotation language	Dotted lines + uppercase mono labels
Accent	Highlighter #FACC15 (UX markup semantics)
Logo mark	Layer mark — leaf / L / wireframe cards (vector SVG)
Mascot	3D meerkat — landing & empty states only (never in logo)
Wordmark	lamina flat lowercase, no dot on i
Tagline	Design how it works.
Verify	Visual walkthrough — subagents read flows from screenshots

Launch checklist

☐	TASK
☒	Layer mark SVG + header lockups (dark / light / bw)
☒	Favicon SVG from layer mark
☐	Export favicon PNG set (16 / 32 / 180px)
☐	Export 4× 3D meerkat poses (hero, pointing, curious, wave)
☐	Build landing page with dotted UX components
☐	Publish skill repo with updated brand
☐	Implement CSS token system