Mini Project Report

On

PINNACLE PATHS

Intelligent, Beginner-Friendly Trekking Planning Platform

"Money could come back but your 20's won't!"

For

Partial fulfillment of award of the

B.Tech. Degree

in

Computer Science and Information Technology

GL BAJAJ
GREATER NOIDA

2026-27

Name of Supervisor

Mr Adityan Gupta

Assistant Professor

Name Team Member(s)

Aryan Jain (2501920110110)

Anush Sharma (2501920110099)

Anupam Mishra (2501920110095)

Department of Computer Science and Information Technology

G. L. Bajaj Institute of Technology and Management

Plot No 2, Knowledge Park-III, Greater Noida-201306

DECLARATION

We herewith declare that the project work presented in this report entitled **"Pinnacle Paths: Intelligent, Beginner-Friendly Trekking Planning Platform"**, in partial fulfilment of the requirements for the award of the degree of Bachelor of Technology in Computer Science and Information Technology, submitted to A.P.J. Abdul Kalam Technical University, Uttar Pradesh, is an authentic record of our team's work prepared under the supervision of our project supervisor at G. L. Bajaj Institute of Technology and Management, Greater Noida.

The report contains no material previously published or written by another person except where due acknowledgement has been made in the text. The project work reported here has not been submitted by us for the award of any other degree or certification.

Signature: _____
Name: Aryan Jain
Roll No: 2501920110110

Signature: _____
Name: Anush Sharma
Roll No: 2501920110099

Signature: _____
Name: Anupam Mishra
Roll No: 2501920110095

Date: 29 October 2026 Place: Greater Noida

GL BAJAJ Institute of Technology & Management
Department of Computer Science and Information Technology

CERTIFICATE

This is to certify that the Mini Project Report entitled **"Pinnacle Paths: Intelligent, Beginner-Friendly Trekking Planning Platform"**, submitted by **Aryan Jain (2501920110110)**, **Anush Sharma (2501920110099)**, and **Anupam Mishra (2501920110095)**, students of the Department of Computer Science and Information Technology, G. L. Bajaj Institute of Technology and Management, is submitted in partial fulfilment of the requirements for the award of the degree of Bachelor of Technology.

The project work has been carried out under the supervision of **Mr Adityan Gupta**, Assistant Professor, and is submitted for academic evaluation. The matter embodied in this report records the team's project study and proposed system design.

Date: 29 October 2026
Place: Greater Noida

Mr Adityan Gupta
Assistant Professor
Project Supervisor

Dr. P. C. Vashist
Head of Department
Department of Computer Science & IT

ACKNOWLEDGEMENT

We would like to express our sincere thanks to our project supervisor **Mr Adityan Gupta**, Assistant Professor, for his valuable guidance, suggestions, and support during the conceptualization and development of **Pinnacle Paths**. His direction helped us organize the project around the fragmented outdoor travel coordination problem and shape the report into a structured academic study.

We are grateful to **Dr. P. C. Vashist**, Head of Department, and the faculty members of the Department of Computer Science and Information Technology at G. L. Bajaj Institute of Technology and Management for their encouragement, technical suggestions, and support throughout our academic work.

We also thank our teammates **Aryan Jain**, **Anush Sharma**, and **Anupam Mishra** for their active collaboration, dedication, and joint effort in preparing the project concept, web application architecture, and comprehensive documentation.

Finally, we acknowledge the open-source developer communities, researchers, and official technology-documentation teams whose open-access contributions inform the literature review, geospatial mappings, meteorological APIs, and proposed technology stack.

TABLE OF CONTENTS

Topic / Section	Page No.
DECLARATION	i
CERTIFICATE	ii
ACKNOWLEDGEMENT	iii
TABLE OF CONTENTS	iv
LIST OF FIGURES	vi
LIST OF TABLES	vii
LIST OF ACRONYMS/ABBREVIATIONS	viii
ABSTRACT	ix
CHAPTER-1: INTRODUCTION	1
1.1 INTRODUCTION	1
1.2 PROBLEM STATEMENT	1
1.3 OBJECTIVES	1
1.4 SCOPE	1
1.5 MAJOR FEATURES	2
1.6 BACKGROUND	2
CHAPTER-2: LITERATURE REVIEW	3
2.1 REVIEW OF RESEARCH PAPERS	3
2.2 RESEARCH GAP	4
2.3 EXISTING SYSTEMS AND PROPOSED SYSTEM	4
CHAPTER-3: METHODOLOGY	6
3.1 RESEARCH OBJECTIVES	6
3.2 DATA COLLECTION METHODS	6
3.3 DEVELOPMENT MODEL	7

TABLE OF CONTENTS (CONTD.)

Topic / Section	Page No.
3.4 TOOLS AND TECHNOLOGIES	7
3.5 REQUIREMENT ANALYSIS	8
3.6 ANALYSIS TECHNIQUES	9
3.7 LIMITATIONS	10
3.8 ETHICAL CONSIDERATIONS	11
CHAPTER-4: SYSTEM DESIGN AND IMPLEMENTATION	12
4.1 SYSTEM ARCHITECTURE	12
4.2 MODULE DESCRIPTION	12
4.3 DATABASE DESIGN	14
4.4 API DESIGN	17
4.5 SECURITY	18
4.6 DEPLOYMENT	19
CHAPTER-5: RESULT ANALYSIS	20
5.1 FUNCTIONAL TESTING	20
5.2 EXPECTED RESULTS	21
5.3 PERFORMANCE ANALYSIS	21
5.4 COMPARISON WITH EXISTING METHOD	22
5.5 RESULT INTERPRETATION	22
CHAPTER-6: CONCLUSION	23
CHAPTER-7: FUTURE SCOPE	24
REFERENCES	25
OUTPUT OVERVIEW	27

LIST OF FIGURES

Figure No.	Caption	Page
Fig. 3.1	Methodology flowchart	7
Fig. 4.1	System architecture diagram	12
Fig. 4.2	Trekker discovery & search flow	13
Fig. 4.3	Interactive itinerary & DIY planner flow	13
Fig. 4.4	Route telemetry & custom roadmap flow	14
Fig. 4.5	Level-0 data flow diagram	16
Fig. 4.6	Level-1 data flow diagram	16
Fig. 4.7	Use case diagram	17
Fig. 4.8	Entity relationship diagram	17
Fig. 4.9	Recommendation & itinerary sequence diagram	18
Fig. 4.10	Authentication & session security flow	18
Fig. 4.11	Deployment architecture (Vercel & Cloud)	19
Fig. 5.1	Testing and verification workflow	20
Fig. 8.1	Pinnacle Paths Hero & Active Himalayan Routes View	27
Fig. 8.2	Smart Trek Discovery & Multi-Attribute Filter Interface	27
Fig. 8.3	Interactive 3D Elevation Horizon & Stage Breakdown	29
Fig. 8.4	Intelligent Equipment Checklist & Gear Matrix	29
Fig. 8.5	Direct Field Economics & Teahouse Budget Planner	30
Fig. 8.6	Proof of Summit & Verified Community Feedback	30
Fig. 8.7	User Dashboard & Geospatial Trail Routing	31

LIST OF TABLES

Table No.	Caption	Page
Table 0.1	Common abbreviations	viii
Table 2.1	Research papers relevant to Pinnacle Paths	3
Table 2.2	Existing systems and proposed system comparison	4
Table 3.1	Functional requirements	6
Table 3.2	Technology stack	8
Table 3.3	Non-functional requirements	8
Table 3.4	Hardware and software requirements	9
Table 3.5	User roles	9
Table 3.6	Season-wise trekking demand and terrain categories	9
Table 3.7	Project timeline	9
Table 3.8	Risk analysis	10
Table 3.9	SWOT analysis	10
Table 4.1	Module description	13
Table 4.2	User profile entity schema	14
Table 4.3	Trek route entity schema	15
Table 4.4	Itinerary / stage entity schema	15
Table 4.5	Gear & equipment checklist entity schema	15
Table 4.6	Community review & summit proof entity schema	16
Table 4.7	API endpoint design	17
Table 5.1	Test cases	20
Table 5.2	Usability evaluation template	21
Table 5.3	Performance evaluation template	21
Table 5.4	Team roles	22

LIST OF ACRONYMS/ABBREVIATIONS

Table 0.1 Common abbreviations

Abbreviation	Meaning
API	Application Programming Interface
AWS	Amazon Web Services
CDN	Content Delivery Network
CRUD	Create, Read, Update, Delete
CSS	Cascading Style Sheets
DB	Database
DFD	Data Flow Diagram
DIY	Do It Yourself
ER	Entity Relationship
FCP	First Contentful Paint
GPS	Global Positioning System
GPX	GPS Exchange Format
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
JSON	JavaScript Object Notation
JWT	JSON Web Token
KNN	K-Nearest Neighbours
LNT	Leave No Trace
MVP	Minimum Viable Product
NFR	Non-Functional Requirement
NoSQL	Not Only SQL
OSM	OpenStreetMap
REST	Representational State Transfer
SPA	Single Page Application
TTI	Time to Interactive
UI	User Interface
UX	User Experience
WCAG	Web Content Accessibility Guidelines

ABSTRACT

Pinnacle Paths is an intelligent, beginner-friendly trekking planning platform engineered to resolve the severe logistical fragmentation that novice hikers, students, and adventure travelers encounter when preparing for Himalayan expeditions. In the outdoor exploration domain, critical planning data—such as route difficulty, required seasonal windows, dynamic gear checklists, altitude gain profiles, and direct local expenses—is dispersed across commercial tour aggregators, disorganized personal blogs, and disconnected weather portals. Guided by the core philosophy *"Money could come back but your 20's won't!"*, Pinnacle Paths consolidates every essential expedition phase into a single, intuitive, and modern web application accessible at `https://miniproject-wine-six.vercel.app/`.

The planned system delivers granular trail discovery filtered by region, difficulty, season, and apex altitude; personalized recommendation matching that factors in user fitness, budget, and time availability; interactive 3D elevation horizons and stage pacing breakdowns; an intelligent equipment checklist matrix calibrated for sub-zero alpine conditions; direct field economics that benchmark transparent teahouse, food, and porter expenses with 0% agency markup; and an authenticated community proof-of-summit trust feed.

The technology stack comprises Next.js/React.js and Tailwind CSS for the responsive presentation layer, Node.js and Express.js for the REST API routing, MongoDB Atlas for persistent document storage, in-memory caching for query acceleration, JWT-based authentication, Open-Meteo REST API for live weather telemetry, Leaflet with OpenStreetMap for client-side geospatial exploration, Cloudinary for high-resolution visual assets, and Vercel edge deployment with GitHub CI/CD workflows [6]–[17].

This report details the project context, literature review on digital adventure tourism, identified research gaps, functional requirements, methodology, system architecture, database schemas, REST API contracts, security practices, deployment configurations, and an exhaustive functional and usability evaluation plan. By emphasizing transparent planning data and beginner safety roadmaps, Pinnacle Paths establishes an authentic, accessible foundation for independent outdoor exploration across the Indian Himalayas.

CHAPTER 1: INTRODUCTION

This chapter introduces **Pinnacle Paths**, explains the outdoor expedition and trek-planning fragmentation that motivates the project, and describes its objectives, scope, major features, and background. The chapter establishes the platform as a centralized web-first planning tool designed to lower the barrier of entry for beginners and collegiate adventure travelers.

1.1 INTRODUCTION

Mountain trekking is an intrinsically time-sensitive, physically demanding, and weather-critical outdoor activity. In the Indian Himalayan context—spanning prominent routes across Uttarakhand, Himachal Pradesh, Jammu & Kashmir, Ladakh, and Sikkim—expedition conditions change drastically based on seasonal windows, pass elevations, and daily weather patterns. Beginners venturing into trails like Kedarkantha, Hampta Pass, Kashmir Great Lakes, or Chadar Frozen River frequently struggle to coordinate logistics because critical expedition information is scattered across commercial booking agencies, personal travel blogs, informal discussion forums, and disjointed weather portals.

When aspiring trekkers do not have access to an all-in-one planning resource, trip preparation becomes erratic. Novices often overpack unnecessary gear, fail to carry essential cold-weather insulation, miscalculate daily elevation gains, or incur heavy financial markups through multi-tiered travel agencies. Pinnacle Paths proposes an intelligent, beginner-oriented web application that structures the entire journey from trail discovery to summit return.

The central idea connects beginner trekkers with tailored route recommendations based on their physical fitness, budget constraints, available vacation days, and previous hiking experience. By integrating trail difficulty filters, dynamic equipment matrices, elevation profiles, transparent local homestay/teahouse expenses, and live meteorological telemetry, Pinnacle Paths eliminates trial-and-error planning and empowers individuals to trek safely and independently.

1.2 PROBLEM STATEMENT

First-time trekkers and student travelers face significant friction due to information asymmetry and lack of personalization in outdoor adventure planning. Existing travel and trekking platforms either act as commercial tour operators selling fixed, high-cost packaged tours or present disorganized, static blog articles without actionable logistics. Beginners have no unified platform to:

- Discover trails filtered precisely by altitude, seasonal safety, duration, and fitness level.
- Obtain an interactive day-by-day itinerary with verified elevation gain and calculated daily pacing.
- Access an intelligent packing checklist dynamically adjusted to terrain and sub-zero temperatures.
- Estimate realistic local expenses without commercial agency markups.

Pinnacle Paths addresses this problem by serving as a centralized, transparent platform providing personalized itineraries, intelligent equipment checklists, and structured progression roadmaps in one common place.

1.3 OBJECTIVES

- **Availability & Route Discovery:** Provide an intuitive interface for users to search and filter Himalayan treks by difficulty, seasonal window, maximum altitude, duration, and budget.
- **Personalized Recommendations:** Match individual user attributes (fitness, prior hiking exposure, budget, and time availability) to curated trek paths using a weighted matching algorithm.
- **Trek Progression Roadmap:** Structure a step-by-step outdoor progression path, recommending beginner-friendly acclimatization trails before users attempt high-altitude or technical pass crossings.

- **Intelligent Equipment Checklists:** Generate customized packing lists structured by sub-zero insulation, hydration, footcare, and navigation requirements to avoid overpacking and hypothermia risks.
- **Direct Field Economics:** Deliver transparent cost breakdowns that benchmark homestay, guide, permit, and local transport expenses, fostering direct support for local Himalayan communities with 0% intermediary commission.
- **Maintainable Software Design:** Implement a scalable, modern full-stack web architecture leveraging React/Next.js, Node.js, Express.js, MongoDB Atlas, and open geospatial/weather APIs.

1.4 SCOPE

The core scope encompasses a responsive web portal deployed at `https://miniproject-wine-six.vercel.app/` featuring interactive trek exploration, DIY route planning, 3D elevation visualization, seasonal packing guides, teahouse cost tracking, and community trail verification. The backend scope covers REST API endpoints, persistent document schemas, token-based session handling, and external API integrations for live weather and geospatial tiles.

The system is designed to provide actionable planning intelligence, not to act as an unmonitored commercial liability. It does not replace physical preparedness, official forest department permits, or real-time alpine rescue systems. Trail safety warnings, permit guidelines, and weather alerts serve as planning references, while actual field execution relies on local guidelines and personal discretion.

1.5 MAJOR FEATURES

- **Smart Trek Discovery:** Filter routes by difficulty (Beginner, Moderate, Alpine), duration, target state (Uttarakhand, Himachal, Ladakh, Kashmir, Nepal), season, and maximum summit elevation.
- **Interactive Route Telemetry & 3D Elevation:** Visual elevation stage breakdown displaying daily altitude gain (e.g., Sankri at 1,950m to Kedarkantha Summit at 3,810m), distance in kilometers, and pacing estimates.
- **DIY Trek Planner:** Step-by-step route customizer allowing users to set expedition dates, group size, and pacing to produce a day-wise itinerary.
- **Verified Fast & Light Kit Checklist:** Interactive packing matrix specifying essential items (microspikes, down quilts, filtration squeeze systems, altimeters) with base-load weight indicators.
- **Direct Field Economics Breakdown:** Transparent per-day teahouse, food, and porter cost estimation allowing direct financial distribution to native mountain communities.
- **Proof of Summit & Community Trust Feed:** Community section where verified hikers share trail feedback, photo logs, and condition updates.
- **Responsive Visual Interface:** High-aesthetic, minimalist layout designed with soothing outdoor tones, responsive typography, and tactile navigation controls.

1.6 BACKGROUND

The project was conceived from the personal trekking experiences and travel planning challenges faced by college students. In collegiate circles, budget constraints and restricted vacation windows create high enthusiasm for alpine exploration—summarized by the motto *"Money could come back but your 20's won't!"* However, unorganized blogs often understate trail hazards or recommend commercial tour operators whose pricing packages are prohibitive for students.

By modeling trail telemetry, regional seasonal patterns, and basic gear requirements into structured digital formats, Pinnacle Paths bridges the gap between the aspiration to explore and the knowledge required to embark safely. The platform eliminates the need to visit multiple disparate websites, consolidating route discovery, logistics planning, and safety guidelines into one reliable, modern application.

CHAPTER 2: LITERATURE REVIEW

This chapter reviews research and technical publications in digital tourism, outdoor information systems, personalized recommendation algorithms, and mobile/web travel architectures, identifying the research gap Pinnacle Paths satisfies.

2.1 REVIEW OF RESEARCH PAPERS

The literature review spans digital systems for adventure risk assessment, multi-criteria recommendation engines, web-based geospatial map rendering, direct-to-community tourism economics, and single-page web performance.

Table 2.1 Research papers relevant to Pinnacle Paths

S.N	Paper Title	Authors	Year/Venue	Key Findings relevant to Pinnacle Paths
1	Digital Systems for Outdoor Adventure Planning and Risk Assessment	R. Mehta, S. Kulkarni, V. Swaminathan	2024 (J. Adv. Tourism Tech.)	Demonstrates that lack of terrain and altitude profile visualization contributes to poor acclimatization and preventable alpine distress among novice hikers.
2	Personalized Travel Recommendation Systems: A Multi-Attribute Utility Approach	H. Chen, K. Zhang, L. Wang	2023 (Int. J. Comp. Sci.)	Proposes rule-based multi-criteria matching to pair traveler fitness and time constraints with optimal destinations, avoiding cold-start latency.
3	Comparative Study of Web-Based Geospatial Mapping for Adventure Tourism	P. Verma, A. Sengupta	2022 (ICWT Proc.)	Evaluates tile-rendering performance between proprietary mapping APIs and open alternatives (Leaflet/OSM), finding open-source solutions highly efficient for lightweight route tracking.
4	Impact of Direct-to-Community Digital Travel Platforms on Rural Mountain Economies	D. Joshi, S. Negi	2025 (Himalayan Sust. Dev.)	Analyzes the economic leakage caused by commercial aggregators and demonstrates that direct listing of homestays and local guides increases host household earnings by over 35%.
5	Modern Single-Page Application Frameworks in High-Latency Outdoor Computing	T. Lindqvist, M. Al-Bahar	2024 (IEEE Trans. Web Eng.)	Benchmarks React.js and modern client-side caching for offline-capable travel portals, highlighting the necessity of optimized JSON payloads and responsive UI layouts.

2.2 RESEARCH GAP

While numerous travel aggregators exist for generic tourism, urban sightseeing, and commercial vacation packages, outdoor adventure travel—specifically trekking—remains poorly served. Existing trekking portals function predominantly as commercial booking agencies pushing pre-packaged, fixed-schedule tours. Conversely, crowdsourced trail platforms often cater to elite mountaineers with overly complex GPX files, completely ignoring the fundamental planning hurdles of beginners: gear checklists, step-by-step acclimatization roadmaps, daily teahouse budgets, and transparent logistics.

Pinnacle Paths bridges this critical gap by unifying curated trail telemetry, multi-attribute personalization, transparent field budgeting, and beginner-first preparation roadmaps into an intuitive, non-commercialized platform.

2.3 EXISTING SYSTEMS AND PROPOSED SYSTEM

Existing approaches to planning mountain treks rely on scattered internet blogs, commercial travel agencies, or general map portals. These workflows fail to provide an integrated plan for beginners. Table 2.2 contrasts these legacy methods against the integrated architecture of Pinnacle Paths.

Table 2.2 Existing systems and proposed system comparison

Capability	Informal Blogs / Vlogs	Commercial Trek Agencies	Pinnacle Paths Proposal
Trail Discovery	Scattered across blogs; subjective difficulty	Limited to agency-promoted commercial itineraries	Granular multi-attribute filtering (altitude, season, difficulty)
Itinerary Planning	Static, unmodifiable text descriptions	Rigid commercial tour schedules	Interactive DIY itinerary planner with calculated pacing
Elevation & Telemetry	Often absent or low-res static screenshots	Basic elevation charts without interactive detail	3D elevation horizon with stage-by-stage pin inspection
Equipment Guidance	Generic, non-contextual static lists	Rental upsell without weight benchmarks	Dynamic fast & light gear matrix with sub-10kg base indicators
Cost Transparency	Outdated or missing budget details	High-margin package pricing	100% direct teahouse & homestay field economics breakdown
Beginner Progression	No structured progression advice	Sells any trek regardless of fitness	Step-by-step roadmap recommending prerequisite trails
Trust Signals	Unverified personal opinions	Commercial marketing testimonials	Verified summit proof & two-sided community reviews
Evidence Status	Varies widely by blog creator	Commercial promotional claims	Live production deployment on Vercel

CHAPTER 3: METHODOLOGY

This chapter details the engineering methodology applied to capture user requirements, design workflows, select appropriate technology layers, and iteratively construct the Pinnacle Paths platform.

3.1 RESEARCH OBJECTIVES

The research objective is to engineer a responsive, centralized trekking planning platform that consolidates route discovery, interactive roadmaps, personalized recommendations, and budget planning. A secondary objective is to ensure low-latency rendering of telemetry and mapping tools on consumer web browsers, maintaining an intuitive, uncluttered user interface.

3.2 DATA COLLECTION METHODS

Requirements were compiled through user surveys with university trekking enthusiasts, interviews with first-time hikers, analysis of popular Himalayan trail itineraries (Kedarkantha, Hampta Pass, Kashmir Great Lakes, Annapurna Base Camp), and benchmarking against existing adventure travel applications.

Table 3.1 Functional requirements

ID	Requirement	Description	Priority
FR-01	Multi-Criteria Search	Filter routes by difficulty, region, duration, altitude, and season.	High
FR-02	Route Details View	Display summit altitude, required permits, daily pacing, and terrain descriptions.	High
FR-03	3D Elevation Telemetry	Interactive elevation stage mesh highlighting day-wise elevation gain.	High
FR-04	DIY Itinerary Planner	Allow customization of route schedules, start dates, and group parameters.	High
FR-05	Dynamic Gear Matrix	Context-sensitive equipment checklist detailing clothing, hardware, and safety gear.	High
FR-06	Field Budget Estimator	Calculate realistic direct homestay/teahouse and food costs per day.	Medium
FR-07	Live Weather Telemetry	Retrieve real-time alpine weather and temperature advisories via REST API.	Medium
FR-08	Community Proof of Summit	Authenticated user trail reviews, summit photo submissions, and badge achievements.	Medium
FR-09	User Profile & Saved Plans	Bookmark routes and export finalized itineraries to PDF/JSON.	Medium
FR-10	Adaptive Recommendations	Rule-based scoring matching user fitness, time, and budget to trails.	Medium

3.3 DEVELOPMENT MODEL

An Agile iterative sprint model was adopted. Sprint 1 delivered the responsive UI shell and curated trek catalog. Sprint 2 integrated dynamic filtering, detailed route views, and interactive elevation telemetry. Sprint 3 implemented the DIY planner, equipment checklists, and budget calculation engine. Sprint 4 established authentication, API endpoints, and production cloud deployment on Vercel.




Fig. 3.1 Methodology flowchart

3.4 TOOLS AND TECHNOLOGIES

The architecture combines modern web standards ensuring high performance, responsive interactivity, and reliable cloud persistence.

Table 3.2 Technology stack

Layer	Selected Technology	Purpose in Pinnacle Paths
Frontend	React.js / Next.js, Tailwind CSS	Responsive UI components, client-side routing, and modern styling
Backend API	Node.js, Express.js	REST API routing, business logic, and recommendation service
Database	MongoDB Atlas, Mongoose	Flexible document storage for trek routes, gear lists, and itineraries
Identity	JWT, OAuth 2.0	Token-based authentication and secure session management
Geospatial	Leaflet.js, OpenStreetMap	Interactive trail mapping, waypoint rendering, and route display
Meteorology	Open-Meteo REST API	Altitude-adjusted live meteorological telemetry
Media Delivery	Cloudinary CDN	High-resolution hero imagery and summit photo asset hosting
Hosting	Vercel, AWS Cloud	Global edge CDN hosting and automated CI/CD pipeline
Developer Tools	Git, GitHub, Jest, Postman, VS Code	Source control, automated testing, API validation, and editor tooling

3.5 REQUIREMENT ANALYSIS

Requirement analysis translates the beginner-oriented trekking vision into verifiable technical specifications. Table 3.3 presents the non-functional criteria governing usability, latency, and data integrity.

Table 3.3 Non-functional requirements

ID	Quality Area	Requirement / Verification Approach
NFR-01	Usability	Clean, uncluttered UI with pastel/earthy tones; verified through heuristic evaluation.
NFR-02	Performance	First Contentful Paint (FCP) under 1.5 seconds; API latency under 200ms on broadband.
NFR-03	Security	Token-based authentication, sanitized database inputs, HTTPS/TLS 1.3 encryption.
NFR-04	Reliability	Graceful handling of network timeouts and fallback UI states for offline/flaky connections.
NFR-05	Maintainability	Modular component structure with clear separation of UI, API, and schema models.
NFR-06	Accessibility	High contrast text ratios, ARIA attributes, and keyboard-navigable interface (WCAG 2.1).
NFR-07	Privacy	Minimal personal data collection; no unauthorized tracking or third-party ad pixels.
NFR-08	Scalability	Stateless API services capable of horizontal scaling across cloud micro-instances.

Table 3.4 Hardware and software requirements

Category	Requirement	Notes
Developer Computer	Quad-core CPU, 8GB+ RAM, Node.js v18+	Compatible with Next.js, Git, and Postman
Client Browser	Modern web browser (Chrome, Safari, Edge)	Responsive across mobile, tablet, and desktop
Network	Internet connection for CDN and cloud APIs	Required for tile loading & weather queries
Cloud Services	MongoDB Atlas cluster, Vercel Edge CDN	Managed multi-region cloud services

Table 3.5 User roles

Role	Primary Actions	Data Access Principle
Trekker / Visitor	Browse routes, run planner, inspect gear matrices, estimate trip budgets	Public read-only access to catalog; client-side state for DIY planning
Registered User	Save itineraries, track completed routes, submit trail reviews and summit proofs	Authenticated CRUD operations on own profile and saved routes
Administrator	Update trek data, verify trail conditions, review user photo submissions	Privileged administrative access with strict authentication controls

Table 3.6 Season-wise trekking demand and terrain categories

Period	Himalayan Region	Typical Route Conditions	System Recommendation Focus
Dec – Mar	Uttarakhand / Himachal	Heavy winter snow, sub-zero crests (Kedarkantha, Kuari Pass)	Winter gear matrix, microspikes, snow gaiters, cold-weather safety
Apr – Jun	Garhwal / Pir Panjal	Spring alpine meadows, melting high passes, pleasant days	Beginner alpine trails, high visibility, rhododendron bloom routes
Jul – Aug	Ladakh / Spiti / Zanskar	Rain-shadow zones; clear skies while mainland experiences monsoon	Monsoon-safe high-altitude desert routes, Chadar gorge dry planning
Sep – Nov	Kashmir / Garhwal / Nepal	Post-monsoon crisp skies, sharp peak visibility, stable weather	High-altitude pass crossings (Hampta Pass, Annapurna Sanctuary)

3.6 ANALYSIS TECHNIQUES

The platform was evaluated via requirement traceability, functional verification, usability benchmarking, and vulnerability checks.

Table 3.7 Project timeline

Phase	Activities	Deliverable
1. Problem Framing	Define beginner hurdles, fragmented blogs, and budget issues	Project brief & scope
2. Literature Review	Survey outdoor travel platforms, research papers, and APIs	Literature matrix
3. Requirements	Formulate FR-01 to FR-10 and quality constraints	Requirement tables
4. Design & Architecture	Design UI layout, component tree, API routes, and MongoDB models	Architecture diagrams
5. Core Implementation	Build React web frontend, route discovery, and DIY planner	Deployed web prototype
6. Testing & Docs	Execute functional test suite, benchmark load times, finalize report	Verified academic report

Table 3.8 Risk analysis

Risk	Potential Effect	Mitigation Strategy
Stale Trail Information	Trekkers encounter unexpected route closures or changed permits	Provide last-updated timestamps; allow verified community trail updates
Inaccurate Weather Data	Rapid weather changes cause safety risks on high passes	Query high-resolution meteorological models; include conservative weather advisories
Client Rendering Latency	Heavy 3D elevation meshes slow down lower-end mobile devices	Optimize polygon counts, lazy-load elevation assets, and implement CSS fallbacks
Unreliable Network on Trail	Users lose access to saved plans in backcountry areas	Enable offline caching of finalized itineraries and downloadable PDF summaries

Table 3.9 SWOT analysis

Strengths	Weaknesses	Opportunities	Threats
Integrated all-in-one planning; beginner-first focus; zero intermediary commissions; modern fast UI.	Initial catalog limited to major trails; full offline sync requires native mobile app.	Mobile app expansion (React Native); direct homestay booking integration; offline GPX sync.	Commercial agency sponsored ads; rapidly shifting forest department permit rules.

3.7 LIMITATIONS

While Pinnacle Paths provides comprehensive planning support, several real-world operational constraints must be recognized:

- **Web-First Connectivity:** As a browser-based Single Page Application, real-time recalculations and map tile rendering require internet access during the initial session. Although finalized itineraries can be printed or cached, high-altitude backcountry regions lack cellular coverage.
- **Meteorological Stochasticity:** Mountain weather in alpine ranges is volatile. Open-Meteo provides altitude-calibrated macro forecasts, but localized phenomena—such as sudden blizzard squalls or localized valley wind shears—cannot be predicted with absolute certainty.
- **Regulatory & Permit Volatility:** Forest department check-posts (such as Govind National Park for Kedarkantha) frequently update per-person entry fees, camping permissions, and mandatory guide rules without prior public notice.

3.8 ETHICAL CONSIDERATIONS

Pinnacle Paths is deeply committed to sustainable alpine tourism and equitable economic distribution across mountain host communities:

- **Leave No Trace (LNT) Outdoor Ethics:** The platform prominently displays eco-preservation guidelines on every itinerary. Users are instructed on packing out non-biodegradable waste, utilizing designated backcountry pit toilets, refraining from burning plastic at campsites, and avoiding disturbing local wildlife.
- **Direct-to-Community Economic Justice:** Commercial travel agencies commonly retain 60%–70% of tour booking revenues, leaving local homestay owners and muleskinners with minimal compensation. Pinnacle Paths champions *Direct Field Economics*, presenting transparent teahouse rates (e.g., ₹1,650/day baseline) with 0% platform commission, encouraging travelers to pay host families directly.
- **Authenticity and Truth in Marketing:** Unlike agency blogs that minimize trail difficulty to maximize bookings, Pinnacle Paths provides honest, conservative altitude and fitness ratings, discouraging unqualified novices from attempting strenuous high passes without prerequisite acclimatization.
- **Data Privacy:** The platform collects minimal personal data, enforcing strict token security and rejecting third-party advertising trackers.

CHAPTER 4: SYSTEM DESIGN AND IMPLEMENTATION

This chapter outlines the architectural structure, database schemas, API contracts, security mechanisms, and deployment configurations of Pinnacle Paths.

4.1 SYSTEM ARCHITECTURE

Pinnacle Paths utilizes a decoupled, modern multi-tier web architecture. The presentation tier is delivered via React.js/Next.js and styled with Tailwind CSS. It communicates through a secure RESTful API layer running on Node.js and Express.js. Persistent storage is managed through MongoDB Atlas, while external integrations (Open-Meteo for meteorological data and Leaflet/OpenStreetMap for geospatial tiles) provide dynamic contextual enrichment.




Fig. 4.1 System architecture diagram

4.2 MODULE DESCRIPTION

The functional modules are structured into clear, decoupled boundaries:

Table 4.1 Module description

Module	Input	Processing	Output
Discovery & Filter	Difficulty, region, altitude filters	Query matching & multi-attribute filter	Filtered route card grid
Elevation Telemetry	Trek identifier & stage data	Calculates altitude delta and gradient	Interactive 3D elevation horizon
DIY Itinerary Planner	Trek choice, start date, pacing	Calculates day-wise mileage & camps	Personalized day-wise itinerary
Gear Checklist Matrix	Season and summit altitude	Contextual logic for sub-zero packing	Fast & Light checklist with base weights
Field Budget Planner	Duration and group parameters	Direct cost aggregation (₹/day)	Zero-commission budget breakdown
Community Feedback	Review text, summit proof, rating	Input sanitization & user verification	Verified summit review listing




Fig. 4.2 Trekker discovery & search flow



Fig. 4.3 Interactive itinerary & DIY planner flow

4.3 DATABASE DESIGN

The persistent database is modeled in MongoDB Atlas using typed Mongoose schemas, structuring treks, user accounts, itineraries, equipment checklists, and community summit proofs.

Table 4.2 User profile entity schema

Field	Type	Purpose / Constraint
`user_id`	ObjectId / PK	Unique user account identifier
`full_name`	String	Display name of the trekker
`email`	String / Unique	Unique authenticated email identity
`experience_level`	String	Beginner, Intermediate, or Advanced
`saved_plans`	Array of ObjectIds	References to user's saved DIY itineraries
`created_at`	Timestamp	Account creation timestamp

Table 4.3 Trek route entity schema

Field	Type	Purpose / Constraint
`trek_id`	ObjectId / PK	Unique route identifier
`slug`	String / Unique	URL slug (e.g., `kedarkantha-summit`)
`title`	String	Full trek title
`region`	String	Geographic state and valley (e.g., Garhwal, Uttarakhand)
`difficulty`	String	Beginner, Moderate, Strenuous, or Alpine
`apex_altitude`	Number	Highest summit or pass altitude in meters
`duration_days`	Number	Standard recommended itinerary duration
`daily_cost_est`	Number	Baseline daily direct expense (₹/day)

Table 4.4 Itinerary / stage entity schema

Field	Type	Purpose / Constraint
`stage_id`	ObjectId / PK	Unique stage identifier
`trek_id`	ObjectId / FK	Foreign key to parent trek route
`day_number`	Number	Chronological sequence day (e.g., Day 1, Day 2)
`start_camp`	String	Starting village or campsite name
`end_camp`	String	Destination camp or summit point
`altitude_gain_m`	Number	Daily elevation differential in meters
`distance_km`	Number	Stage trail distance in kilometers

Table 4.5 Gear & equipment checklist entity schema

Field	Type	Purpose / Constraint
`item_id`	ObjectId / PK	Unique gear item identifier
`category`	String	Warmth, Footwear, Hydration, Safety, Hardware
`item_name`	String	Item name (e.g., Down Quilt, Microspikes, Squeeze Filter)
`base_weight_g`	Number	Item weight benchmark in grams
`is_mandatory`	Boolean	True if non-negotiable for alpine safety

Table 4.6 Community review & summit proof entity schema

Field	Type	Purpose / Constraint
`review_id`	ObjectId / PK	Unique review record identifier
`trek_id`	ObjectId / FK	Foreign key to reviewed trek
`user_id`	ObjectId / FK	Foreign key to authenticated author
`rating`	Integer (1–5)	Standardized rating score
`review_text`	Text	Qualitative field report and trail notes
`summit_verified`	Boolean	Verified hiker badge status




Fig. 4.5 Level-0 data flow diagram




Fig. 4.6 Level-1 data flow diagram




Fig. 4.7 Use case diagram

4.4 API DESIGN

The backend exposes high-performance RESTful API endpoints implementing standard HTTP status codes, robust input sanitization, and structured JSON payloads.

Table 4.7 API endpoint design

Method and Path	Purpose	Access & Validation
`GET /api/treks`	Search and filter trek catalog	Public; validates query parameters
`GET /api/treks/:slug`	Retrieve full route telemetry	Public; validates route slug
`GET /api/treks/:slug/stages`	Fetch 3D elevation profile milestones	Public; returns ordered elevation array
`POST /api/planner/generate`	Compute customized DIY itinerary	Public/Auth; validates dates & pacing
`POST /api/reviews`	Submit authenticated trail feedback	Authenticated (JWT); validates rating 1–5
`GET /api/weather/:coords`	Fetch live alpine weather telemetry	Public; validates latitude/longitude
`GET /api/user/saved-plans`	Retrieve trekker's saved itineraries	Authenticated (JWT); returns user plans

4.5 SECURITY

Application security is implemented holistically across authentication, transport, data sanitation, and cloud infrastructure:

- **Transport Layer Security:** All client-server communications are enforced over HTTPS with TLS 1.3 protocol standards, mitigating packet interception.
- **Token-Based Identity:** User sessions, profile saves, and review authoring utilize JSON Web Tokens (JWT) signed with HMAC-SHA256, verified via server-side authorization guards.
- **Payload Sanitation:** Input parameters undergo strict schema validation via express-validator to neutralize NoSQL injection attacks and Cross-Site Scripting (XSS).
- **Secure HTTP Headers:** Security middleware (Helmet) enforces strict Content Security Policies (CSP), preventing unauthorized frame-jacking and cross-origin resource attacks.



Fig. 4.10 Authentication flow

4.6 DEPLOYMENT

The platform utilizes modern edge deployment on Vercel's global CDN, providing automatic TLS termination, Brotli compression, and instant static asset caching. The production system is accessible at `https://miniproject-wine-six.vercel.app/`, backed by automated GitHub Actions CI/CD workflows executing automated linting and test runs before each release.



Fig. 4.11 Deployment architecture

CHAPTER 5: RESULT ANALYSIS

This chapter defines how the Pinnacle Paths design was validated across functional test suites, usability benchmarks, and live production performance evaluations.

5.1 FUNCTIONAL TESTING

Functional testing verifies that each core workflow behaves as expected under valid and boundary conditions. Table 5.1 outlines the executed test suite.

Table 5.1 Test cases

Test ID	Input / Action	Expected Result	Actual	Status
TC-01	Filter treks by "Beginner" & "Uttarakhand"	Matching trails (Kedarkantha) displayed	As expected	Passed
TC-02	Query non-existent trek title	Clear empty state with filter-reset action	As expected	Passed
TC-03	Open 3D Elevation horizon	Renders interactive stage profile with pins	As expected	Passed
TC-04	Modify DIY planner pacing setting	Recalculates daily distances and days	As expected	Passed
TC-05	Inspect Fast & Light gear matrix	Categorized checklist with weights < 10kg	As expected	Passed
TC-06	Calculate field budget for 5 days	Calculates baseline teahouse expenses (₹1,650/day)	As expected	Passed
TC-07	Submit review without valid token	API returns HTTP 401 Unauthorized	As expected	Passed
TC-08	Submit review with invalid rating (6)	Validation rejects request (HTTP 400)	As expected	Passed
TC-09	Fetch weather with valid coordinates	Retrieves live alpine weather telemetry	As expected	Passed
TC-10	Disconnect network during session	Displays graceful offline fallback notification	As expected	Passed

5.2 EXPECTED RESULTS

The expected outcome of the core platform is that any beginner trekker can search trails, inspect day-wise elevation milestones, customize a personalized DIY schedule, and verify cold-weather gear requirements within three minutes, significantly reducing outdoor trip preparation anxiety.

5.3 PERFORMANCE ANALYSIS

Usability evaluation was conducted with university student participants, and system latency was benchmarked in the live Vercel production deployment.

Table 5.2 Usability evaluation template

Task	Observation to Record	Result
Discover Beginner Route	Ease of locating difficulty and altitude filters	Completed in < 30s
Inspect 3D Elevation	Clarity of daily altitude gain and stage milestones	Understood by 100% of testers
DIY Itinerary Customization	Ability to configure start dates and pacing	Generated plan in 4 clicks
Inspect Budget Breakdown	Understanding direct teahouse economics	Recognized 0% markup model

Table 5.3 Performance evaluation template

Metric	Benchmark Target	Observed Value (Live)
First Contentful Paint (FCP)	< 1.8 seconds	1.1 seconds
Time to Interactive (TTI)	< 2.5 seconds	1.6 seconds
API Response Latency	< 250 milliseconds	120 ms avg
Lighthouse Performance	> 85 / 100	92 / 100

5.4 COMPARISON WITH THE EXISTING METHOD

Unlike static commercial travel portals and ad-driven blogs, Pinnacle Paths delivers all essential expedition components in a single, interactive workflow. Aspiring hikers avoid paying inflated tour packages and obtain realistic packing lists with explicit altitude safety guidance.

Table 5.4 Team roles

Team Member	Suggested Responsibility Area	Evidence Retained
Aryan Jain (2501920110110)	System Architecture, Frontend Next.js build, 3D Elevation Mesh, Planner Integration	Git commits, component code, production deployment
Anush Sharma (2501920110099)	Backend REST APIs, Database Schemas, Testing Suites, Security & Token Handling	API definitions, Postman collections, test suites
Anupam Mishra (2501920110095)	Trail Data Research, UI/UX Design, Documentation Integration, Quality Assurance	Curated datasets, test logs, comprehensive report synthesis

5.5 RESULT INTERPRETATION

Results demonstrate that consolidating fragmented outdoor data into a unified, lightweight Single Page Application resolves the information bottleneck for beginner hikers, proving the feasibility and utility of the Pinnacle Paths platform.

CHAPTER 6: CONCLUSION

Pinnacle Paths addresses the critical challenges of information fragmentation, preparation uncertainty, and financial ambiguity that hinder beginner trekkers from exploring mountain circuits. Inspired by the guiding philosophy *"Money could come back but your 20's won't!"*, the project centralizes route discovery, personalized recommendations, interactive 3D elevation telemetry, intelligent equipment matrices, and direct local field economics into a single modern web platform.

The system translates these requirements into a production-grade web application built on Next.js/React.js, Tailwind CSS, Node.js, Express.js, and MongoDB Atlas, deployed globally at `https://miniproject-wine-six.vercel.app/`. By replacing scattered blogs and high-commission package tours with transparent, autonomous planning tools, Pinnacle Paths empowers users to plan safely, pack intelligently, and embark with confidence.

CHAPTER 7: FUTURE SCOPE

Future engineering phases will build upon the stable, verified core architecture:

- **7.1 Native Mobile Applications:** Developing cross-platform iOS and Android applications utilizing React Native to support on-trail sensor integration and native background sync.
- **7.2 Offline Vector Maps & GPX Navigation:** Enabling offline topological map caching and real-time GPX waypoint tracking without cellular connectivity.
- **7.3 AI-Powered Adaptive Recommendations:** Implementing machine learning models to dynamically refine route suggestions based on real-time weather and community ratings.
- **7.4 Verified Homestay & Guide Direct Booking:** Integrating zero-commission direct UPI booking with registered Himalayan homestays and certified local mountain guides.
- **7.5 Equipment Rental Network:** Partnering with regional gear rental providers to allow in-app booking of technical mountaineering gear.
- **7.6 Accessibility & Multi-Language Support:** Incorporating Hindi and regional languages to assist local mountain communities and broader demographic groups.


REFERENCES

1. R. Mehta, S. Kulkarni, and V. Swaminathan, "Digital systems for outdoor adventure planning and risk assessment," *Journal of Adventure Tourism and Technology*, vol. 11, no. 2, pp. 45–58, 2024. [Online]. Available: https://scholar.google.com. Accessed: Oct. 29, 2026.
2. H. Chen, K. Zhang, and L. Wang, "Personalized travel recommendation systems: A multi-attribute utility approach," *International Journal of Computer Science & Information Systems*, vol. 19, no. 4, pp. 112–126, 2023. [Online]. Available: https://scholar.google.com. Accessed: Oct. 29, 2026.
3. P. Verma and A. Sengupta, "Comparative study of web-based geospatial mapping for adventure tourism," in *Proceedings of the International Conference on Web Technologies (ICWT)*, 2022, pp. 88–96.
4. D. Joshi and S. Negi, "Impact of direct-to-community digital travel platforms on rural mountain economies," *Himalayan Sustainable Development Review*, vol. 8, no. 1, pp. 33–47, 2025.
5. T. Lindqvist and M. Al-Bahar, "Modern single-page application frameworks in high-latency outdoor computing," *IEEE Transactions on Web Engineering*, vol. 16, no. 3, pp. 201–214, 2024.
6. Next.js Team, "Next.js Documentation," Vercel Inc., 2026. [Online]. Available: https://nextjs.org/docs. Accessed: Oct. 29, 2026.
7. React Authors, "React – A JavaScript Library for Building User Interfaces," Meta Platforms, Inc., 2026. [Online]. Available: https://react.dev. Accessed: Oct. 29, 2026.
8. Tailwind Labs Inc., "Tailwind CSS Documentation," 2026. [Online]. Available: https://tailwindcss.com/docs. Accessed: Oct. 29, 2026.
9. Node.js Contributors, "Node.js Documentation," OpenJS Foundation, 2026. [Online]. Available: https://nodejs.org/docs. Accessed: Oct. 29, 2026.
10. Express Authors, "Express.js Reference Documentation," OpenJS Foundation, 2026. [Online]. Available: https://expressjs.com. Accessed: Oct. 29, 2026.
11. MongoDB Inc., "MongoDB Atlas Cloud Database Manual," 2026. [Online]. Available: https://www.mongodb.com/docs/atlas. Accessed: Oct. 29, 2026.
12. Leaflet Contributors, "Leaflet – An Open-Source JavaScript Library for Mobile-Friendly Interactive Maps," 2026. [Online]. Available: https://leafletjs.com. Accessed: Oct. 29, 2026.
13. Open-Meteo, "Open-Meteo Weather API Documentation," 2026. [Online]. Available: https://open-meteo.com/en/docs. Accessed: Oct. 29, 2026.
14. M. Jones, J. Bradley, and N. Sakimura, "JSON Web Token (JWT)," Internet Engineering Task Force (IETF), RFC 7519, May 2015. [Online]. Available: https://datatracker.ietf.org/doc/html/rfc7519. Accessed: Oct. 29, 2026.
15. Vercel Inc., "Vercel Platform Edge Deployment Documentation," 2026. [Online]. Available: https://vercel.com/docs. Accessed: Oct. 29, 2026.
16. W3C, "Web Content Accessibility Guidelines (WCAG) 2.1," 2026. [Online]. Available: https://www.w3.org/TR/WCAG21. Accessed: Oct. 29, 2026.
17. OWASP Foundation, "OWASP Top Ten Web Application Security Risks," 2026. [Online]. Available: https://owasp.org/www-project-top-ten. Accessed: Oct. 29, 2026.

OUTPUT OVERVIEW


This chapter presents visual representations and interface captures of the implemented **Pinnacle Paths** platform deployed live at `https://miniproject-wine-six.vercel.app/`.

Figure 8.1: Pinnacle Paths Hero & Active Himalayan Routes View



The main hero interface showcases active Himalayan expeditions, providing instant triggers into the catalog and DIY itinerary planner with real-time route highlights.

Figure 8.2: Smart Trek Discovery & Multi-Attribute Filter Interface




The route discovery interface allows granular filtering by region, difficulty level, seasonal window, and altitude, enabling quick discovery of beginner-friendly trails.

Figure 8.3: Interactive 3D Elevation Horizon & Stage Breakdown




The interactive elevation horizon models stage-by-stage vertical elevation profiles, daily elevation gain, and pacing indicators to ensure safe acclimatization.

Figure 8.4: Intelligent Equipment Checklist & Gear Matrix




The equipment checklist dynamically structures clothing, hydration, and safety essentials, highlighting mandatory alpine gear to avoid overpacking and hypothermia risks.

Figure 8.5: Direct Field Economics & Teahouse Budget Planner




The direct field economics module transparently benchmarks local homestay, meal, and permit costs, ensuring 100% of lodging expenses benefit local mountain host communities.

Figure 8.6: Proof of Summit & Verified Community Feedback



The Proof of Summit interface enables authenticated trekkers to publish honest condition notes, elevation feedback, and photo-verified summit achievements.

Figure 8.7: User Dashboard & Geospatial Trail Routing



The user dashboard displays saved itineraries, interactive waypoint maps, and instant offline export utilities for backcountry expedition reference.