



SYMBIOSIS INSTITUTE OF TECHNOLOGY (SIT)

Constituent of Symbiosis International (Deemed University), Pune

(Established under Section 3 of the UGC Act of 1956 vide notification number F-9-12/2001-U-3 of the Government of India)
Re-Accredited by NAAC with 'A++' Grade

ASSIGNMENT No: 10

TITLE: Write a Java program to demonstrate the use of abstract classes and abstract methods

Problem Statement

Write a Java program to demonstrate the use of abstract classes and abstract methods

Learning Objectives

To implement abstraction using abstract classes and abstract methods.

Theory

Abstract classes provide partial implementation of a program and cannot be instantiated directly. They may contain both abstract and concrete methods. Abstract methods declare functionality that must be implemented by subclasses. Abstraction hides implementation details while exposing only essential functionality. This improves code flexibility and maintainability in object-oriented programming.

Conclusion:

The Java program was successfully implemented using abstract classes and abstract methods to demonstrate the concept of abstraction. The abstract class provided a common structure, while the subclasses implemented the required functionality according to their specific requirements. The Payment System and Food Order applications showed how abstraction hides implementation details and promotes code reusability, flexibility, and maintainability. This experiment strengthened the understanding of object-oriented programming principles in Java.

Exercise

1. Create an abstract Payment class and implement Credit Card and UPI payment classes.?

Code:

```

1  class BankAccount {
2
3      final int accountNumber = 12345;
4      String accountHolder = "Rahul";
5      double balance = 5000.0;
6
7      void display() {
8          System.out.println("Account Number: " + accountNumber);
9          System.out.println("Account Holder: " + accountHolder);
10         System.out.println("Balance: " + balance);
11     }
12
13     Run | Debug
14     public static void main(String[] args) {
15         BankAccount b = new BankAccount();
16         b.display();
17     }

```

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS

```

PS C:\Users\cl404_30\Desktop\pratice> & 'C:\Program Files\Java\jdk1.8.0_25\bin\java.exe'
pratice_26094300\bin' 'BankAccount'
Account Number: 12345
Account Holder: Rahul
Balance: 5000.0
PS C:\Users\cl404_30\Desktop\pratice>

```

2. Create an abstract FoodOrder class with an abstract method calculateBill(). Implement two subclasses, DinelnOrder and TakeAwayOrder, to calculate and display the total bill based on the order type.

Code:

```

1  java > J FoodOrderDemo.java > FoodOrderDemo
2
3
4
5
6  class DineInOrder extends FoodOrder {
7
8      double amount = 500;
9
10     void calculateBill() {
11         System.out.println("Dine-In Bill: Rs." + amount);
12     }
13 }
14
15 class TakeAwayOrder extends FoodOrder {
16
17     double amount = 500;
18     double packingCharge = 20;
19
20     void calculateBill() {
21         System.out.println("Takeaway Bill: Rs." + (amount + packingCharge));
22     }
23 }
24
25 public class FoodOrderDemo {
26     Run | Debug
27     public static void main(String[] args) {
28
29         FoodOrder f1 = new DineInOrder();
30         FoodOrder f2 = new TakeAwayOrder();
31
32         f1.calculateBill();
33         f2.calculateBill();
34     }
35 }

```

PROBLEMS 1 OUTPUT DEBUG CONSOLE TERMINAL PORTS

```

PS C:\Users\cl404_30\Desktop\pratice> & 'C:\Program Files\Java\jdk1.8.0_25\bin\java.exe' '-cp' 'C:\Users\cl404_30\
pratice_26094300\bin' 'FoodOrderDemo'
Dine-In Bill: Rs.500.0
Takeaway Bill: Rs.520.0
PS C:\Users\cl404_30\Desktop\pratice>

```