

DBMS: ASSIGNMENT 7

MongoDB- CRUD Operations

Name: Aryan Ligade

PRN:124B1F155

Batch:A4

Case Study: Employee Appraisal System

```
test> use employeeAppraisal
switched to db employeeAppraisal
employeeAppraisal> db.employee.insertMany([
| { Id: 1, Name: "Aryan", Salary: 10000, Rating: 5, status: "active" },
| { Id: 2, Name: "Rohan", Salary: 15000, Rating: 4, status: "active" },
| { Id: 3, Name: "John", Salary: 20000, Rating: 3, status: "active" },
| { Id: 4, Name: "Riya", Salary: 18000, Rating: 2, status: "inactive" }
| ])
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('G9dde2bd31985b799a3G82d1'),
    '1': ObjectId('G9dde2bd31985b799a3G82d2'),
    '2': ObjectId('G9dde2bd31985b799a3G82d3'),
    '3': ObjectId('G9dde2bd31985b799a3G82d4')
  }
}
employeeAppraisal> db.employee.find({ status:
"active" }) [
{
  _id: ObjectId('G9dde2bd31985b799a3G82d1'),
  Id: 1,
  Name: 'Aryan',
  Salary: 10000,
  Rating: 5,
```

```

    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d2'),
    Id: 2,
    Name: 'Rohan',
    Salary: 15000,
    Rating: 4,
    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d3'),
    Id: 3,
    Name: 'John',
    Salary: 20000,
    Rating: 3,
    status: 'active'
  }
]
employeeAppraisal> db.employee.findOne({ Name: "ABC" })
{
  _id: ObjectId('G9dde2bd31985b799a3G82d1'),
  Id: 1,
  Name: 'Aryan',
  Salary: 10000,
  Rating: 5,
  status: 'active'
}
employeeAppraisal> db.employee.find({ Rating: 5, status:
"active" }) [
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d1'),
    Id: 1,
    Name: 'Aryan',
    Salary: 10000,

```

```

    Rating: 5,
    status: 'active'
  }
]
employeeAppraisal> db.employee.find({
| $or: [
|   { Rating: 5 },
|   { Salary: { $gt: 18000 } }
| ]
| })
[
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d1'),
    Id: 1,
    Name: 'Aryan',
    Salary: 10000,
    Rating: 5,
    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d3'),
    Id: 3,
    Name: 'John',
    Salary: 20000,
    Rating: 3,
    status: 'active'
  }
]
employeeAppraisal> db.employee.find({ status: { $ne:
"inactive" } }) [
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d1'),
    Id: 1,
    Name: 'Aryan',
    Salary: 10000,

```

```

    Rating: 5,
    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d2'),
    Id: 2,
    Name: 'Rohan',
    Salary: 15000,
    Rating: 4,
    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d3'),
    Id: 3,
    Name: 'John',
    Salary: 20000,
    Rating: 3,
    status: 'active'
  }
]
employeeAppraisal> db.employee.find({ Salary: { $gt:
15000 } }) [
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d3'),
    Id: 3,
    Name: 'John',
    Salary: 20000,
    Rating: 3,
    status: 'active'
  },
  {
    _id: ObjectId('G9dde2bd31985b799a3G82d4'),
    Id: 4,
    Name: 'Riya',
    Salary: 18000,

```

```

    Rating: 2,
    status: 'inactive'
  }
]
employeeAppraisal> db.employee.updateOne(
| { Rating: 5 },
| { $set: { Salary: 20000 } }
|)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
employeeAppraisal> db.employee.updateMany(
| { Rating: { $gte: 4 } },
| { $inc: { Salary: 5000 } }
|)
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 2,
  modifiedCount: 2,
  upsertedCount: 0
}
employeeAppraisal> db.employee.deleteOne({ Id: 4 })
{ acknowledged: true, deletedCount: 1 }
employeeAppraisal> db.employee.find().sort({ Salary:
-1 }) [
{
  _id: ObjectId('G9dde2bd31985b799a3G82d1'),
  Id: 1,
  Name: 'Aryan',
  Salary: 25000,

```

```
Rating: 5,  
status: 'active'  
},  
{  
  _id: ObjectId('G9dde2bd31985b799a3G82d2'),  
  Id: 2,  
  Name: 'Rohan',  
  Salary: 20000,  
  Rating: 4,  
  status: 'active'  
},  
{  
  _id: ObjectId('G9dde2bd31985b799a3G82d3'),  
  Id: 3,  
  Name: 'John',  
  Salary: 20000,  
  Rating: 3,  
  status: 'active'  
}  
]  
employeeAppraisal> db.employee.find().limit(2)  
[  
  {  
    _id: ObjectId('G9dde2bd31985b799a3G82d1'),  
    Id: 1,  
    Name: 'Aryan',  
    Salary: 25000,  
    Rating: 5,  
    status: 'active'  
  },  
  {  
    _id: ObjectId('G9dde2bd31985b799a3G82d2'),  
    Id: 2,  
    Name: 'Rohan',  
    Salary: 20000,
```

```

    Rating: 4,
    status: 'active'
  }
]
employeeAppraisal> db.employee.save({
| Id: 5,
| Name: "Aman",
| Salary: 25000,
| Rating: 4,
| status: "active"
| })
TypeError: db.employee.save is not a function
employeeAppraisal> db.employee.aggregate([
| {
|   $group: {
|     _id: null,
|     totalSalary: { $sum: "$Salary" }
|   }
| }
| ])
[ { _id: null, totalSalary: 50000 } ]
employeeAppraisal>

```