

# **Database Management Systems Lab**

## **Assignment 1**



**VIT<sup>®</sup>**

---

**Vellore Institute of Technology**  
(Deemed to be University under section 3 of UGC Act, 1956)

**Name:** Aryan Mahawar

**Registration Number:** 23BDS1095

**Course Code:** BCSE302P (Lab)

**Slot:** L49+L50 (Lab)

***NOTE: ALL TABLES END WITH MY REGISTRATION NUMBER (23BDS1095)***

## **DDL Commands**

***1. Create the following Tables or schemas:***

***Stud(sname, regno, dept, year, Mark1, Mark2, Mark3, Sum) - datatype of the regno is NUMBER***

***Faculty(fname, fid, designation)***

***Course(cname, ccode)***

### **Command:**

**To create Stud** - create table Stud\_23BDS1095(sname varchar2(20), regno number, dept varchar2(10), year number, Mark1 number, Mark2 number, Mark3 number, Sum number);

**To create Faculty** - create table Faculty\_23BDS1095(fname varchar2(20), fid number, designation varchar2(20));

**To create Course** - create table Course\_23BDS1095(cname varchar2(20), ccode varchar2(20));

### **Output Screenshot:**

```
SQL> create table Stud_23BDS1095(sname varchar2(20), regno number, dept varchar2(10),  
year number, Mark1 number, Mark2 number, Mark3 number, Sum number);
```

```
Table created.
```

```
SQL> create table Faculty_23BDS1095(fname varchar(2), fid number, designation varchar  
2(20));
```

```
Table created.
```

```
SQL> create table Course_23BDS1095(cname varchar2(20), ccode varchar2(20));
```

```
Table created.
```

```
SQL> |
```

***2. View the structure of each table***

### **Command:**

**To describe Stud** - desc Stud\_23BDS1095;

**To describe Faculty** - desc Faculty\_23BDS1095;

**To describe Course** - desc Course\_23BDS1095;

### Output Screenshot:

```
SQL> desc Stud_23BDS1095;
Name                                     Null?      Type
-----
SNAME                                   VARCHAR2(20)
REGNO                                   NUMBER
DEPT                                    VARCHAR2(10)
YEAR                                    NUMBER
MARK1                                   NUMBER
MARK2                                   NUMBER
MARK3                                   NUMBER
SUM                                     NUMBER

SQL> desc Faculty_23BDS1095;
Name                                     Null?      Type
-----
FNAME                                   VARCHAR2(20)
FID                                     NUMBER
DESIGNATION                            VARCHAR2(20)

SQL> desc Course_23BDS1095;
Name                                     Null?      Type
-----
CNAME                                   VARCHAR2(20)
CCODE                                   VARCHAR2(20)

SQL> |
```

### 3. Change the data type of the column regno as varchar2(10) in stud table

#### Command:

```
alter table Stud_23BDS1095 modify (regno varchar2(10));
```

### Output Screenshot:

```
SQL> alter table Stud_23BDS1095 modify (regno varchar2(10));

Table altered.

SQL> |
```

#### 4. View the structure of stud table

**Command:**

```
desc Stud_23BDS1095;
```

**Output Screenshot:**

```
SQL> desc Stud_23BDS1095;
  Name                               Null?    Type
-----
SNAME                               VARCHAR2(20)
REGNO                               VARCHAR2(10)
DEPT                                VARCHAR2(10)
YEAR                                NUMBER
MARK1                               NUMBER
MARK2                               NUMBER
MARK3                               NUMBER
SUM                                 NUMBER

SQL> |
```

#### 5. Add columns such as Total and Average in stud table

**Command:**

```
alter table Stud_23BDS1095 add (Total number, Average number);
```

**Output Screenshot:**

```
SQL> alter table Stud_23BDS1095 add (Total number, Average number);

Table altered.

SQL> |
```

### *6. View the structure of stud table*

**Command:**

```
desc Stud_23BDS1095;
```

**Output Screenshot:**

```
SQL> desc Stud_23BDS1095;
  Name                               Null?    Type
-----
SNAME                               VARCHAR2(20)
REGNO                               VARCHAR2(10)
DEPT                                VARCHAR2(10)
YEAR                                NUMBER
MARK1                               NUMBER
MARK2                               NUMBER
MARK3                               NUMBER
SUM                                 NUMBER
TOTAL                              NUMBER
AVERAGE                            NUMBER

SQL> |
```

### *7. Delete the column sum from stud table*

**Command:**

```
alter table Stud_23BDS1095 drop column Sum;
```

**Output Screenshot:**

```
SQL> alter table Stud_23BDS1095 drop column Sum;

Table altered.

SQL> |
```

### 8. View the structure of stud table

**Command:**

```
desc Stud_23BDS1095;
```

**Output Screenshot:**

```
SQL> desc Stud_23BDS1095;
```

Name	Null?	Type
SNAME		VARCHAR2(20)
REGNO		VARCHAR2(10)
DEPT		VARCHAR2(10)
YEAR		NUMBER
MARK1		NUMBER
MARK2		NUMBER
MARK3		NUMBER
TOTAL		NUMBER
AVERAGE		NUMBER

```
SQL> |
```

### 9. Add new columns Department and Salary in the Faculty table

**Command:**

```
alter table Faculty_23BDS1095 add (Department varchar2(20), Salary number);
```

**Output Screenshot:**

```
SQL> alter table Faculty_23BDS1095 add (Department varchar2(20), Salary number);  
  
Table altered.  
  
SQL> |
```

*10. View the structure of Faculty table*

**Command:**

```
desc Faculty_23BDS1095;
```

**Output Screenshot:**

```
SQL> desc Faculty_23BDS1095;
Name                               Null?    Type
-----
FNAME                              VARCHAR2(2)
FID                                NUMBER
DESIGNATION                        VARCHAR2(20)
DEPARTMENT                        VARCHAR2(20)
SALARY                             NUMBER

SQL> |
```

*11. Drop the table course*

**Command:**

```
drop table Course_23BDS1095;
```

**Output Screenshot:**

```
SQL> drop table Course_23BDS1095;

Table dropped.

SQL> |
```

***12. View the structure of course table***

**Command:**

desc Course\_23BDS1095

**Output Screenshot:**

**(We do expect an error in this case since the table has been dropped in question 11 already)**

```
SQL> desc Course_23BDS1095;  
ERROR:  
ORA-04043: object Course_23BDS1095 does not exist  
  
SQL> |
```

***13. Rename the table stud as Student***

**Command:**

alter table Stud\_23BDS1095 rename to Student\_23BDS1095;

**Output Screenshot:**

```
SQL> alter table Stud_23BDS1095 rename to Student_23BDS1095;  
Table altered.  
  
SQL> |
```

***14. Create the table Course***

**Command:**

create table Course\_23BDS1095(cname varchar2(20), ccode number);

**Output Screenshot:**

```
SQL> create table Course_23BDS1095(cname varchar(20), ccode number);  
Table created.  
  
SQL> |
```



## DML Commands

### *15. Insert 3 records in each table*

#### **Command:**

insert command as shown in the below screenshot for each of the tables

#### **Output Screenshots:**

```
SQL> insert into Student_23BDS1095 (sname, regno, dept, year, Mark1, Mark2, Mark3, Total, Average) values ('Ranjeet', '23BDS1045', 'CSE', 2, 75, 80, 85, 240, 80);
```

```
1 row created.
```

```
SQL> insert into Student_23BDS1095 (sname, regno, dept, year, Mark1, Mark2, Mark3, Total, Average) values ('Rishadd', '22BDS1850', 'ECE', 3, 85, 90, 80, 255, 85);
```

```
1 row created.
```

```
SQL> insert into Student_23BDS1095 (sname, regno, dept, year, Mark1, Mark2, Mark3, Total, Average) values ('Siraj', '23BDS1020', 'CSE', 2, 70, 65, 80, 215, 72);
```

```
1 row created.
```

```
SQL> insert into Faculty_23BDS1095 (fname, fid, designation, Department, Salary) values ('Dr. Divya', 564, 'Associate Professor', 'CSE', 600000);
```

```
1 row created.
```

```
SQL> insert into Faculty_23BDS1095 (fname, fid, designation, Department, Salary) values ('Dr. Prakash', 664, 'Professor', 'CSE', 700000);
```

```
1 row created.
```

```
SQL> insert into Faculty_23BDS1095 (fname, fid, designation, Department, Salary) values ('Dr. Dev', 124, 'Assistant Professor', 'CSE', 500000);
```

```
1 row created.
```

```
SQL> insert into Course_23BDS1095 (cname, ccode) values ('DBMS', 202);
```

```
1 row created.
```

```
SQL> insert into Course_23BDS1095 (cname, ccode) values ('OS', 102);
```

```
1 row created.
```

```
SQL> insert into Course_23BDS1095 (cname, ccode) values ('DSA', 302);
```

```
1 row created.
```

```
SQL> |
```

## 16. Display the content of all the schemas

### Command:

**To display content of Student table** - select \* from Student\_23BDS1095;

**To display content of Faculty table** - select \* from Faculty\_23BDS1095;

**To display content of Course table** - Select \* from Course\_23BDS1095;

### Output Screenshot:

```
SQL> select * from Student_23BDS1095;

SNAME            REGNO    DEPT      YEAR    MARK1    MARK2    MARK3    TOTAL    AVERAGE
-----
Ranjeet          23BDS1045 CSE        2        75        80        85        240        80
Rishadd          22BDS1850 ECE        3        85        90        80        255        85
Siraj            23BDS1020 CSE        2        70        65        80        215        72

SQL> select * from Faculty_23BDS1095;

FNAME            FID DESIGNATION    DEPARTMENT    SALARY
-----
Dr. Divya        564 Associate Professor CSE            600000
Dr. Prakash      664 Professor      CSE            700000
Dr. Dev          124 Assistant Professor CSE            500000

SQL> select * from Course_23BDS1095;

CNAME            CCODE
-----
DBMS              202
OS                102
DSA               302

SQL> |
```

## 17. Apply and identify the difference between Truncate and Drop command on Course table (DDL commands)

### Command:

**To truncate Course table** - truncate table Course\_23BDS1095;

**To drop Course table** - drop table Course\_23BDS1095;

### Difference:

**Truncate** - removes all the rows from the table but retains the table structure for future use

**Drop** - completely removes the table and its structure from the database

### Output Screenshot:

```
SQL> -- truncate command removes all the rows from the table but retains the table structure for future use
SQL> truncate table Course_23BDS1095;

Table truncated.

SQL> -- drop command completely removes the table and its structure from the database
SQL> drop table Course_23BDS1095;

Table dropped.

SQL> |
```

### *18. Insert 2 records (read the data from user) in each table*

#### **Command:**

using the insert command with the ‘&’ symbol as shown for each of the existing tables

#### **Output Screenshots:**

```
SQL> insert into Student_23BDS1095 values ('&sname', '&regno', '&dept', &year, &Mark1, &Mark2, &Mark3, &Total, &Average);
Enter value for sname: Faizal
Enter value for regno: 22BME2254
Enter value for dept: ECM
Enter value for year: 3
Enter value for mark1: 80
Enter value for mark2: 80
Enter value for mark3: 80
Enter value for total: 240
Enter value for average: 80
old 1: insert into Student_23BDS1095 values ('&sname', '&regno', '&dept', &year, &Mark1, &Mark2, &Mark3, &Total, &Average)
new 1: insert into Student_23BDS1095 values ('Faizal', '22BME2254', 'ECM', 3, 80, 80, 80, 240, 80)

1 row created.

SQL> insert into Student_23BDS1095 values ('&sname', '&regno', '&dept', &year, &Mark1, &Mark2, &Mark3, &Total, &Average);
Enter value for sname: Rishi
Enter value for regno: 23BCE1151
Enter value for dept: CSE
Enter value for year: 2
Enter value for mark1: 80
Enter value for mark2: 80
Enter value for mark3: 80
Enter value for total: 240
Enter value for average: 80
old 1: insert into Student_23BDS1095 values ('&sname', '&regno', '&dept', &year, &Mark1, &Mark2, &Mark3, &Total, &Average)
new 1: insert into Student_23BDS1095 values ('Rishi', '23BCE1151', 'CSE', 2, 80, 80, 80, 240, 80)

1 row created.

SQL> |
```

```
SQL> insert into Faculty_23BDS1095 values ('&fname', &fid, '&designation', '&Department', &Salary);
Enter value for fname: Dr. Kishore
Enter value for fid: 200
Enter value for designation: Professor
Enter value for department: CSE
Enter value for salary: 500000
old 1: insert into Faculty_23BDS1095 values ('&fname', &fid, '&designation', '&Department', &Salary)
new 1: insert into Faculty_23BDS1095 values ('Dr. Kishore', 200, 'Professor', 'CSE', 500000)

1 row created.

SQL> insert into Faculty_23BDS1095 values ('&fname', &fid, '&designation', '&Department', &Salary);
Enter value for fname: Dr. Jagdish
Enter value for fid: 554
Enter value for designation: Associate Professor
Enter value for department: ECM
Enter value for salary: 400000
old 1: insert into Faculty_23BDS1095 values ('&fname', &fid, '&designation', '&Department', &Salary)
new 1: insert into Faculty_23BDS1095 values ('Dr. Jagdish', 554, 'Associate Professor', 'ECM', 400000)

1 row created.

SQL> |
```

**19. Display the student details belongs to CSE department**

**Command:**

```
select * from Student_23BDS1095 where dept = 'CSE';
```

**Output Screenshot:**

```
SQL> select * from Student_23BDS1095 where dept = 'CSE';
```

SNAME	REGNO	DEPT	YEAR	MARK1	MARK2	MARK3	TOTAL	AVERAGE
Ranjeet	23BDS1045	CSE	2	75	80	85	240	80
Siraj	23BDS1020	CSE	2	70	65	80	215	72
Rishi	23BCE1151	CSE	2	80	80	80	240	80

```
SQL> |
```

**20. Display the list of professors with department from faculty table**

**Command:**

```
select fname, Department from Faculty_23BDS1095 where designation = 'Professor';
```

**Output Screenshot:**

```
SQL> select fname, Department from Faculty_23BDS1095 where designation = 'Professor';
```

FNAME	DEPARTMENT
Dr. Prakash	CSE
Dr. Kishore	CSE

```
SQL> |
```

**21. Display the list of professors from CSE department**

**Command:**

select fname from Faculty\_23BDS1095 where Department = 'CSE' and designation = 'Professor';

**Output Screenshot:**

```
SQL> select fname from Faculty_23BDS1095 where Department = 'CSE' and designation = 'Professor';

FNAME
-----
Dr. Prakash
Dr. Kishore

SQL> |
```

**22. Display the list of faculty whose salary is greater than Rs.55,000**

**Command:**

select \* from Faculty\_23BDS1095 where Salary > 55000;

**Output Screenshot:**

```
SQL> select * from Faculty_23BDS1095 where Salary > 55000;

FNAME                FID DESIGNATION                DEPARTMENT                SALARY
-----
Dr. Divya            564 Associate Professor        CSE                        600000
Dr. Prakash          664 Professor                  CSE                        700000
Dr. Dev              124 Assistant Professor        CSE                        500000
Dr. Kishore          200 Professor                  CSE                        500000
Dr. Jagdish          554 Associate Professor        ECM                        400000

SQL> |
```

### 23. Compute total and average of all the students

**Command:**

```
select sum(Mark1 + Mark2 + Mark3) as Total, Avg((Mark1 + Mark2 + Mark3) / 3) as Average  
from Student_23BDS1095;
```

**Output Screenshot:**

```
SQL> select sum(Mark1 + Mark2 + Mark3) as Total, Avg((Mark1 + Mark2 + Mark3) / 3) as Average from Student_23BDS1095;  
  
      TOTAL      AVERAGE  
-----  
      1190 79.3333333  
  
SQL> |
```

### 24. View the content of student table

**Command:**

```
select * from Student_23BDS1095;
```

**Output Screenshot:**

```
SQL> select * from Student_23BDS1095;  
  
SNAME          REGNO   DEPT      YEAR  MARK1  MARK2  MARK3  TOTAL  AVERAGE  
-----  
Ranjeet        23BDS1045 CSE        2      75     80     85     240     80  
Rishadd        22BDS1850 ECE        3      85     90     80     255     85  
Siraj          23BDS1020 CSE        2      70     65     80     215     72  
Faizal         22BME2254 ECM        3      80     80     80     240     80  
Rishi          23BCE1151 CSE        2      80     80     80     240     80  
  
SQL> |
```

**25. Change the department as CSE whose name is CHIRAG in student table**

**Command:**

update Student\_23BDS1095 as dept = 'CSE' where sname = 'CHIRAG';

**Output Screenshot:**

```
SQL> update Student_23BDS1095 set dept = 'CSE' where sname = 'CHIRAG';  
  
0 rows updated.  
  
SQL> |
```

**26. Delete the students details belongs to ECE department**

**Command:**

delete from Student\_23BDS1095 where dept = 'ECE';

**Output Screenshot:**

```
SQL> delete from Student_23BDS1095 where dept = 'ECE';  
  
1 row deleted.  
  
SQL> |
```

**27. Display the course detail of the course DBMS**

**Command:**

select \* from Course\_23BDS1095 where cname = 'DBMS';

**Output Screenshot:**

**(the above command will result in an error since the table is no longer available to be referenced because it was completely removed in question 17)**

```
SQL> select * from Course_23BDS1095 where cname = 'DBMS';
select * from Course_23BDS1095 where cname = 'DBMS'
      *
ERROR at line 1:
ORA-00942: table or view does not exist
```

```
SQL> -- the above command gave us an error because the Course_23BDS1095 no longer exists
because it was completely dropped in question number 17
SQL> |
```