

```
Command Prompt  X  Windows PowerShell  X  +  v

ENDLOCAL      Ends localization of environment changes in a batch file.
ERASE         Deletes one or more files.
EXIT          Quits the CMD.EXE program (command interpreter).
FC            Compares two files or sets of files, and displays the
              differences between them.
FIND          Searches for a text string in a file or files.
FINDSTR       Searches for strings in files.
FOR           Runs a specified command for each file in a set of files.
FORMAT        Formats a disk for use with Windows.
FSUTIL        Displays or configures the file system properties.
FTYPE         Displays or modifies file types used in file extension
              associations.
GOTO          Directs the Windows command interpreter to a labeled line in
              a batch program.
GPRESULT      Displays Group Policy information for machine or user.
HELP          Provides Help information for Windows commands.
ICACLS        Display, modify, backup, or restore ACLs for files and
              directories.
IF            Performs conditional processing in batch programs.
LABEL         Creates, changes, or deletes the volume label of a disk.
MD            Creates a directory.
MKDIR         Creates a directory.
MKLINK        Creates Symbolic Links and Hard Links
MODE          Configures a system device.
MORE          Displays output one screen at a time.
MOVE          Moves one or more files from one directory to another
              directory.
OPENFILES     Displays files opened by remote users for a file share.
PATH          Displays or sets a search path for executable files.
PAUSE         Suspends processing of a batch file and displays a message.
POPD          Restores the previous value of the current directory saved by
              PUSHHD.
PRINT         Prints a text file.
PROMPT        Changes the Windows command prompt.
PUSHHD        Saves the current directory then changes it.
```

```
Command Prompt  X  Windows PowerShell  X  +  v

PUSHD          Saves the current directory then changes it.
RD             Removes a directory.
RECOVER        Recovers readable information from a bad or defective disk.
REM            Records comments (remarks) in batch files or CONFIG.SYS.
REN            Renames a file or files.
RENAME         Renames a file or files.
REPLACE        Replaces files.
RMDIR          Removes a directory.
ROBOCOPY        Advanced utility to copy files and directory trees
SET            Displays, sets, or removes Windows environment variables.
SETLOCAL       Begins localization of environment changes in a batch file.
SC             Displays or configures services (background processes).
SCHTASKS       Schedules commands and programs to run on a computer.
SHIFT          Shifts the position of replaceable parameters in batch files.
SHUTDOWN       Allows proper local or remote shutdown of machine.
SORT           Sorts input.
START          Starts a separate window to run a specified program or command.
SUBST          Associates a path with a drive letter.
SYSTEMINFO     Displays machine specific properties and configuration.
TASKLIST       Displays all currently running tasks including services.
TASKKILL       Kill or stop a running process or application.
TIME           Displays or sets the system time.
TITLE          Sets the window title for a CMD.EXE session.
TREE           Graphically displays the directory structure of a drive or
               path.
TYPE           Displays the contents of a text file.
VER            Displays the Windows version.
VERIFY         Tells Windows whether to verify that your files are written
               correctly to a disk.
VOL            Displays a disk volume label and serial number.
XCOPY          Copies files and directory trees.
WMIC           Displays WMI information inside interactive command shell.

For more information on tools see the command-line reference in the online help.
```

Microsoft Windows [Version 10.0.26200.7462]
(c) Microsoft Corporation. All rights reserved.

C:\Users\LENOVO>cd aryan

C:\Users\LENOVO\ aryan >help

For more information on a specific command, type HELP command-name

ASSOC	Displays or modifies file extension associations.
ATTRIB	Displays or changes file attributes.
BREAK	Sets or clears extended CTRL+C checking.
BCDEDIT	Sets properties in boot database to control boot loading.
CACLS	Displays or modifies access control lists (ACLs) of files.
CALL	Calls one batch program from another.
CD	Displays the name of or changes the current directory.
CHCP	Displays or sets the active code page number.
CHDIR	Displays the name of or changes the current directory.
CHKDSK	Checks a disk and displays a status report.
CHKNTFS	Displays or modifies the checking of disk at boot time.
CLS	Clears the screen.
CMD	Starts a new instance of the Windows command interpreter.
COLOR	Sets the default console foreground and background colors.
COMP	Compares the contents of two files or sets of files.
COMPACT	Displays or alters the compression of files on NTFS partitions.
CONVERT	Converts FAT volumes to NTFS. You cannot convert the current drive.
COPY	Copies one or more files to another location.
DATE	Displays or sets the date.
DEL	Deletes one or more files.
DIR	Displays a list of files and subdirectories in a directory.
DISKPART	Displays or configures Disk Partition properties.
DOSKEY	Edits command lines, recalls Windows commands, and creates macros.
DRIVERQUERY	Displays current device driver status and properties.
ECHO	Displays messages, or turns command echoing on or off.
ENDLOCAL	Ends localization of environment changes in a batch file.

C:\Users\LENOVO\ aryan >shutdown

Usage: shutdown [/i | /l | /s | /sg | /r | /g | /a | /p | /h | /e | /o] [/hybrid] [/soft] [/fw] [/f]
[/m \\computer][/t xxx][/d [p|u:]xx:yy [/c "comment"]]

No args	Display help. This is the same as typing /?.
/?	Display help. This is the same as not typing any options.
/i	Display the graphical user interface (GUI). This must be the first option.
/l	Log off. This cannot be used with /m or /d options.
/s	Shutdown the computer.
/sg	Shutdown the computer. On the next boot, if Automatic Restart Sign-On is enabled, automatically sign in and lock last interactive user. After sign in, restart any registered applications.
/r	Full shutdown and restart the computer.
/g	Full shutdown and restart the computer. After the system is rebooted, if Automatic Restart Sign-On is enabled, automatically sign in and lock last interactive user. After sign in, restart any registered applications.
/a	Abort a system shutdown. This can only be used during the time-out period. Combine with /fw to clear any pending boots to firmware.
/p	Turn off the local computer with no time-out or warning. Can be used with /d and /f options.
/h	Hibernate the local computer. Can be used with the /f option.
/hybrid	Performs a shutdown of the computer and prepares it for fast startup. Must be used with /s option.
/fw	Combine with a shutdown option to cause the next boot to go to the firmware user interface.
/e	Document the reason for an unexpected shutdown of a computer.
/o	Go to the advanced boot options menu and restart the computer. Must be used with /r option.
/m \\computer	Specify the target computer.
/t xxx	Set the time-out period before shutdown to xxx seconds.

```
Command Prompt
C:\Users\LENOVO>color help
Sets the default console foreground and background colors.

COLOR [attr]

    attr          Specifies color attribute of console output

Color attributes are specified by TWO hex digits -- the first
corresponds to the background; the second the foreground.  Each digit
can be any of the following values:

    0 = Black      8 = Gray
    1 = Blue       9 = Light Blue
    2 = Green      A = Light Green
    3 = Aqua       B = Light Aqua
    4 = Red        C = Light Red
    5 = Purple     D = Light Purple
    6 = Yellow     E = Light Yellow
    7 = White      F = Bright White

If no argument is given, this command restores the color to what it was
when CMD.EXE started.  This value either comes from the current console
window, the /T command line switch or from the DefaultColor registry
value.

The COLOR command sets ERRORLEVEL to 1 if an attempt is made to execute
the COLOR command with a foreground and background color that are the
same.

Example: "COLOR fc" produces light red on bright white

C:\Users\LENOVO>color 2

C:\Users\LENOVO>|
```



output



```
C:\Users\LEN0V0>title output
```

```
C:\Users\LEN0V0>|
```


output

C:\Users\LENOVO>systeminfo

Host Name: DESKTOP-OEGMNH7
OS Name: Microsoft Windows 11 Home Single Language
OS Version: 10.0.26200 N/A Build 26200
OS Manufacturer: Microsoft Corporation
OS Configuration: Standalone Workstation
OS Build Type: Multiprocessor Free
Registered Owner: LENOVO
Registered Organization:
Product ID: 00327-36226-24328-AAOEM
Original Install Date: 20-03-2025, 20:50:46
System Boot Time: 16-01-2026, 00:27:52
System Manufacturer: LENOVO
System Model: 81W1
System Type: x64-based PC
Processor(s): 1 Processor(s) Installed.
[01]: AMD64 Family 23 Model 24 Stepping 1 AuthenticAMD ~2600 Mhz
BIOS Version: LENOVO E8CN36WW, 23-05-2022
Windows Directory: C:\WINDOWS
System Directory: C:\WINDOWS\system32
Boot Device: \Device\HarddiskVolume1
System Locale: en-us;English (United States)
Input Locale: 00004009
Time Zone: (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi
Total Physical Memory: 10,116 MB
Available Physical Memory: 3,438 MB
Virtual Memory: Max Size: 17,796 MB
Virtual Memory: Available: 6,998 MB
Virtual Memory: In Use: 10,798 MB
Page File Location(s): C:\pagefile.sys
Domain: WORKGROUP
Logon Server: \\DESKTOP-OEGMNH7
Hotfix(s): 4 Hotfix(s) Installed.



output - time



```
C:\Users\LENOVO>time
```

```
The current time is: 23:59:35.91
```

```
Enter the new time: |
```




output - date



```
C:\Users\LENOVO>date
```

```
The current date is: 19-01-2026
```

```
Enter the new date: (dd-mm-yy) |
```

output

```
C:\Users\LENOVO>slmgr - dli
```

```
C:\Users\LENOVO>
```

Windows Script Host

Unrecognized option: -

Windows Software Licensing Management Tool

Usage: slmgr.vbs [MachineName [User Password]] [<Option>]

MachineName: Name of remote machine (default is local machine)

User: Account with required privilege on remote machine

Password: password for the previous account

Global Options:

/ipk <Product Key>

Install product key (replaces existing key)

/ato [Activation ID]

Activate Windows

/dli [Activation ID | All]

Display license information (default: current license)

/dlv [Activation ID | All]

Display detailed license information (default: current license)

/xpr [Activation ID]

Expiration date for current license state

OK

output

```
C:\Users\LENOVO>winver
```

```
C:\Users\LENOVO>
```

About Windows



Windows 11

Microsoft Windows
Version 25H2 (OS Build 26200.7462)
© Microsoft Corporation. All rights reserved.

The Windows 11 Home Single Language operating system and its user interface are protected by trademark and other pending or existing intellectual property rights in the United States and other countries/regions.

This product is licensed under the [Microsoft Software License Terms](#) to:
LENOVO

OK



Command Prompt



Microsoft Windows [Version 10.0.26200.7462]
(c) Microsoft Corporation. All rights reserved.

C:\Users\LENOVO>exit|



Command Prompt



Microsoft Windows [Version 10.0.26200.7462]
(c) Microsoft Corporation. All rights reserved.

C:\Users\LENOVO>cd ..

C:\Users>



Command Prompt



```
C:\Users>cd aryan
```

```
The system cannot find the path specified.
```

```
C:\Users>cd Lenovo
```

```
C:\Users\LENOVO>cd aryan
```

```
C:\Users\LENOVO\ aryan
```



Command Prompt



```
C:\Users\LENOVO\ aryan >mkdir CD24006
```

```
C:\Users\LENOVO\ aryan >|
```




Command Prompt



```
C:\Users\LENOVO\ aryan >mkdir CD24006
```

```
C:\Users\LENOVO\ aryan >mkdir temporary
```

```
C:\Users\LENOVO\ aryan >rmdir temporary
```

```
C:\Users\LENOVO\ aryan >
```



Command Prompt



```
C:\Users\LENOVO\ aryan >mkdir 1 2
```

```
C:\Users\LENOVO\ aryan >move 1 2  
1 dir(s) moved.
```

```
C:\Users\LENOVO\ aryan >
```



Command Prompt



```
C:\Users\LENOVO\ aryan >rem 1 one
```

```
C:\Users\LENOVO\ aryan >cd 2
```

```
C:\Users\LENOVO\ aryan \2>rem 1 to one
```

```
C:\Users\LENOVO\ aryan \2>|
```



Command Prompt



```
C:\Users\LENOVO\ aryan \2>cd ..
```

```
C:\Users\LENOVO\ aryan >cd 2
```

```
C:\Users\LENOVO\ aryan \2>del 1
```

```
C:\Users\LENOVO\ aryan \2\1\*, Are you sure (Y/N)? Y
```

```
C:\Users\LENOVO\ aryan \2>|
```



Command Prompt



```
C:\Users\LENOVO\aryan \2>cd..
```

```
C:\Users\LENOVO\aryan >Vol D:  
Volume in drive D is Windows  
Volume Serial Number is 4C0D-103C
```

```
C:\Users\LENOVO\aryan >|
```



Command Prompt



```
C:\Users\LENOVO\aryan .>hostname  
DESKTOP-OEGMNH7
```

```
C:\Users\LENOVO\aryan >|
```



Command Prompt



C:\Users\LENOVO\ aryan charmap

C:\Users\LENOVO\ aryan



Character Map



Font :

Arial

Help

!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/	0	1	2	3	4
5	6	7	8	9	:	;	<	=	>	?	@	A	B	C	D	E	F	G	H
I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	[	\
]	^	_	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p
q	r	s	t	u	v	w	x	y	z	{		}	~		ı	ç	£	¤	¥
ı	§	¨	©	ª	«	¬	-	®	¯	°	±	²	³	´	µ	¶	·	¸	¹
º	»	¼	½	¾	¿	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í
Î	Ï	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	Ø	Ù	Ú	Û	Ü	Ý	Þ	ß	à	á
â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	ó	ô	õ
ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ	Ā	ā	Ă	ă	Ą	ą	Ć	ć	Ĉ	ĉ

Characters to copy :



Copy

☐ Advanced view

Microsoft Windows [Version 10.0.26200.7462]
(c) Microsoft Corporation. All rights reserved.


C:\Users\LENOVO>tree


Folder PATH listing for volume SSD MAIN


Volume serial number is 08F9-EAED


C:.

```
├──.cache
│   ├──aria2
│   ├──n8n
│   │   └──public
│   │       ├──assets
│   │       ├──static
│   │       └──types
├──.docker
│   ├──buildx
│   │   ├──activity
│   │   ├──defaults
│   │   └──instances
│   ├──cli-plugins
│   ├──contexts
│   │   └──meta
│   │       └──fe9c6bd7a66301f49ca9b6a70b217107cd1284598bfc254700c989b916da791e
│   ├──desktop-build
│   ├──models
│   └──modules
├──.idlerc
├──.ipython
│   └──profile_default
│       ├──db
│       ├──log
│       ├──pid
│       ├──security
│       └──startup
└──.matplotlib
```







```
C:\Users\LENOVO\ aryan >firewall.cpl
```

```
C:\Users\LENOVO\ aryan >
```

